

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
10 October 2002 (10.10.2002)

PCT

(10) International Publication Number
WO 02/079416 A2(51) International Patent Classification⁷:

C12N

(21) International Application Number: PCT/US02/09652

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/280,549 30 March 2001 (30.03.2001) US(71) Applicant (for all designated States except US): TEXAS
A & M UNIVERSITY SYSTEM [US/US]; M/S 3369,
College Station, TX 77843-3369 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): DUNNE, Patrick,
W. [/US]; College Station, TX (US). PIEDRAHITA,
Jorge [/US]; College Station, TX (US).(74) Agent: HANSON, Robert, E.; Fulbright & Jaworski,
L.L.P., 600 Congress Avenue, Suite 2400, Austin, TX
78701 (US).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VN, YU, ZA, ZM, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 02/079416 A2

(54) Title: TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES

(57) Abstract: The invention provides modified prion-encoding genes for the creation of transgenic bovine and cervid animals resistant to transmissible spongiform encephalopathies including bovine spongiform encephalopathy (BSE). The transgenic animals homozygous for the mutant genes continue to express a functional copy of the prion-encoding gene, thereby not interfering with the normal role of the polypeptide and effectively decreasing tendency for alteration of sleep-wake cycles.

DESCRIPTIONTRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM
ENCEPHALOPATHIES

5

BACKGROUND OF THE INVENTION

This application claims the priority of U.S. Provisional Patent Application No. 60/280,549, filed March 30, 2001, the entire disclosure of which is specifically incorporated herein by reference.

10 **Field of the Invention**

The present invention relates generally to the field of genetic transformation. More particularly, it concerns modification of a bovine prion protein gene useful in producing transgenic cattle exhibiting resistance to bovine spongiform encephalopathy.

Description of Related Art

15 Prions are highly infectious pathogens recognized as causing transmissible spongiform encephalopathies (TSEs) in humans and animals. Among the invariably fatal neurodegenerative diseases caused by these pathogens are bovine spongiform encephalopathy (BSE), scrapie in sheep and goats, chronic wasting disease in mule deer and elk, and Creutzfeldt-Jakob disease in humans. The pathogenic agent is an abnormal form of an endogenous protein (PrP^C), distinct from viruses and viroids in that prions are not associated with nucleic acids and appear to be composed entirely of an abnormal protein (PrP^{Sc}).

20

Prions are not associated with any nucleic acid and appear to be composed entirely of a modified protein (PrP). PrP exists in normal form in the cell but is believed to be converted to an abnormal form through a post-translational process resulting in a high beta-sheet content. 25 Particular prions associated with a given species are encoded by the chromosomal PrP gene of the mammal in which it replicated. It is thought that prions embody strain specific properties in the tertiary structure of the modified prion protein. It is believed that the modified prion

polypeptide acts as a template upon which normally occurring prion polypeptide is refolded into the modified form possibly facilitated by another protein (Prusiner S.B., 1998).

5 Bovine spongiform encephalopathy affects domestic cattle as a particular serious problem in the United Kingdom, France, Portugal and other European countries. The disease is invariably fatal for cattle, typically within weeks to months after becoming symptomatic. While BSE is associated with the transmissible agent, the precise mechanism of transmission is not well understood. A possible mode of transmission was believed to be the incorporation of sheep infected with scrapie in commercial cattle feed. In humans no direct link between CJD and BSE has been found but there is compelling evidence that a variant form of CJD may be caused by 10 consumption of BSE contaminated beef (U.S. Pat. No. 5,737,061).

15 Symptoms of BSE in cattle commonly include changes in behavior such as unsteady gait or excessive nose licking. Recently, methods of diagnosis have been disclosed which relate the size of the pupil of the eye in conjunction with treatment of the animals prior to and subsequent to the administration of a neuro transmitter agonist or antagonist as differentiated from changes induced in the non-afflicted cattle (U.S. Pat. No. 5,737, 061).

20 Prion protein encoding genes have been cloned, sequenced and expressed in transgenic animals. PrP^C for example is encoded by a single copy host gene and is normally found at the outer surface of neurons (Basler, *et al.*, 1986). The biological function of PrP^C is not known, although it has been suggested that it is associated with acetyl coline receptor inducing activity 25 (Harris, *et al.*, 1991). The PrP gene is found in all mammals, including humans. The cause and mechanism of the transformation to the purportedly disease causing form is not known. However, certain mutations in the PrP gene such a proline to leucine change at position 102 have been linked to the disease in certain familial forms of spongiform encephalopathy (Hsiao and Prusiner, 1990). Mice carrying a PrP transgene with a proline to leucine change at position 102 develop a fatal scrapie-like disease.

More than twenty mutations of the PrP gene are now considered to cause the inherited human prion diseases and in some cases genetic linkages have been established for these mutations, for example, as described in Gabizon, *et al.*, 1993.

Recombinant PrP mutated form has been produced. The isoform causing the disease may involve refolding of the residues within the region between residues 90 and 140 that form beta sheets. Anti-PrP Fabs have been selected from Phage Display Libraries and data from two monoclonal antibodies from hybridomas have led to the conclusion that the major conformational change that occurs during conversion of normal prion polypeptide into mutated polypeptide is located within a region bounded by residues 90 to 112 (Peretz, 1997). A currently unknown point mutations in PrP polypeptide without any known biological significance appear to occur either within or adjacent to regions of putative secondary structure in PrP polypeptide and may well destabilize the structure of PrP.

The entire open reading frame of all known mammalian and avian PrP genes resides within a single exon. The mouse, sheep, cattle and rat PrP genes contain three exons with the open reading frames in exon 3. Comparative sequencing of sheep and human cosmid clones containing PrP genes has revealed an additional putative small untranslated 5' exon in the human PrP gene. Mapping of PrP genes to the short arm of human chromosome 20 and to the homologous region of the Mo chromosome 2 suggests the existence of PrP genes prior to the speciation of mammals. Mice expressing different levels of wild-type hamster PrP transgenes have been constructed inoculation of transgenic mice with prion disease forms of the hamster protein resulted in disease systems in the mice (Prusiner, 1998).

In view of the recent BSE epidemic in Great Britain, increased emphasis and study of prion strains and species barrier have been initiated. In cattle, the mean incubation time for BSE is approximately five years so that in a great majority of cattle harboring the disease which were slaughtered between ages 2 and 3 did not show manifestations of the disease. The origin of bovine prions that may have caused BSE cannot be determined from the amino acid sequence of the disease causing PrP polypeptide. The PrP.Sc in these animals has bovine sequence regardless of the source of the prions that may have caused the wild-type expressed PrP to alter its confirmation. Only one PrP polymorphism has been found in cattle. Most bovine PrP alleles encode 5 Octa repeats. Where 5 Octa repeats have been found, PrP alleles do not seem to be overexpressing BSE (Prusiner, 1998).

SUMMARY OF THE INVENTION

A method has been developed to produce cattle that are expected to be resistant to bovine spongiform encephalopathy (BSE) without deleting a functional copy of the PrP gene. The method is applicable to all breeds of beef and dairy cattle. The bovine prion protein (PrP) gene confers susceptibility to scrapie-like agents from sheep or cattle that are responsible for the recent BSE epidemic in Britain (Anderson *et al.*, 1996) The bovine gene was cloned and then modified by site-directed mutagenesis to produce a BSE-resistant form of the gene. The modified gene has been targeted to the location of the endogenous PrP gene in bovine fetal fibroblasts where it will replace the susceptible gene with the resistant form by homologous recombination.

The generation of transgenic cattle that are resistant to bovine spongiform encephalopathy (BSE) is accomplished by constructing a BSE-resistant prion protein (PrP) gene by site-directed mutagenesis. This is followed by *in vitro* conversion of the wild-type (susceptible) bovine PrP allele to a resistant allele by recombinant DNA technology and replacement of the wild-type allele by the resistant PrP allele in bovine fetal fibroblasts by homologous recombination. Live BSE-resistant cattle offspring from genetically manipulated fetal fibroblasts by nuclear transfer are then produced.

One aspect of the invention concerns a transgenic bovine comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence that renders the bovine resistant to bovine spongiform encephalopathy disease. Another embodiment of the invention concerns a transgenic bovine that comprises a mutated PrP polypeptide with an amino acid substitution in position 154 and/or 222. Such a substitution may be in place of or in addition to a substitution at position 171. In one embodiment of the invention, the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. The glutamine residue at position 171 of a transgenic bovine may be substituted with histidine, lysine or arginine. In one embodiment of the invention, the transgenic bovine is further defined as produced by a method comprising introducing a transgene encoding the mutant PrP polypeptide into the genome of a bovine embryo and allowing the embryo to develop into a bovine whose somatic and germ cells comprise the transgene.

The invention further provides a progeny of any generation of a transgenic bovine of the invention, wherein the progeny comprises the transgene. Still further provided is a fertilized embryo of a transgenic bovine of the invention, wherein the embryo comprises the transgene.

A transgenic bovine prepared in accordance with the invention may be further defined as lacking a functional wild type PrP gene. In one embodiment of the invention, a wild type PrP gene is replaced with a null allele by homologous recombination. The term "null allele" is understood by those of skill in the art to describe an allele which lacks function with respect to a wild type allele.

In another aspect of the invention, a method is provided of producing a transgenic bovine 10 resistant to BSE comprising: a) introducing into a bovine embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence; and b) allowing the embryo to develop into a bovine the somatic and germ cells of which express the transgene, thereby rendering the transgenic bovine resistant to BSE. In the method, the mutant PrP polypeptide 15 may further comprise an amino acid substitution at a position of the sequence selected from the group consisting of 154 and 222. In the method, the amino acid substitution may comprise substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. In certain embodiments, the glutamine residue at position 171 has been substituted with histidine, lysine or arginine. In further embodiments, the transgenic bovine is further 20 defined as lacking a functional wild type PrP gene and may be replaced with a null allele by homologous recombination.

In yet another aspect of the current invention, a transgenic cervid is provided comprising 25 a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence that renders the cervid resistant to cervid spongiform encephalopathy disease. Another embodiment of the invention concerns a transgenic cervid that comprises a mutated PrP polypeptide with an amino acid substitution in position 154 and/or 222. Such a substitution may be in place of or in addition to a substitution at position 171. In one embodiment of the invention, the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine. The glutamine residue at position 171 of a transgenic cervid may be 30

substituted with histidine, lysine or arginine. In one embodiment of the invention, the transgenic cervid is further defined as produced by a method comprising introducing a transgene encoding the mutant PrP polypeptide into the genome of a cervid embryo and allowing the embryo to develop into a cervid whose somatic and germ cells comprise the transgene.

5 The invention further provides a progeny of any generation of a transgenic cervid of the invention, wherein the progeny comprises the transgene. Still further provided is a fertilized embryo of a transgenic cervid of the invention, wherein the embryo comprises the transgene. A transgenic cervid prepared in accordance with the invention may be further defined as lacking a functional wild type PrP gene. In one embodiment of the invention, a wild type PrP gene is 10 replaced with a null allele by homologous recombination.

In still yet another aspect of the invention, a method is provided of producing a transgenic cervid resistant to BSE comprising: a) introducing into a cervid embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of the sequence; and b) allowing the 15 embryo to develop into a cervid the somatic and germ cells of which express the transgene, thereby rendering the transgenic cervid resistant to BSE. In the method, the mutant PrP polypeptide may further comprise an amino acid substitution at a position of the sequence selected from the group consisting of 154 and 222. In the method, the amino acid substitution may comprise substitution with an amino acid selected from the group consisting of histidine, 20 lysine or arginine. In certain embodiments, the glutamine residue at position 171 has been substituted with histidine, lysine or arginine. In further embodiments, the transgenic cervid is further defined as lacking a functional wild type PrP gene and may be replaced with a null allele by homologous recombination.

25

BRIEF DESCRIPTION OF THE DRAWINGS

The following drawings form part of the present specification and are included to further demonstrate certain aspects of the present invention. The invention may be better understood by reference to one or more of these drawings in combination with the detailed description of specific embodiments presented herein.

FIG. 1. Nucleic acid sequence (SEQ ID NO:1) and corresponding predicted amino acid sequence (SEQ ID NO:2) of wild-type bovine PrP and the boxed sequence representing the CAG to CGG mutation introduced at amino acid 179 (171), changing Gln to Arg.

5 **FIG. 2.** Verification of CAG to CGG mutation in the bovine PrP amino acid 171 codon changing a codon for Gln (CAG) to one coding for Arg (CGG). Asterisk indicates altered base.

10 **FIG. 3.** The PrP dominant negative transgene contains three elements: (1) an endogenous PrP promoter consisting of a portion of the 5' UTR of bovine PrP gene, exon1, intron 1, exon 2 and the splice donor region of intren 2; (2) a 7.0 kb fragment containing a portion of intron 2 including the splice acceptor region of intron 2, and exon 3 modified at codon 171(179) to produce the dominant negative mutation Q171R; (3) a positive-negative neomycin-HSV-TK selection cassette.

15 **FIG. 4.** Targeting of the bovine PrP locus to generate a BSE-resistant null allele. The top line represents the normal PrP locus containing a promoter (Pr), three exons and a polyA addition site (pA). The second line represents the targeting vector that contains the promoterless selectable marker puromycin (puropA) cloned in-frame with PrP ORF. Homologous recombination between the targeting vector and the endogenous PrP locus results in substitution of the wild-type gene with the mutated gene, as illustrated on line 3.

20 **FIG. 5.** PCR diagnostics for targeting the PrP locus. a) endogenous gene. b) Targeted loci gains increase in size due to insertion of the puromycin gene. Primers 1r and 2r are outside the targeting construct. c) PCR results for targeted line (+1 and +2) and negative control (-1 and -2).

FIG. 6. Comparison of the PrP amino acid sequence among white tail deer (wtd) (SEQ ID NO:6), mule deer (md) (SEQ ID NO:6), elk (e) (SEQ ID NO:10), sheep (sh) (SEQ ID NO:4) and cattle (bov) (SEQ ID NO:2).

25 **FIG. 7, 7A.** Cervid dominant negative substitutions at amino acids 154, 171 and 222 can be achieved in each case with a single base change to produce a resistant allele from a susceptible allele. The base change in each codon is underlined. The sequences represent the complete open reading frame for white tail deer (wtd) on line 1, elk (elk) on line 2 , and mule deer (md) on line

3. The corresponding PrP nucleic acid sequences are given in SEQ ID NO:5, SEQ ID NO:9 and SEQ ID NO:7, respectively.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

The invention overcomes the limitations of the prior art by allowing creation of PrP mutants that leave intact a functional copy of the PrP gene. Inactivation (knock-out) of the endogenous PrP (prion protein) gene in mice by homologous recombination produces animals that are healthy and capable of reproducing normally, while being resistant to spongiform encephalopathy (Bueler *et al.*, 1993). Although the knock-out in mice leaves the affected mice physically normal, there is incontestable evidence of alteration in sleep-wake cycles and circadian rhythms (Tobler *et al.*, 1996). Alteration in sleep regulation would likely have severe behavioral consequences for cattle. Caution is especially warranted since one of the inherited forms of human prion diseases, fatal familial insomnia, shows large changes in sleep and in the daily rhythms of several hormones.

Therefore, in the absence of knowledge of the normal function of this ubiquitously expressed protein, prudence would dictate maintaining a BSE-resistant but functional copy of the PrP gene in transgenic cattle. In order to create a resistant yet functional copy of the PrP gene in cattle, the disclosed procedures take advantage of the fact that a scrapie-resistance genotype already exists in sheep, a closely related member of the ruminant family. In sheep, where spongiform encephalopathy (scrapie) is an endemic disease, analysis of DNA derived from individual animals from infected flocks indicates that sheep resistant to the disease have a different PrP genotype from susceptible animals. In particular, the PrP genotypes Val 136, GLN 171 (PrP^{VO}) and Ala 136, GLN 171 (PrP^{AQ}) have been shown to be associated with high susceptibility to scrapie and short survival times. In contrast, animals with Arg at position 171 (PrP^{VR} and PrP^{AR}) are resistant to infection and have incubation periods beyond their lifespan (Laplanche *et al.*, 1993; Westway *et al.*, 1994; Goldman *et al.*, 1994; Clouscard *et al.*, 1995; Belt *et al.*, 1995). In the bovine, PrP is not polymorphic at the GLN 171 position, its genotype corresponding to PrP^{AQ} (Ryan and Womack, 1993; Hunter *et al.*, 1994). Since bovine and sheep PrP are 98% identical at the amino acid level (Prusiner *et al.*, 1993), it is highly likely that producing the same genotype in cattle that confers resistance in sheep (PrP^{AR}), would be expected to show a similar level of resistance to the bovine spongiform encephalopathy. This change can

be accomplished by a single amino acid substitution (GLN to Arg at position 171). Since this genotype in cattle is unknown in nature, this invention represents a novel method for producing cattle resistant to BSE.

5 **I. Rationale and Significance of the Invention**

The invention contributes to the art by providing mechanisms for the generation of animals resistant to TSEs. In this manner, the spread of such diseases can be eliminated. In a first aspect of the invention, a bovine or cervid animal is made resistant by expression of a transgene expressing a dominant-negative PrP protein. By introduction into a wild type background a resistant form of PrP, the protein can act in a dominant-negative manner and block 10 production of amyloid particles.

A further aspect of the invention provides methods for the creation of TSE resistant animals by expression of a resistant form of PrP in a PrP minus background. In certain 15 embodiments of the invention, this comprises generating a PrP deleted animal by homologous recombination to introduce into that animal the resistant form of PrP.

The invention also provides for the production of cervids expressing a resistant form of PrP in a wild-type and null background. Cervids contain a PrP that is 98% identical to sheep and bovine PrP at the amino acid level. Therefore, the inventors contemplate introducing the same 20 mutations proposed for BSE resistance in cattle into cervids, including deer and elk species.

The invention is significant in that TSE diseases represent a critical and emerging issue to 25 US and world agriculture. For example, the drastic effect BSE has had on the cattle industry in Europe, entry of TSE into a country's livestock population can be devastating. More importantly, it negatively influences the public perception of the safety of the animal food supply, and has long-term consequences for animal agriculture. It is imperative, therefore, that the tools of agricultural biotechnology and genomics are utilized to increase the level of safety of cattle populations both from a direct economic need, and a public perception need. In addition, with the emerging threat of bioterrorism, new technologies and approaches need to be developed to create safety mechanisms that can diminish or abolish such a threat. The approach described here can

serve as a blueprint for future developments in related areas, and the information generated will benefit any future efforts to utilize the tools of biotechnology to improve the safety of our animal food supply.

Application to cervids is important because, unlike BSE, CWD is a rapidly propagating 5 TSE in the United States with a natural mode of infectivity (horizontal transmission between animals). Moreover, a report documenting 3 unusually young patients with a TSE who regularly consumed venison raises the possibility of transmission of the disease to humans by consuming CWD-infected deer and elk (Belay et al., 2001). Although the economic impact of CWD may be smaller for the cervid industry, the specter of a human variant of CWD (perhaps not unlike the 10 human BSE disease, new variant CJD) makes producing CWD-resistant animals even more urgent.

A. TSE Resistant Alleles

Bovine PrP encodes a protein of either 256 or 264 amino acids with 5 or 6 Gly/Pro-rich 15 octapeptide repeats, respectively (Prusiner et al., 1993). High levels of expression of PrP are detected by Northern analysis in the brain, intermediate levels in heart and lung and low levels in the liver and spleen (Caughey et al., 1988). Inactivation of both endogenous PrP alleles in mice by homologous recombination results in animals that are completely resistant to spongiform encephalopathy (Beuler et al., 1993), although they may exhibit altered sleep-wake cycles and 20 circadian rhythms (Tobler et al., 1996). Such observation is important as altered sleep regulation may have behavioral consequences for cattle.

Naturally occurring sheep PrP genotypes have been discovered that confer resistance to both experimental transmission of BSE and natural scrapie (LaPlanche et al., 1993; Goldman et al., 1994; Westaway et al., 1994. Clouscard et al., 1995; Belt et al., 1995; Foster et al., 2001) yet 25 showed no abnormal behavioral or physiological phenotypes. In each case the resistant animals displayed either a Gln/Arg171 or Arg/Arg171 genotype. In addition, a human polymorphism that changes glutamic acid to lysine at amino acid 219 in human PrP also conferred resistance to classic CJD. Eighty-five CJD cases were examined and in all cases the genotype was Glu/Glu 30 219 although Glu/Lys 219 occurs in 12% of the general population (Shibuya et al., 1998). Overexpression of a resistant form of PrP in a susceptible background can act as a dominant negative mutation and interfere with the process of amyloid formation (Zulianello et al., 2000).

This indicates that it may be possible to induce resistance by overexpression of a resistant form of PrP on a wild type background, as well as by replacement of the wild type version of the PrP for the resistant form. Thus it appears from both naturally occurring and experimentally induced changes at amino acids Q171R and Q222K manifest resistance to TSEs even in the heterozygous state.

Sequence analyses of the cattle PrP gene consistently exhibit the susceptible allele at each of these sites. Chronic wasting disease is a TSE of free-ranging and captive deer and elk, confined mainly to the western US. As FIG. 6 illustrates, cervids, just like cattle, consistently exhibit the susceptible genotype Arg154Gln171Gln222 (Raymond et al., 2000).

10 **B. Transgenic Cattle**

While transgenic manipulation in mice have been very successful the same was not previously true for cattle. Fortunately, new advances in cloning by nuclear transfer have opened up a unique opportunity to undertake precise genetic modification in cattle. The ability of a number of different laboratory groups to successfully clone cattle is due to numerous research 15 programs focused on nuclear transfer in cattle, and the base of knowledge developed over the last 20 years involving the application of assisted reproductive techniques in cattle. Successful and repeatable procedures for in vitro oocyte maturation, in vitro fertilization, and in vitro embryo culture are now well established for cattle and may find use in the creation of transgenic animals in accordance herewith.

20 Nuclear transfer has been used by the inventors to reproduce the genotypes of several animals, selected for cloning based on their inherent genetic value. Results obtained to date were similar to those reported by other laboratories. The first case involved a Brahman steer known to be at least 21 years old. Adult fibroblasts were obtained from a skin biopsy and expanded using standard methods for tissue culture prior to being frozen and stored in liquid nitrogen. When 25 nuclear transfer was performed using the fibroblast cells derived from this animal, 28% of the fused couplets (53 of 190) developed into a blastocyst in culture. Twenty-six of these were transferred into 11 recipient cows resulting in 6 pregnancies. Three of these continued to develop through 90 days of gestation and one survived to term. This cloned Brahman bull is now 20 months old and appears normal and healthy for his age (13). The cloning of a Black 30 Angus bull naturally (genetically) resistant to Brucellosis has also been achieved. Gene targeting

technology has also been successfully developed in cultured fetal fibroblasts as described herein. Thus, the combination of the ability to undertake precise genetic modification in somatic cells and utilize those cells in a nuclear transfer procedure allows the creation of transgenic animals having mutated PrP genes.

5

II. Modified PrP Nucleic Acids and Polypeptides

One important aspect of the present invention concerns nucleic acids encoding modified PrP polypeptides and/or the creation and use of at least one recombinant host cell through the application of DNA technology, that expresses the mutant PrP polypeptide. Exemplary nucleic acids for modification include the coding sequence for the PrP gene of cattle, white tail deer, mule deer and elk are given in SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7 and SEQ ID NO:9, respectively. The corresponding polypeptides are given in SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8 and SEQ ID NO:10, respectively. An alignment of these polypeptide sequences is given in FIG. 6.

In certain aspects of the invention, polypeptides corresponding to these sequences are provided in which mutations have been made at selected residues including, for example, residues 154, 171, 222. As used herein, reference to these residues as "position 154", "position 171" and/or "position 222" individually or collectively, refers to the homologous positions in these and other PrP sequences as indicated by the sequence alignment in FIG. 6. Thus it will be understood to those of skill in the art that various natural or synthetic alleles of the PrP gene that comprise additional or fewer amino acids than the sequences provided herein could be mutated at these corresponding positions and that the mutation will be made at the position that corresponds to the indicated homologous positions in FIG. 6. That is, the position numbers refer to the homologous positions as indicated in FIG. 6 but are not limited to the specified number of amino acid residues from the beginning of the translated polypeptide. These positions will be apparent to one of skill in the art based on the sequence of amino acids flanking each of the targeted positions for mutation.

The present invention concerns mutated DNA segments of PrP genes isolatable from bovines and cervids. As used herein, the term "DNA segment" refers to a DNA molecule that

has been isolated free of total genomic DNA of a particular species. Therefore, a DNA segment encoding a mutated PrP polypeptide refers to a DNA segment that contains coding sequences yet is isolated away from, and/or purified free from, total genomic DNA. Included within the term "DNA segment", are DNA segments and/or smaller fragments of such segments, and/or recombinant vectors, including, for example, plasmids, cosmids, phage, viruses, and/or the like.

As used herein, the term "nucleic acid" refers to a polymer of DNA, RNA or a derivative or mimic thereof, of two or more bases in length. It will be understood that the term "nucleic acid" encompass the terms "oligonucleotide" and "polynucleotide". These definitions generally refer to at least one single-stranded molecule, but in specific embodiments will also encompass at least one double-stranded molecule. Within the scope of the invention, it is contemplated that the terms "oligonucleotide", "polynucleotide" and "nucleic acid" will generally refer to at least one polymer comprising one or more of the naturally occurring monomers found in DNA (A, G, T, C) or RNA (A, G, U, C).

Similarly, a DNA segment comprising an isolated and/or purified PrP gene or polypeptide refers to a DNA segment including native or mutated PrP protein coding sequences and, in certain aspects, regulatory sequences, isolated substantially away from other naturally occurring genes and/or protein encoding sequences. In this respect, the term "gene" is used for simplicity to refer to a functional protein, polypeptide and/or peptide encoding unit. As will be understood by those in the art, this functional term includes both genomic sequences, cDNA sequences and/or smaller engineered gene segments that express, and/or may be adapted to express, proteins, polypeptides, domains, peptides, fusion proteins and/or mutants.

In particular embodiments, the invention concerns isolated DNA segments and/or recombinant vectors incorporating DNA sequences that encode a mutant PrP polypeptide that includes within its amino acid sequence a mutation at one or more residues selected from positions 154, 171 or 222. In particular embodiments, the mutation is at residue 171. Examples of such mutations include a change in the codon at position 171 of a PrP gene from glutamine to arginine. Further non-limiting examples of mutations include alteration of the arginine codon at position 154 to histidine and modification of the glutamine codon at position 222 lysine. Other modifications will also be known to those of skill in the art in light of the instant disclosure.

The term "a sequence essentially as set forth in" when used in combination with a reference to the SEQ ID NOS:2, 4, 6, 8, and/or 10, means that the sequence substantially corresponds to a portion of these sequences collectively or individually and/or has relatively few amino acids that are not identical to, and/or a biologically functional equivalent of, these amino acid sequences. In such instances the amino acid sequence may be about 98% identical to the polypeptide sequence of any of SEQ ID NOS:2, 4, 6, 8, or 10.

It will also be understood that amino acid and/or nucleic acid sequences may include additional residues, such as additional N- and/or C-terminal amino acids and/or 5' and/or 3' sequences, and/or yet still be essentially as set forth in one of the sequences disclosed herein.

Sequences that are essentially the same as those set forth in SEQ ID NOS:1, 3, 5, 7 and 9 may also be functionally defined as sequences that are capable of hybridizing to these sequences under relatively stringent conditions. Suitable relatively stringent hybridization conditions will be well known to those of skill in the art, as disclosed herein.

Hybridization is understood to mean the forming of a double stranded molecule and/or a molecule with partial double stranded nature. Stringent conditions are those that allow hybridization between two homologous nucleic acid sequences, but precludes hybridization of random sequences. For example, hybridization at low temperature and/or high ionic strength is termed low stringency. Hybridization at high temperature and/or low ionic strength is termed high stringency. Low stringency is generally performed at 0.15 M to 0.9 M NaCl at a temperature range of 20°C to 50°C. High stringency is generally performed at 0.02 M to 0.15 M NaCl at a temperature range of 50°C to 70°C. It is understood that the temperature and/or ionic strength of a desired stringency are determined in part by the length of the particular probe, the length and/or base content of the target sequences, and/or to the presence of formamide, tetramethylammonium chloride and/or other solvents in the hybridization mixture. It is also understood that these ranges are mentioned by way of example only, and/or that the desired stringency for a particular hybridization reaction is often determined empirically by comparison to positive and/or negative controls.

For applications requiring high selectivity, it is preferred to employ relatively stringent conditions to form the hybrids. For example, relatively low salt and/or high temperature conditions, such as provided by about 0.02 M to about 0.10 M NaCl at temperatures of about 50°C

to about 70°C. Such high stringency conditions tolerate little, if any, mismatch between the probe and/or the template and/or target strand, and/or would be particularly suitable for isolating specific genes and/or detecting specific mRNA transcripts. It is generally appreciated that conditions may be rendered more stringent by the addition of increasing amounts of formamide.

5 The nucleic acid segments of the present invention, regardless of the length of the coding sequence itself, may be combined with other DNA sequences, such as promoters, enhancers, polyadenylation signals, additional restriction enzyme sites, multiple cloning sites, other coding segments, and/or the like, such that their overall length may vary considerably. It is therefore contemplated that a nucleic acid fragment of almost any length may be employed, with the total 10 length preferably being limited by the ease of preparation and/or use in the intended recombinant DNA protocol.

15 For example, nucleic acid fragments may be prepared that include a contiguous stretch of nucleotides identical to and/or complementary to the PrP coding sequences in SEQ ID NOS 1, 3, 5, 7 and/or 9. These sequences may then be operably linked to desired elements for heterologous expression, including promoter, or termination sequences.

In certain embodiments of the invention, modified PrP coding sequences may be prepared on transformation vectors. It will generally be preferable that the coding sequence be linked to a promoter or other regulatory element. In particular embodiments, the native PrP promoter may be preferred. Marker genes may be used, as is described herein.

20 The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, a ribosome binding site, and possibly, other as yet poorly understood sequences. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

25 Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a sequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a protein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence

if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous and, in the case of a secretory leader, contiguous and in reading phase. However enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, then synthetic oligonucleotide adapters or linkers are used in accord with conventional practice.

5 An "exogenous" element is defined herein to mean nucleic acid sequence that is foreign to the cell, or homologous to the cell but in a position within the host cell nucleic acid in which the element is ordinarily not found.

As used herein, the expressions "cell," "cell line," and "cell culture" are used 10 interchangeably and all such designations include progeny. Thus, the words "transformants" and "transformed cells" include the primary subject cell and cultures derived therefrom without regard for the number of transfers. It is also understood that all progeny may not be precisely identical in DNA content, due to deliberate or inadvertent mutations. Mutant progeny that have the same function or biological activity as screened for in the originally transformed cell are 15 included. Where distinct designations are intended, it will be clear from the context. "Plasmids" are designated by a lower case p preceded and/or followed by capital letters and/or numbers. The starting plasmids herein are commercially available, are publicly available on an unrestricted basis, or can be constructed from such available plasmids in accord with published procedures. In addition, other equivalent plasmids are known in the art and will be apparent to the ordinary 20 artisan.

In certain embodiments of the invention, mutations are made in a PrP polypeptide by replacing one or more codons in the nucleic acid encoding the polypeptide. Such codons that may be used to make the changes are known to those of skill in the art. Mutagenesis may be carried out at random or, alternatively, particular identified sequences can be selectively mutated. 25 In certain aspects of the invention, mutations are selectively made to the polypeptide residues 154, 171 and/or 222 of the PrP polypeptide. The means for mutagenizing a DNA segment comprising a specific sequence are well-known to those of skill in the art. Mutagenesis may be performed in accordance with any of the techniques known in the art, such as, and not limited to, synthesizing an oligonucleotide having one or more desired sequence.

Site-specific mutagenesis in particular will find use with the invention. The technique allows introduction of one or more nucleotide sequence changes into a DNA sequence. Site-specific mutagenesis allows the production of mutants through the use of specific oligonucleotide sequences which encode the DNA sequence of the desired mutation, as well as a sufficient number of adjacent nucleotides, to provide a primer sequence of sufficient size and sequence complexity to form a stable duplex on both sides of the deletion junction being traversed. Typically, a primer of about 17 to about 75 nucleotides or more in length is preferred, with about 10 to about 25 or more residues on both sides of the junction of the sequence being altered.

In general, the technique of site-specific mutagenesis is well known in the art, as exemplified by various publications. Various vectors have been used for site-specific mutagenesis, such as the M13 phage, as have double stranded plasmids. Alternatively, the use of PCR™ with commercially available thermostable enzymes such as *Taq* polymerase may be used to incorporate a mutagenic oligonucleotide primer into an amplified DNA fragment that can then be cloned into an appropriate cloning or expression vector. The PCR™-mediated mutagenesis procedures of Tomic *et al.* (1990) and Upender *et al.* (1995) provide two examples of such protocols.

The preparation of sequence variants of the selected coding DNA segments using site-directed mutagenesis is provided as a means of producing potentially useful species and is not meant to be limiting as there are other ways in which sequence variants of DNA sequences may be obtained. For example, recombinant vectors encoding the desired sequence may be treated with mutagenic agents, such as hydroxylamine, to obtain sequence variants.

Typically, vector mediated methodologies involve the introduction of the nucleic acid fragment into a DNA or RNA vector, the clonal amplification of the vector, and the recovery of the amplified nucleic acid fragment. Examples of such methodologies are provided by U.S. Patent No. 4,237,224, incorporated herein by reference. A number of template dependent processes are available to amplify the target sequences of interest present in a sample, such methods being well known in the art and specifically disclosed herein.

5 In modifying a PrP gene it may be desired to consider the structure of the mutated polynucleotides and and/or proteins and other characteristics. For example, certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as antigen-binding regions of antibodies, binding sites on substrate molecules, receptors, and such like. So-called "conservative" changes do not disrupt the biological activity of the protein, as the structural change is not one that impinges on the protein's ability to carry out its designed function. It is thus contemplated by the inventors that various changes may be made in the sequence of genes and proteins disclosed herein, while still fulfilling the goals of the present invention.

10 In terms of functional equivalents, it is well understood by the skilled artisan that, inherent in the definition of a "biologically functional equivalent" protein and/or polynucleotide, is the concept that there is a limit to the number of changes that may be made within a defined portion of the molecule while retaining a molecule with an acceptable level of equivalent biological activity. Biologically functional equivalents are thus defined herein as those proteins 15 (and polynucleotides) in selected amino acids (or codons) may be substituted.

20 Amino acid substitutions are generally based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and/or the like. An analysis of the size, shape and/or type of the amino acid side-chain substituents reveals that arginine, lysine and/or histidine are all positively charged residues; that alanine, glycine and/or serine are all a similar size; and/or that phenylalanine, tryptophan and/or tyrosine all have a generally similar shape. Therefore, based upon these considerations, arginine, lysine and/or histidine; alanine, glycine and/or serine; and/or phenylalanine, tryptophan and/or tyrosine; are defined herein as biologically functional equivalents.

25 To effect more quantitative changes, the hydropathic index of amino acids may be considered. Each amino acid has been assigned a hydropathic index on the basis of their hydropobicity and/or charge characteristics, these are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (-0.4); threonine (-0.7); serine (-0.8); tryptophan (-0.9); tyrosine (-1.3); proline (-1.6); histidine (-3.2); glutamate (-3.5); glutamine (-3.5); aspartate (-3.5); asparagine (-3.5); lysine (-3.9); and/or 30 arginine (-4.5).

5 The importance of the hydropathic amino acid index in conferring interactive biological function on a protein is generally understood in the art. It is known that certain amino acids may be substituted for other amino acids having a similar hydropathic index and/or score and/or still retain a similar biological activity. In making changes based upon the hydropathic index, the substitution of amino acids whose hydropathic indices are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and/or those within ± 0.5 are even more particularly preferred.

10 It also is understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity, particularly where the biological functional equivalent protein and/or peptide thereby created is intended for use in immunological embodiments, as in certain embodiments of the present invention. U.S. Patent 4,554,101, incorporated herein by reference, states that the greatest local average hydrophilicity of a protein, as governed by the hydrophilicity of its adjacent amino acids, correlates with its immunogenicity and/or antigenicity, *i.e.*, with a biological property of the protein.

15 As detailed in U.S. Patent 4,554,101, the following hydrophilicity values have been assigned to amino acid residues: arginine (+3.0); lysine (+3.0); aspartate ($+3.0 \pm 1$); glutamate ($+3.0 \pm 1$); serine (+0.3); asparagine (+0.2); glutamine (+0.2); glycine (0); threonine (-0.4); proline (-0.5 ± 1); alanine (-0.5); histidine (-0.5); cysteine (-1.0); methionine (-1.3); valine (-1.5); leucine (-1.8); isoleucine (-1.8); tyrosine (-2.3); phenylalanine (-2.5); tryptophan (-3.4). In making changes based upon similar hydrophilicity values, the substitution of amino acids whose hydrophilicity values are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and/or those within ± 0.5 are even more particularly preferred.

III. Transgenic animals

25 Certain aspects of the invention concern the creation of genetically transformed cervid and bovine animals. Suitable methods of nucleic acid delivery for carrying out such transformation of a cell, tissue or an organism for use with the current invention are believed to include virtually any method by which a nucleic acid (*e.g.*, DNA) can be introduced into a cell. Such methods include, but are not limited to, direct delivery of DNA such as by injection (U.S.

Patent Nos. 5,994,624, 5,981,274, 5,945,100, 5,780,448, 5,736,524, 5,702,932, 5,656,610, 5,589,466 and 5,580,859, each incorporated herein by reference), including microinjection (Harlan and Weintraub, 1985; U.S. Patent No. 5,789,215, incorporated herein by reference); by electroporation (U.S. Patent No. 5,384,253, incorporated herein by reference; Tur-Kaspa *et al.*, 1986; Potter *et al.*, 1984); by calcium phosphate precipitation (Graham and Van Der Eb, 1973; Chen and Okayama, 1987; Rippe *et al.*, 1990); by using DEAE-dextran followed by polyethylene glycol (Gopal, 1985); by direct sonic loading (Fechheimer *et al.*, 1987); by liposome mediated transfection (Nicolau and Sene, 1982; Fraley *et al.*, 1979; Nicolau *et al.*, 1987; Wong *et al.*, 1980; Kaneda *et al.*, 1989; Kato *et al.*, 1991) and receptor-mediated transfection (Wu and Wu, 1987; Wu and Wu, 1988). Through the application of techniques such as these, organelle(s), cell(s), tissue(s) or organism(s) may be stably or transiently transformed. Specific, non-limiting examples of transformation methods that may be used with the invention are set forth herein below.

A. Site Specific Integration and Excision of Nucleic Acids

It is specifically contemplated by the inventors that one could employ techniques for the site-specific integration or excision of nucleic acids in connection with the instant invention. For example, site-specific recombination may find use in the elimination of selectable markers and / or for the replacement of a target loci in a genome. Site-specific integration or excision of nucleic acids can be achieved by means of homologous recombination (see, for example, U.S. Patent No. 5,527,695, specifically incorporated herein by reference in its entirety). Homologous recombination is a reaction between any pair of DNA sequences having a similar sequence of nucleotides, where the two sequences interact (recombine) to form a new recombinant DNA species. The frequency of homologous recombination increases as the length of the shared nucleotide DNA sequences increases, and is higher with linearized nucleic acid molecules than with circularized plasmid molecules. Homologous recombination can occur between two DNA sequences that are less than identical, but the recombination frequency declines as the divergence between the two sequences increases.

Introduced DNA sequences can be targeted via homologous recombination by linking a DNA molecule of interest to sequences sharing homology with endogenous sequences of the host cell. Once the DNA enters the cell, the two homologous sequences can interact to insert the

introduced DNA at the site where the homologous genomic DNA sequences were located. Therefore, the choice of homologous sequences contained on the introduced DNA will determine the site where the introduced DNA is integrated via homologous recombination. For example, if the DNA sequence of interest is linked to DNA sequences sharing homology to a single copy gene of a cell, the DNA sequence of interest will be inserted via homologous recombination at only that single specific site. However, if the DNA sequence of interest is linked to DNA sequences sharing homology to a multicopy gene of the host eukaryotic cell, then the DNA sequence of interest can be inserted via homologous recombination at each of the specific sites where a copy of the gene is located.

DNA can be inserted into the host genome by a homologous recombination reaction involving either a single reciprocal recombination (resulting in the insertion of the entire length of the introduced DNA) or through a double reciprocal recombination (resulting in the insertion of only the DNA located between the two recombination events). For example, if one wishes to insert a foreign gene into the genomic site where a selected gene is located, the introduced DNA should contain sequences homologous to the selected gene. A single homologous recombination event would then result in the entire introduced DNA sequence being inserted into the selected gene. Alternatively, a double recombination event can be achieved by flanking each end of the DNA sequence of interest (the sequence intended to be inserted into the genome) with DNA sequences homologous to the selected gene. A homologous recombination event involving each of the homologous flanking regions will result in the insertion of the foreign DNA. Thus only those DNA sequences located between the two regions sharing genomic homology become integrated into the genome.

One useful application of homologous recombination is the removal of selectable marker genes or other sequences that may be deemed undesirable for a particular application. One manner of removing sequences is to utilize a site-specific recombinase system. In general, a site specific recombinase system consists of three elements: two pairs of DNA sequence (the site - specific recombination sequences) and a specific enzyme (the site-specific recombinase). The site-specific recombinase will catalyze a recombination reaction only between two site -specific recombination sequences.

A number of different site specific recombinase systems are known and could be employed in accordance with the instant invention, including, but not limited to, the Cre/lox system of bacteriophage P1 (U.S. Patent No. 5,658,772, specifically incorporated herein by reference in its entirety), the FLP/FRT system of yeast (Golic and Lindquist, 1989), the Gin recombinase of phage Mu (Maeser and Kahmann, 1991), the Pin recombinase of *E. coli* (Enomoto *et al.*, 1983), and the R/RS system of the pSR1 plasmid (Araki *et al.*, 1992). The bacteriophage P1 Cre/lox and the yeast FLP/FRT systems constitute two particularly useful systems for site specific integration or excision of transgenes. In these systems, a recombinase (Cre or FLP) will interact specifically with its respective site -specific recombination sequence (lox or FRT, respectively) to invert or excise the intervening sequences. The sequence for each of these two systems is relatively short (34 bp for lox and 47 bp for FRT) and therefore, convenient for use with transformation vectors.

The FLP/FRT recombinase system has been demonstrated to function efficiently in eukaryotic cells. In general, short incomplete FRT sites leads to higher accumulation of excision products than the complete full-length FRT sites. The systems can catalyze both intra- and intermolecular reactions, indicating its utility for DNA excision as well as integration reactions. The recombination reaction is reversible and this reversibility can compromise the efficiency of the reaction in each direction. Altering the structure of the site - specific recombination sequences is one approach to remedying this situation. The site -specific recombination sequence can be mutated in a manner that the product of the recombination reaction is no longer recognized as a substrate for the reverse reaction, thereby stabilizing the integration or excision event.

In the Cre-lox system, discovered in bacteriophage P1, recombination between loxP sites occurs in the presence of the Cre recombinase (see, *e.g.*, U.S. Patent No. 5,658,772, specifically incorporated herein by reference in its entirety). This system has been utilized to excise a gene located between two lox sites which had been introduced into a yeast genome (Sauer, 1987). Cre was expressed from an inducible yeast GAL1 promoter and this Cre gene was located on an autonomously replicating yeast vector.

Since the lox site is an asymmetrical nucleotide sequence, lox sites on the same DNA molecule can have the same or opposite orientation with respect to each other. Recombination

between lox sites in the same orientation results in a deletion of the DNA Segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the product of the Cre coding region.

10 **B. Methods for Genetic Transformation**

15 **1. Electroporation**

In certain embodiments of the present invention, a nucleic acid is introduced into an organelle, a cell, a tissue or an organism *via* electroporation. Electroporation involves the exposure of a suspension of cells and DNA to a high-voltage electric discharge. Recipient cells can be made more susceptible to transformation by mechanical wounding.

Transfection of eukaryotic cells using electroporation has been quite successful. For example, mouse pre-B lymphocytes have been transfected with human kappa-immunoglobulin genes (Potter *et al.*, 1984), and rat hepatocytes have been transfected with the chloramphenicol acetyltransferase gene (Tur-Kaspa *et al.*, 1986) in this manner.

20 **2. Injection**

In certain embodiments, a nucleic acid may be delivered to an organelle, a cell, a tissue or an organism via one or more injections (*i.e.*, a needle injection), such as, for example, subcutaneously, intradermally, intramuscularly, intervenously, intraperitoneally, etc. Certain embodiments of the present invention thus include the introduction of a nucleic acid by direct microinjection. Direct microinjection has been used to introduce nucleic acid constructs into, for example, *Xenopus* oocytes (Harland and Weintraub, 1985).

3. Calcium Phosphate

In other embodiments of the present invention, a nucleic acid is introduced to the cells using calcium phosphate precipitation. Human KB cells have been transfected with adenovirus 5 DNA (Graham and Van Der Eb, 1973) using this technique. Also in this manner, mouse L(A9), 5 mouse C127, CHO, CV-1, BHK, NIH3T3 and HeLa cells were transfected with a neomycin marker gene (Chen and Okayama, 1987), and rat hepatocytes were transfected with a variety of marker genes (Rippe *et al.*, 1990).

4. DEAE-Dextran

In another embodiment, a nucleic acid is delivered into a cell using DEAE-dextran 10 followed by polyethylene glycol. In this manner, reporter plasmids were introduced into mouse myeloma and erythroleukemia cells (Gopal, 1985).

5. Sonication Loading

Additional embodiments of the present invention include the introduction of a nucleic acid by direct sonic loading. For example, LTK⁻ fibroblasts have been transfected with the 15 thymidine kinase gene by sonication loading (Fechheimer *et al.*, 1987).

6. Liposome-Mediated Transfection

In a further embodiment of the invention, a nucleic acid may be entrapped in a lipid complex such as, for example, a liposome. Liposomes are vesicular structures characterized by a phospholipid bilayer membrane and an inner aqueous medium. Multilamellar liposomes have 20 multiple lipid layers separated by aqueous medium. They form spontaneously when phospholipids are suspended in an excess of aqueous solution. The lipid components undergo self-rearrangement before the formation of closed structures and entrap water and dissolved solutes between the lipid bilayers (Ghosh and Bachhawat, 1991). Also contemplated is an nucleic acid complexed with Lipofectamine (Gibco BRL) or Superfect (Qiagen).

25 Liposome-mediated nucleic acid delivery and expression of foreign DNA *in vitro* has been very successful (Nicolau and Sene, 1982; Fraley *et al.*, 1979; Nicolau *et al.*, 1987). The

feasibility of liposome-mediated delivery and expression of foreign DNA in cultured chick embryo, HeLa and hepatoma cells has also been demonstrated (Wong *et al.*, 1980).

In certain embodiments of the invention, a liposome may be complexed with a hemagglutinating virus (HVJ). This has been shown to facilitate fusion with the cell membrane and promote cell entry of liposome-encapsulated DNA (Kaneda *et al.*, 1989). In other embodiments, a liposome may be complexed or employed in conjunction with nuclear non-histone chromosomal proteins (HMG-1) (Kato *et al.*, 1991). In yet further embodiments, a liposome may be complexed or employed in conjunction with both HVJ and HMG-1. In other embodiments, a delivery vehicle may comprise a ligand and a liposome.

10

7. Receptor Mediated Transfection

15

Still further, a nucleic acid may be delivered to a target cell via receptor-mediated delivery vehicles. These take advantage of the selective uptake of macromolecules by receptor-mediated endocytosis that will be occurring in a target cell. In view of the cell type-specific distribution of various receptors, this delivery method adds another degree of specificity to the present invention.

20

Certain receptor-mediated gene targeting vehicles comprise a cell receptor-specific ligand and a nucleic acid-binding agent. Others comprise a cell receptor-specific ligand to which the nucleic acid to be delivered has been operatively attached. Several ligands have been used for receptor-mediated gene transfer (Wu and Wu, 1987; Wagner *et al.*, 1990; Perales *et al.*, 1994; Myers, EPO 0273085), which establishes the operability of the technique. Specific delivery in the context of another mammalian cell type has been described (Wu and Wu, 1993; incorporated herein by reference). In certain aspects of the present invention, a ligand will be chosen to correspond to a receptor specifically expressed on the target cell population.

25

In other embodiments, a nucleic acid delivery vehicle component of a cell-specific nucleic acid targeting vehicle may comprise a specific binding ligand in combination with a liposome. The nucleic acid(s) to be delivered are housed within the liposome and the specific binding ligand is functionally incorporated into the liposome membrane. The liposome will thus specifically bind to the receptor(s) of a target cell and deliver the contents to a cell. Such systems have been shown to be functional using systems in which, for example, epidermal

growth factor (EGF) is used in the receptor-mediated delivery of a nucleic acid to cells that exhibit upregulation of the EGF receptor.

In still further embodiments, the nucleic acid of a targeted delivery vehicle may be a liposome itself, which will preferably comprise one or more lipids or glycoproteins that direct cell-specific binding. For example, lactosyl-ceramide, a galactose-terminal asialganglioside, have been incorporated into liposomes and observed an increase in the uptake of the insulin gene by hepatocytes (Nicolau *et al.*, 1987). It is contemplated that the tissue-specific transforming constructs of the present invention can be specifically delivered into a target cell in a similar manner.

10

C. Transgenic Animals

15

The current invention provides transgenic bovines and cervids. As used herein, the terms "cervid" or "cervids" includes deer and the like, including familiar moose, elk, and caribou. Members of this family occupy a wide range of habitats, from arctic tundras to tropical forests, and native species of cervids can be found over most of the world except Africa south of the Sahara, Australia, and Antarctica. They have also been introduced to a number of areas that originally had no cervids. Currently approximately 44 species of cervids are recognized.

20

As indicated herein above, the techniques of the present invention may also be used with potentially any bovine. As used herein, the terms "bovine" refers to a family of ruminants belonging to the genus *Bos* or any closely related genera of the family Bovidae. The family Bovidae includes true antelopes, oxen, sheep, and goats, for example. Preferred bovine animals are the cow and ox. Especially preferred bovine species are *Bos taurus*, *Bos indicus*, and *Bos buffaloes*. Other preferred bovine species are *Bos primigenius* and *Bos longifrons*.

25

Examples of particular cattle breeds that may find use with the invention include, but are not limited to: Aberdeen-Angus, Abigar, Abondance, Abyssian Highland Zebu, Abyssian Shorthorned Zebu, Aceh, Achham, Adamawa, Aden, Afghan, Africander, Africangus, Agerolese, Alambadi, Ala-Tau, Albanian, Albanian Dwarf, Alberes, Albese, Aleutian wild, Alentejana, Aliad Dinka, Alistana-Sanabresa, Alur, American Angus, American Beef Friesian, American Breed, American Brown Swiss, American White Park, Amerifax, Amritmahal, Anatolian Black, Andalusian Black, Andalusian Blond, Andalusian Grey, Angeln, Angoni, Ankina, Ankole-

Watusi, Aosta, Aosta Balck Pied, Aosta Chestnut, Aosta Red Pied, Apulian Podolian, Aracena, Arado, Argentine Crillo, Argentine Friesian, Armorican, Arouquesa, Arsi, Asturian, Atpadi Mahal, Aubrac, Aulie-Ata, Aure et Saint-Girons, Australian Braford, Australian Brangus, Australian Charbray, Australain Commercial Dairy Cow, Australain Friesian Sahiwal, Australain Grey, Australian Lowline, Australian Milking Zebu, Australian Shorthorn, Australian White, Austrian Simmental, Austrian Yellow, Avetonou, Avilena, Avilena-Black Iberian, Aweil Dinka, Ayrshire, Azaouak, Azebuado, Azerbaijan Zebu, Azores, Bachaur, Baggara, Baggerbont, Bahima, Baila, Bakosi, Bakwiri, Baladi, Baltic Black Pied, Bambara, Bambawa, Bambey, Bami, Banyo, Baoule, Bapedi, Bargur, Bari, Baria (Vietnam), Baria (Madagascar), Barka, Barotse, Barra do Cuanzo, Barrosa, Barroso, Barzona, Bashi, Basuto, Batanes Black, Batangas, Batawana, Bavenda, Bazadais, Bearnais, Beefalo, Beefmaker (US), Beefmaker (Aussie), Beefmaster, Beef Shorthorn, Beef Synthetic, Beijing Black Pied, Beiroa, Beja, Belgian Black Pied, Belgian Blue, Belgian Red, Belgian Red Pied, Belgian White-and-Red, Belmont Red, Belted Galloway, Belted Welsh, Bengali, Bericiana, Berrendas, Bestuzhev, Betizuak, Bhagnari, Biamal, Black Baldy, Black Forest, Black Iberian, Blanco Orejinergo, Blauw and Blauwbont, Bleu du Nord, Blonde d'Aquitaine, Blonde du Sud-Ouest, Bolivian Criollo, Bonsmara, Boran, Borgou, Boreno Zebu, Brford, Bragado do Sorraia, Braganca, Brahman, Brahmin, Brahorn, Bralers, Bra-Maine, Brahmousin, Brandrood Ijsselvee, Brangus, Bra-Swiss, Bravon, Brazilian Dairy Hybrid, Brazilian Gir, Brazilian Polled, Brazilian Zebu, Breton Black Pied, British Dane, British Friesian, British Holstein, British Polled Hereford, British White, Brown Atlas, Brownsind, Bulgarian Brown, Bulgarian Red, Bulgarian Simmental, Burlina, Burmese, Burwash, Busa, Bushuev, Butana, Byelorussian Red, Byelorussian Synthetic, Cabannina, Cachena, Caiua, Calabrian, Cadeano, Caldelana, Calvana, Camargue, Cambodian, Canadien, Canary Island, Canchim, Cape Bon Blond, Caracu, Carazebu, Cardena, Carpathian Brown, Carrena, Casanareno, Cash, Casina, Castille-Leon, Caucasian, Caucasian Brown, Central American Dairy Criollo, Central Asian Zebu, Central Russian Black Pied, Chagga, Chan-Doc, Chaouia, Cahqueno, Charbray, Charford, Charolais, Charollandrais, Char-Swiss, Charwiss, Cheju, Chernigov, Chesi, Cheurfa, Chiangus, Chianina, Chiford, Chimaine, Chinampo, Chinese Black-and-White, Chino Santandereano, Chittagong, Cholistani, Cildir, Cinisara, Colombian Criollo, Coopelso 93, Cornigliese, Corriente, Corsican, Costeno con Cuernos, Cretan Lowland, Cretan Mountain, Croatian Red, Cuban Criollo, Cuban Zebu, Cukurova, Cuprem Hybrid, Curraleiro, Cutchi, Cyprus, Czech Pied, Dabieshan, Dacca-Faridpur, Dagestan Mountains, Dairy Gir, Dairy

Shorthorn, Dairy Synthetic, Dairy Zebu of Uberaba, Dajjal, Damara, Damascus, Damietta, Danakil, Dangi, Danish Red Pied, Danish Blue-and-White, Danish Jersey, Danish Red, Danish Red Pied, Dashtiara, Dengchuan, Deoni, Devarakota, Devni, Devon, Dexter, Dexter-Kerry, Dhanni, Diali, Didinga, Dishti, Djakore, Dneiper, Doayo, Dobrogea, Dongola, Doran, Dorna, 5 Dortsyol, Drakensberger, Droughtmaster, Dun Galloway, Dutch Belted, Dutch Black Pied, East African Zebu, East Anatolian Red, East Anatolian Red and White, Eastern Nuer, East Finnish, East Friesian; East Macedonian, Ecuador Criollo, Egyptian, Enderby Island Shorthorn, Epirus, Estonian Black Pied, Estonian Native, Estonian Red, Ethiopian Boran, Faeroes, Fellata, Ferrandais, Fighting Bull, Finnish, Finnish Ayrshire, Flemish, Flemish Red, Florida Scrub, 10 Fogera, Fort Cross, Franqueiro, Frati, French Brown, French Friesian, Friesland, Frijolillo, FRS, Gacko, Gado da Terra, Galician Blond, Galloway, Gambian N'Dama, Gaolao, Garfagnina, Garre, Gasara, Gascon, Gelbvieh, Georgian Mountain, German Angus, German Black Pied, German Black Pied Dairy, German Brown, German Red, German Red Peid, German Shorthorn, German Simmental, Ghana Sanga, Ghana Shorthorn, Gir, Giriam, Girolando, Glan, Glan-Donnersberg, 15 Gloucester, Gobra, Gole, Golpayegani, Goomsur, Gorbatov Red, Goryn, Grati, Greater Caucasus, Greek Shorthorn, Greek Steppe, Grey Alpine, Greyman, Groningen Whitehead, Grossetana, Guadiana Spotted, Gaunling, Guelma, Guernsey, Gujamavu, Guzera, Guzerando, Hainan, Halhin, Hallikar, Haryana, Harton, Harz, Hatton, Hawaiian wild, Hays Converter, Hereford, Hereland, Herens, Highland, Hinterland, Hissar, Holgus, Holmonger, Holstein, Horro, 20 Hrbinecky, Huangpi, Huertana, Humbi, Hungarian Grey, Hungarian Pied, Hungarfries, Ibage, Icelandic, Illawarra, Ilocos, Iloilo, Improved Rodopi, Indo-Brazilian Zebu, Ingessana, Inkuku, INRA 9, Iraqi, Irish Moiled, Iskar, Israeli Friesian, Istoben, Istrian, Italian Brown, Italian Friesian, Italian Red Pied, Jamaica Black, Jamica Brahman, Jamica Hope, Jamica Red, Japanese Black, Japanese Brown, Japanese Native, Japanese Poll, Japanese Shorthorn, Jarmelista, Jaulan, 25 Javanese, Javanese Ongole, Javanese Zebu, Jellicut, Jem-Jem Zebu, Jenubi, Jerdi, Jersey, Jersian, Jersind, Jiddu, Jijjiga Zebu, Jinnan, Jochberg, Jotko, Kabota, Kabyle, Kachcha Siri, Kalakheri, Kalmyk, Kamasia, Kamba, Kamdhino, Kandahari, Kanem, Kangayam, Kanigan, Kankrej, Kaokoveld, Kappiliyan, Kapsiki, Karamajong, Karan Fries, Karan Swiss, Katerini, Kavirondo, Kazkh, Kazkh Whitehead, Kedah-Kelantan, Kenana, Kenkatha, Kenran, Kenya Boran, Kenya Zebu, Kerry, Keteku, Khamala, Kherigarh, Khevsurian, Khillari, Kholmogory, Khurasani, 30 Kigezi, Kikuyu, Kilara, Kilis, Kinniya, Kisantu, Kochi, Kolubara, Konari, Korean Native, Kostroma, Kravarsky, Krishnagiri, Krishna Valley, Kuchinoshima, Kumamoto, Kumauni,

Kurdi, Kurgan, Kuri, Kyoga, Ladakhi, Lagune, Lakenvelder, Las Bela, Latuka, Latvian Blue, Latvian Brown, La Velasquez, Lavinia, Lebanese, Lebedin, Lesser Caucasus, Liberian Dwarf, Libyan, Lim, Limiana, Limousin, Limpurger, Lincoln Red, Lithuanian Red, Llanero, Lobi, Local Indian Dairy, Lohani, Longhorn, Lourdais, Lowline, Lucanian, Lucerna, Lugware, Luing, Luxi, 5 Macedonian Blue, Madagascar Zebu, Madaripur, Madura, Magal, Maine-Anjou, Makaweli, Malawi Zebu, Malnad Gidda, Malselv, Maltese cow, Malvi, Mampati, Manapari, Mandalong Special, Mangwato, Mantiqueira, Marchigiana, Maremmana, Marianas, Marinhoa, Maronesa, Maryuti, Masai, Mashona, Matabele, Maure, Mauritius Creole, Mazandaran, Mazury, Meknes Black Pied, Menufi, Merauke, Mere, Mertolenga, Messaoria, Metohija Red, Meuse-Rhine-Yssel, 10 Mewati, Mezzalina, Mhaswald, Milking Devon, Milking Shorthorn, Mingrelian Red, Minhota, Miniature Hereford, Miniature Zebu, Minocran, Mirandesa, Mishima, Modenese, Modicana, Moi, Monchina, Mongalla, Mongolian, Montafon, Montbeliard, Morang, Morenas del Noroeste, Morucha, Mottled Hill; Mozambique Angoni, Mpwapwa, Munshigunj, Murcian, Murgese, Murle, Murnau-Werdenfels, Murray Grey, Muris, Muturu, Nagori, Nakali, Nama, Nandi, 15 Nantais, Nanyang, Ndagu, N'Dama, N'Dama Sanga, Nejdi, Nelore, Nepalese Hill, N'Gabou, Nganda, N'Gaoundere, Nguni, Nilotic, Nimari, Nkedi, Nkone, Normande, Normanzu, North Bangladesh, North Finnish, North Malawi Zebu, North Somali, Norwegian Red, Nuba Mountain, Nuer, Nuras, Nyoro, Okayama, Ongole, Oran, Orapa, Oulmes Blond, Ovambo, Pabna, Pajuna, Palmera, Pakota Red, Pantaneiro, Pantelleria, Paphos, Parthenias, Pechora, Pee Wee, 20 Peloponnesus, Perijanero, Pester, Philippine Native, Piedmont, Pie Rouge de l'Est, Pie Rouge des Plaines, Pinzgauer, Pinzhou, Pisana, Pitangueiras, Polish Black-and-White Lowland, Polish Red-and-White Lowland, Polish Simmental, Polled Charolais, Polled Gir, Polled Guzera, Polled Hereford, Polled Jersey, Polled Lincoln Red, Polled Nelore, Polled Shorthorn (US), Polled Simmental, Polled Sussex, Polled Welsh Black, Polled Zebu, Poll Friesian, Poll Hereford, Poll 25 Shorthorn (Aussie), Pontremolese, Ponwar, Porto Amboim, Posavina, Preti, Prewakwa, Puerto Rican, Pul-Mbor, Punganur, Purnea, Pyrenean, Qinchuan, Quasah, Ramgarhi, Ramo Grande, Rana, Randall Lineback, Ranger, Rath, Raya-Azebo, Red and White Friesian, Red and White Holstein, Red Angus, Red Belted Galloway, Red Bororo, Red Brangus, Red Chianina, Red Desert, Red Galloway, Red Kandhari, Red Poll, Red Sindhi, Red Steppe, Reggiana, Regus, Rendena, Renitelo, Retinta, Rhaetian Grey, Rio Limon Dairy Criollo, Riopardense, Rodopi, Rojhan, Romagnola, Roman, Romana Red, Romanian Brown, Romanian Red, Romanian 30 Simmental, Romanian Steppe, Romosinuano, Russian Black Pied, Russian Brown, Russian

Simmental, Rustaqi, RX3, Sabre, Sahford, Sahiwal, Saidi, Salers, Salorn, Sanhe, San Martinero, Santa Gertrudis, Sarabi, Sardinian, Sardinian-Brown, Sardo-Modicana, Savinja Grey, Sayaguesa, Schwyz-Zeboid, Seferihisar, Senepol, Sengologa, Serbo-Cro Pied, Serbo-Cro Pinzau, Sérere, Seshaga, Shahabadi, Shakhansurri, Shandong, Sharabi, Sheko, Shendi, Shetland, Shimane, 5 Shkodra, Shuwa, Siberian Black Pied, Siberian White, Siboney, Simbrah, Simford (Australia), Simford (Israel), Simmalo, Simmental, Sinhala, Siri, Sistani, Slovakian Pied, Slovakian Pinzgau, Slovenian Brown, Slovenian Podolian, Small East African Zebu, Socotra, Sokoto Gudali, Somali, Somba, Sonkheri, Son Valley, South African Brown Swiss, South Anatolian Red, South China Zebu, South Devon, Southern Tswana, Southern Ukrainian, South Malawi Zebu, Spanish 10 Brown, Spreča, Sudanese Fulani, Suia, Suisbu, Suk, Suksun, Sunkuma, Sunandini, Sussex, Swedish Ayrshire, Swedish Friesian, Swedish Jersey, Swedish Mountain, Swedish Polled, Swedish Red-and-White, Swiss Black Pied, Swiss Brown, Sychevka, Sykia, Tabapua, Tagil, Taino, Taiwan Zebu, Tajma, Tamankaduwa, Tambov Red, Tanzanian Zebu, Tarai, Tarentaise, Tarina, Taylor, Telemark, Texas Longhorn, Thai, Thailand Fighting cow, Thanh-Hoa, Thari, 15 Thatparkar, Thessaly, Thibar, Thillari, Tibetan, Tinima, Tinos, Tonga, Toposa, Toro, Toronke, Tottori, Toubou, Toupouri, Transylvanian Pinzgau, Tropical, Tropical Dairy Cattle, Tropicana, TSSHZ-1, Tawana, Tudanca, Tuli, Tuni, Turino, Tukana, Turkish Brown, Turkish Grey Steppe, Turkmen, Tux-Zillertal, Tuy-Hoa, Tyrol Grey, Uganda Zebu, Ujumqin, Ukrainian Grey, Ukrainian Whiteheaded, Umblachery, Ural Black Pied, Valdres, Vale and Vaalbonte, Vaynol, 20 Vendee Marsh, Venezuela Criollo, Venezuelan Zebu, Verinesa, Vianesa, Victoria, Vietnamese, Villard-de-Lans, Vogelsberg, Volnsk, Voderwald, Vosges, Wakwa, Watusi (USA), Welsh Black, Wenshan, West African Dwarf Shorthorn, West African Shorthorn, West Finnish, West Macedonian, Whitebred Shorthorn, White Caceres, White Fulani, White Galloway, White Nile, White Park, White Sange, White Welsh, Witrik, Wodabe, Wokalup, Xinjiang, Xuwen, 25 Yacumeno, Yakut, Yanbian, Yaroslavl, Yellow Franconian, Yemeni Zebu, Yunnan Zebu, Yurino, Zambia Angoni, Zanzibar Zebu, Zaobei, Zavot, and Znamensk.

IV. EXAMPLES

30 The following examples are included to demonstrate preferred embodiments of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow represent techniques discovered by the inventor to function well in the

practice of the invention, and thus can be considered to constitute preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

Example 1
Bovine PrP gene

The bovine PrP gene was isolated from a bacterial artificial chromosome (BAC) 5 large-insert library by PCR™ screening of pooled clones (Cai *et al.*, 1995). Three overlapping BAC clones were verified to contain the PrP gene by dideoxy sequencing. Since the efficiency of the process of homologous recombination depends on the targeting construct containing DNA that is identical ("isogenic") to the DNA at the targeted locus, the PrP gene was amplified by long-range PCR™ (LR-PCR™). Long-range PCR™ has been used previously for obtaining 10 isogenic DNA for the generation of targeting constructs (Randolph *et al.*, 1996). The technology is based on a combination of DNA polymerases and can produce amplicons as large as 35 kb (Barnes, 1994).

More important than the length of homology is the remarkable fidelity of the enzymes 15 with error rates as low as 1.3×10^{-6} per bp per replication (Stratagene). Thus a conservative error rate would be 1 bp mismatch every 30-40 kb. Such a low level of mismatch should not affect the targeting frequency as has been demonstrated by Randolph *et al.*, (1996) who indicated that the targeting frequency did not differ between constructs made the conventional way (cloning of the genomic sequence), versus targeting vectors prepared by long-range PCR™.

In addition, the sequencing done to confirm identity of several long-range PCR™ 20 products has not identified a single mismatch in over 5 kb of sequences. The proposed method, therefore, is not only technically feasible but is not expected to result in lower targeting rates. The ends of a portion of the cloned PrP gene were sequenced and the sequence data used to synthesize PCR™ primers. As a source of isogenic bovine genomic DNA, fetal fibroblasts were first isolated from a genetically superior Aberdeen Angus 40-day old fetus and DNA extracted by 25 standard procedures. Using optimized LR-PCR™ conditions, a 7 kb isogenic PrP fragment was amplified and cloned into vector pCR2.1, the insert digested with the restriction enzymes *Bam*HI and *Hind*III and the resulting 3.0 kb fragment subcloned into vector pUC19.

A. Use of isogenic targeting DNA generated by long-range PCR™.

This feature allows rapid generation of isogenic DNA for construction of a targeting 30 vector without having to laboriously construct and screen a genomic library. Since the PCR™

product is identical in sequence to the targeted endogenous gene, it facilitates homologous recombination.

B. Use of superior genetics in the fetus used as the source of fetal fibroblasts.

5 This feature will make the PrP-resistant transgenic calves that the inventors produce much more valuable to the cattle industry as breeding stock.

Example 2

Modification of PrP Gene

10 Since the desired alteration in the bovine PrP gene is a one base change at amino acid 176 (CAG coding for glutamine to CGG coding for arginine), this modification was introduced by *in vitro* mutagenesis following the methodology of Deng and Nickoloff (1991).

15 In order to convert the wild type triplet sequence (CAG) coding for glutamine (Gln) at amino acid 179 to arginine (Arg) coded by the triplet CGG, a mutagenesis primer was synthesized that would convert the middle base of CAG from A to G thereby producing the required CGG triplet coding for Arg rather than Gln (See FIG. 1).

20 The mutagenesis protocol of Deng and Nicholoff was used to generate the amino acid change indicated above. Briefly, the vector containing wild-type PrP was denatured and then hybridized with the mutagenesis primer that encodes the desired modification (C to G) and a selection primer that alters a unique restriction site. A second strand is synthesized using DNA polymerase and gaps sealed with DNA ligase. Following transformation into an appropriate host, clones containing the mutagenic plasmid are selected by digestion of isolated DNA with the restriction enzyme that digests the altered site.

25 Plasmids were isolated from individual colonies and digested with EcoRV to distinguish mutated plasmids from parental ones. To confirm that a C to G change had been introduced into PrP (and no other unintended changes introduced), several sequencing primers were synthesized allowing sequencing of the entire coding region on both strands. Only the C to G base change was detected. Since the final transgene was to contain 7 kb of PrP DNA, the mutated region was ligated to a plasmid vector (pBluescriptKS) containing 7.0 kb of PrP gene, replacing the 3 kb fragment containing the wild-type allele with the mutated allele. Sequence analysis confirmed

that the mutated allele had been successfully subcloned into the 7 kb PrP DNA fragment. A portion of the endogenous PrP promoter was ligated upstream of the mutated PrP gene and a double selectable marker cassette consisting of the neomycin (neo) and thymidine kinase (TK) gene was ligated downstream of the altered PrP gene. Using this double cassette it is possible to 5 select for the presence (neo) as well as the absence (TK) of the selection cassette. This cassette, in addition, is flanked by small regions of DNA known as loxP sites which act as recognition sites for a DNA recombinase enzyme known as *Cre*, permitting excision of the cassette prior to cloning.

A. Gene modification in null background rather than simple gene knock-out

10 One difference in the inventors' approach versus the patent of Weissmann *et al.* (5,698,763) is that the modification the inventors have created will leave intact a functional copy of the PrP gene in a null background.

B. Use of loxP-mediated excision of selectable markers

15 Removal of markers that confer antibiotic resistance (neo) or sensitivity to toxins (TK) may be a regulatory requirement for transgenic animals. Such markers may be readily eliminated in the appropriate constructs.

Example 3

Electroporation Of Dominant Negative Transgene And Nuclear Transfer

20 The transgene is electroporated into fetal fibroblast cells collected from 40 day-old fetuses derived from genetically superior parents. The transgene may be introduced into a wild-type background or may be electroporated into modified fibroblasts where either one or both PrP alleles have been knocked out (See Example 5 below). Cells resistant to neomycin are expanded, a fraction frozen for future nuclear transfer studies, and the remainder expanded and used for 25 isolation of DNA.

Once transgenic cells are identified, the cells are expanded again, electroporated with a cre-expressing plasmid, and cultured in the presence of ganciclovir. Cells that have lost the TK marker due to the cre-mediated excision will survive in ganciclovir while the other cells will die.

The result of the event is a PrP dominant negative transgene expressing a BSE-resistant form of PrP locus identical to the original one except for the amino acid substitution introduced *in vitro*.

5 Previous results have indicated that early embryonic and fetal cells have a greater chance of participating in normal embryonic development after nuclear transfer (NT) than do adult somatic cells. Sufficient cells can be obtained from a single fetus to observe even a rare gene targeting event, making it is possible to use superior genetics. This assures that any animals produced have not only the genetic mutation conferring resistance to PrP, but also the genetic potential to perform at the top of their breed.

10 Cloning of cattle by nuclear transfer using fetal fibroblasts as nuclear donors has been demonstrated by two laboratories (Cibelli *et al.*, 1998; Wells *et al.*, 1998). Since in each case the fetal fibroblast donor cells were genetically modified prior to nuclear transfer, it is reasonable to believe that their manipulation will not substantially alter the efficiency of the NT technology.

Example 4

Inactivation of PrP gene in mice

Creation of transmissible spongiform encephalopathy (TSE)- resistant livestock can be accomplished by knocking out both copies of the PrP gene by homologous recombination.

20 As an *in vivo* model, the PrP gene of mouse ES cells was disrupted using conventional targeting protocol where a portion of PrP was replaced with a ncoTK cassette. Chimeric offspring were mated to produce homozygous PrP mice (Bueler *et al.*, 1992). When challenged with mouse scrapie prions, the mice remained free of scrapie symptoms (Bueler *et al.*, 1993). This method has the advantage that it has been demonstrated that in mice this knock-out event makes animals resistant to challenge from exogenous sources of virulent TSE isoforms that are highly infectious in otherwise identical mice having the normal pair of PrP alleles.

25 The major drawback to this approach is the possible physiological and behavioral consequences of eliminating the functioning of a ubiquitously expressed gene. Evidence has now emerged that these mice exhibit profound alterations in day/night rhythms and sleep patterns which might be anticipated to cause severe handling problems in livestock. Moreover, an

inherited form of TSE in humans, fatal familial insomnia (FFI), is also associated with sleep abnormalities (Petersen *et al.*, 1992). The disease leads to a gradual reduction in physiological sleep until a complete loss of sleep occurs. Impaired autonomic and motor functions are also manifest (Portaluppi *et al.*, 1994).

5 The present invention utilizes standard techniques of the art to construct a novel configuration of the PrP gene in cattle that provides resistance to the infective agent analogous to the knock-out construct proposed by Weissmann *et al.*, but at the same time leaves an intact, functional copy of the PrP to perform the normal but unknown role of the PrP gene in tissues where it is expressed. In contrast, the transgenic mice described by Weissmann, *et al.* do not
10 express a functional copy of the PrP gene.

An alternative to the foregoing homologous recombination method is to augment homologous recombination by either co-transforming fetal fibroblasts with a vector carrying the bacterial RecA protein or the bovine Rad51 protein, or directly binding the corresponding RecA or Rad51 proteins to the single stranded DNA targeting construct prior to transfection. Such
15 procedures are described in, for example, U.S. Provisional Patent Application Ser. No. 60/284,635, filed April 18, 2001, the entire disclosure of which is specifically incorporated herein by reference.

Example 5

20 Generation of a BSE-Resistant Form of the Bovine PrP Gene

Primers were developed to exon 3 of the bovine PrP gene based on published data. One primer pair was used to screen a bovine BAC library, yielding three bacterial clones with overlapping restriction digest profiles.

25 In order to identify the region of each BAC clone that contained the PrP gene, DNA from each clone was digested with several restriction enzymes including Avril and EcoRI, the DNA transferred to nylon, and the Southern blot probed with radiolabelled PrP fragment from Exon 3.

Restriction fragments that were shown to contain the PrP gene by Southern analysis were then subcloned into plasmid vector pBluescript (pBS), and the ends of the insert were sequenced to verify that all three clones contained bovine PrP.

Since gene targeting requires the use of "isogenic" DNA, or DNA in the targeting vector that is genetically identical to the targeted locus, primers were developed from the sequenced ends of one of the clones and used to amplify the PrP gene from DNA extracted from a bovine fetal fibroblast primary culture by long-range PCR (LR-PCR).

5 The LR-PCR product was cloned into vector pCR2.1 and the insert sequenced to verify that the PrP gene had been faithfully amplified. The insert was 100% identical to published sequence data for Exon 3.

10 In order to convert the wild type triplet sequence (CAG) coding for glutamine (Gln) at amino acid 179 to arginine (Arg) coded to the triplet CGG, a mutagenesis primer was synthesized that would convert the middle base of CAG from A to G thereby producing the required CGG triplet coding for Arg rather than Gln (See FIG. 1).

15 The mutagenesis protocol of Deng and Nicholoff was used to generate the amino acid change indicated above. Briefly, the vector containing wild-type PrP was denatured and then hybridized with the mutagenesis primer that encodes the desired modification (C to G) and a selection primer that alters a unique restriction site. A second strand is synthesized using DNA polymerase and gaps sealed with DNA ligase. Following transformation into an appropriate host, clones containing the mutagenic plasmid are selected by digestion of isolated DNA with the restriction enzyme that digests the altered site.

20 To verify that the A to G change has been incorporated at the triplet at position 179, the region flanking the site is sequenced on both strands. As FIG. 1 illustrates, the mutation has been incorporated into bovine PrP. To ensure that no other unintended mutations have been incorporated into the coding region of PrP, both strands were sequenced covering the entire opening reading frame of PrP. No other alterations were detected.

25 A restriction fragment containing the altered sequence was then subcloned into a transforming vector containing 7.0 kb of isogenic bovine PrP gene, replacing the wild-type sequence with the altered sequence. The coding region is interrupted by a selectable marker, puromycin, that will permit selection of the construct following electroporation into bovine fetal fibroblasts (See FIG. 4).

Example 6**Approach****A. Production of PrP-resistant animals with functional copies of the PrP gene.**

Two transgenes are generated that overexpress a functional copy of the PrP gene and are 5 resistant to conversion to the pathogenic PrP^{Sc} conformation. As there is very high level of amino acid sequence homology in the regions flanking the residue in which the three amino acid substitutions will be made (Prusiner et al., 1993), the substitution is unlikely to disturb secondary and tertiary structure of bovine or cervid PrP. Moreover, the Q171R and E222K are naturally occurring polymorphisms in otherwise perfectly healthy sheep and humans, respectively 10 (Westaway et al., 1994; Shibuya et al., 1998). In addition, when these substitutions were introduced into mouse PrP on plasmids transfected into chronically PrP^{Sc} -infected mouse neuroblastoma cultured cells that readily convert the susceptible mouse allele to PrP^{Sc}, these substitutions prevented such conversion (Zulianello et al., 2000) thus acting in a dominant negative fashion.

15 **B. Construction of the Transgenes:**

Q171R and Q222K substitutions are introduced by single base modification of a CAG codon coding for Gln to CGG (Arg) or AAG (Lys) by site-directed mutagenesis. FIG. 1 demonstrates that the CAG to CGG modification at amino acid 171 was successfully introduced 20 into bovine PrP using sequencing analysis. The substituted PrP exon 3 sequence including endogenous polyA addition site was then ligated downstream of required bovine PrP promoter elements including exon 1, intron1 and exon 2 (Inoue et al., 1997) in a SuperCos cosmid vector. A positive-negative selection cassette containing the neomycin resistance gene (+) and the HSV thymidine kinase gene (-) is flanked by loxP sites. FIG. 3 shows the order of these components 25 in the transgene. The cloned DNA is transduced into fetal fibroblasts, neomycin-resistant colonies isolated and expression levels of the transgene determined by Northern and Western analysis. Clones that show high level expression of the transgene are used as donors for nuclear transfer. Calves will be tested for the presence of the transgene by PCR and Southern analysis. The neomycin selectable marker flanked by loxP sites allows Cre-mediated removal of selectable 30 markers after identification of transgenic colonies (Nagy, 2000). This ensures that any animal generated will not be expressing any antibiotic resistance markers.

C. Generation of Homozygous Knockout Animals

The bovine PrP gene was isolated from a bacterial artificial chromosome (BAC), large insert library by PCR screening of pooled clones (Cai et al., 1995). The PrP gene was amplified by long-range PCR to develop isogenic targeting constructs (Barnes, 1994; Randolph et al., 1996) and the gene was disrupted by insertion of a promoterless puromycin-resistance gene into the open reading frame of exon 3. The PrP gene is expressed at high levels in fetal fibroblasts allowing for the very effective promoter trap gene targeting approach (Hasty et al., 1999). Successful targeting of the PrP locus was achieved using a combination of conventional enrichment schemes (promoter trap, isogenic DNA, extensive homology). The targeting scheme used to create the PrP knockout is illustrated in FIG. 4.

Targeted cells were identified by long range PCR. Long-range PCR is carried out using primers that amplify both targeted and endogenous genes. Two independent sets of PCR primers are used for amplification. PCR products are transferred to nylon by the Southern procedure and hybridized with ³²P-labelled probe to the test loci and puromycin probes. Only DNA displaying a band characteristic of a targeted gene for all PCR products is scored as positive (targeted) (see FIG. 5).

Targeted cells were then used as nuclear donors for somatic cell nuclear transfer. Reconstructed embryos are currently being transferred to recipient cows. To complete the inactivation of the remaining PrP allele, cell are collected from 50 days PrP +/- fetuses generated as described above and are utilized in an analogous targeting procedure, but using hygromycin as the selectable marker (see, e.g., Brown et al., 1997). In both cases the selectable markers are flanked by loxP sites allowing for the removal of the selectable markers once the cells carrying a fully deleted PrP is identified. Using the culture system described by Vasquez et al. (1998), sufficient cell divisions were obtained prior to senescence to undergo two rounds of selection prior to cloning by nuclear transfer. This indicates that it will be possible to remove the selectable markers prior to cloning without the need for an addition round of fetal fibroblast collection.

D. Generating Cervid Transgenes.

Using the published genomic sequence of sheep and bovine PrP genes (Genbank Accession numbers U67922 (SEQ ID NO:8) and AJ298878 (SEQ ID NO:9), respectively), consensus primers were designed to amplify cervid (deer and elk) genomic DNA by long-range PCR from cervid DNA collected from cultured fibroblasts from each species. Since the DNA from the coding region of white-tail deer (*Odocoileus virginianus*), mule deer (*Odocoileus hemionus*) and Rocky Mountain elk (*Cervus elaphus nelsoni*) have been published (Genbank Accession numbers AF156184 (SEQ ID NO:10), AF009181 (SEQ ID NO:11) and AF156182 (SEQ ID NO:12), respectively), this information is used to create, for example, R154H, Q171R and Q222K alleles by single base alterations in each genomic DNA by site-directed mutagenesis using the same technique used to alter bovine PrP DNA (see FIG. 7). Similarly, consensus primers are used to amplify cervid promoter sequence. Transgenes are introduced into cervid fibroblasts and transgenic animals expressing high levels of each transgene are produced by somatic cell nuclear transfer.

15 **E. Generating Homozygous Knockout Cervids.**

Targeting constructs similar to those used to target the bovine PrP gene are constructed using cloned cervid PrP DNA already isolated for the production of cervid transgenes. The methods used to target the cervid PrP locus are identical to that used in bovine targeting. Again, as with bovine, knockout cell lines are used for transfection of appropriate transgenes to generate 20 fully resistant animals expressing the transgene in a null PrP genetic background.

25 **F. Production of Nuclear Transfer Embryos:**

For nuclear transplantation bovine acolytes are matured in vitro as described in Hill et al., (2000). Oocytes are removed from medium and placed for 15 minutes in HEPES buffered SOF with 4mg/ml BSA that contains 7.5 µg/ml cytochalasin B and 5 µg/ml Hoechst 33342. Oocytes will be enucleated using micromanipulation. Only those in which removal of both the polar body and metaphase chromosomes is confirmed, by observation under UV light, will be utilized. Fibroblasts will be prepared by trypsinization of cells at 60-80% confluence and combined with enucleated oocytes using a 30 µm outside diameter glass pipette. Doublets will then be placed into TCM199 + 10% FCS. The oocyte-fibroblast couplets will be manually aligned and fused in

a 3.2mm fusion chamber that contains Zimmermans cell fusion medium using 2x 20 μ sec, 1.6 KV/cm DC fusion pulses delivered by a BTX Electrocell Manipulator 200 (BTX Inc. San Diego, CA). Oocyte activation will be performed 3-5 hours after fusion, by a 4 minute incubation in 5 μ M ionomycin followed by 4 minutes in 3% BSA in H-SOF then 4 minutes in H-SOF. Fusion will be assessed at this time by light microscopy prior to transfer into 100 μ M Butyrolactone (Motlik et al., 1998) in SOF for 4 hours. NT embryos will then be cultured in cSOFMaa for 7 days. Embryos will be transferred to synchronized recipients, and pregnancy closely monitored by ultrasonography starting at day 30. These techniques are routinely utilized by the inventors to produce NT blastocysts, cloned fetuses and live cloned calves.

10

* * *

All of the compositions and methods disclosed and claimed herein can be made and executed without undue experimentation in light of the present disclosure. While the compositions and methods of this invention have been described in terms of preferred embodiments, it will be apparent to those of skill in the art that variations may be applied to the compositions and methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention as defined by the appended claims.

20

REFERENCES

The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

5 U.S. Patent No. 5,698,763

U.S. Patent No. 5,789,655

U.S. Patent No. 5,834,593

U.S. Patent No. 5,792,901

10 U.S. Patent No. 5,834,593

U.S. Patent No. 5,527,695

U.S. Patent No. 5,658,772

U.S. Patent No. 5,440,013

U.S. Patent No. 5,618,914

15 U.S. Patent No. 5,670,155

U.S. Patent No. 5,446,128

U.S. Patent No. 5,710,245

U.S. Patent No. 5,840,833

U.S. Patent No. 5,859,184

20 U.S. Patent No. 5,929,237

U.S. Patent No. 5,475,085

U.S. Patent No. 5,672,681

U.S. Patent No. 5,674,976

U.S. Patent No. 4,554,101

25 Araki *et al.*, "Site-specific recombinase, R, encoded by yeast plasmid pSR1," *J. Mol. Biol.* 225:25-37, 1992.

Belay, E.D., Gambetti, P., Schonberger, L.B., Parchi, P., Lyon, D.R., Capellari, S., McQuiston, J.H., Bradley, K., Dowdle, G., Crutcher, J.M. and Nichols, C.R. (2001). Creutzfeldt-Jacob disease in unusually young patients who consumed venison. *Arch. Neurol.* 58, 30 1673-1678.

Belt, P.B.G.M., Muileman, I.H., Schreuder, B.E.C., Bos-de Ruijter, J., Gielkens, A.L.J., Smits, M.A. (1995). Identification of five allelic variants of the sheep PrP gene and their association with natural scrapie. *J. Gen. Virol.* 76: 509-517.

Brown JP, Wei W, Sedivy JM. Bypass of senescence after disruption of p21CIP1/WAF1 gene in 5 normal diploid human fibroblasts. *Science* 1997, 277: 831-834.

Bueler, H, Aguzzi, A., Sailer, A., Greiner, R.A., Autereid, P., Aguet, M. and C. Weissmann. (1993) Mice devoid of PrP are resistant to Scrapie. *Cell* 73: 1339-1347.

Cai, L., Taylor, J.F., Wing R.A., Gallagher, D.S., Woo, S.S., Davis, S.K. (1995) Construction and characterization of a bovine bacterial artificial chromosome library. *Genomics*. 29: 413-10 25.

Clouscard *et al.*, *J. Gen. Virol.* (76)2097-2101, 1995.

Enomoto *et al.*, "Mapping of the pin locus coding for a site-specific recombinase that causes flagellar-phase variation in *Escherichia coli* K-12," *J. Bacteriol.*, 156:663-668, 1983.

Foster J. Goldmann W. Parnham D. Chong A. Hunter N. (2001). Partial dissociation of PrP(Sc) 15 deposition and vacuolation in the brains of scrapie and BSE experimentally affected goats. *Journal of General Virology*. 82::267-73.

Gabizon, R.; Rosenmann, H.; Meiner, Z.; Kahana, I.; Kahana, E.; Shugart, Y.; Ott, J.; and Prusiner, S.B., *Am. J. Hum. Genet.*, 53, 828-835, 1993.

Goldmann, W., Hunter, N., Martin, T., Dawson, M., Hope, J. (1991). Different forms of the 20 bovine PrP gene have five or six copies of a short, G-C-rich element within the protein-coding exon. *J. Gen. Virol.* 72: 201-204.

Goldmann, W., Hunter, N., Smith, G., Foster, J., Hope, J. (1994). PrP genotype and agent effects in scrapie: change in allelic interaction with different agents in sheep, a natural host of scrapie. *J. Gen. Virol.* 75: 989-995.

Golic and Lindquist, "The FLP recombinase of yeast catalyses site-specific recombination in the 25 *Drosophila* genome," *Cell*, 59:499-509, 1989.

Hasty P, Abuin A, Bradley A. (1999) Gene targeting, principles, and practice in mammalian cells. In *Gene Targeting*, 2nd Edition. Edited by A.L. Joyner. Oxford U.P., pp 1-35.

Hill JR, Winger QA, Long CR, Looney CR, Thompson JA, Westhusin ME. Development rates 30 of male bovine nuclear transfer embryos derived from adult and fetal cells. *Biology of Reproduction* 2000; 62:1135-1140.

Hunter *et al.*, *Vet. Rec.*, (135):400-403, 1994.

Hunter, N., Goldmann, W., Smith, G., Hope, J. (1994). Frequencies of PrP gene variants in healthy cattle and cattle with BSE in Scotland. *Vet. Rec.* 135: 400-403.

Inoue, S., Tanaka, M., Horiuchi, M., Ishiguro, N., Shinagawa, M. (1997). Characterization of the bovine prion protein gene: the expression requires interaction between the promoter and 5 intron. *J. Vet. Med. Sci.* 59: 175-183.

Johannesson *et al.*, 1999, "Bicyclic tripeptide mimetics with reverse turn inducing properties." *J. Med. Chem.* 42:601-608.

LaPlanche, J.L., Chatelain, J., Westaway, D., Thomas, S., Dussaucy, M., Brugere-Picoux, J., Launey, J.M. (1993). PrP polymorphisms associated with natural scrapie discovered by 10 denaturing gradient gel electrophoresis. *Genomics* 15: 30-37.

Maeser and Kahmann, "The GIN recombinase of phage Mu can catalyse site-specific recombination in plant protoplasts," *Mol. Gen. Genet.*, 230:170-176, 1991.

Motlik J. Pavlok A. Kubelka M. Kalous J. Kalab P. Interplay between CDC2 kinase and MAP kinase pathway during maturation of mammalian oocytes. *Theriogenology*. 49(2):461-9, 15 1998 Jan 15

Nagy A. Cre-recombinase: the universal reagent for genome tailoring. *Genesis* 2000, 26: 99-109.

Peretz, D.; Williamson, R.A.; Matsunaga, Y.; Serban, H.; Pinilla, C.; Bastidas, R.; Rozenshteyn, R.; James, T.L.; Houghten, R.A.; Cohen, F.E., *et al.*; *J. Mol. Biol.*, 173, 614-622, 1997.

Piedrahita JA; Wells DN, Miller AL, Oliver JE, Berg MC, Peterson AJ, Tervit RH. 2001. 20 Successful cloning in cattle with cytoplasts obtained from follicles of 1-3 mm in diameter. *Mol. Reprod. Dev.* In Press.

Prusiner, S.B. *Proc Natl Acad Sci USA* (23) 13363-83 (1995)

Prusiner, S.B., Fuzi, M., Scott, M., Serban, D., Taraboulos, A., Gabriel, J-M., Wells, G.A.H., 25 Wilesmith, J.W.Bradley, R.; DeArmond, S.J., Kristensson, K. (1993). Immunologic and molecular biologic studies of prion proteins in bovine spongiform encephalopathy. *J. Infectious Diseases*. 167: 602-613.

Raymond, G.J., Bossers, A., Raymond, L.D., o'Rourke, K.I., McHolland, L.E., Bryant, P.K., Miller, M.W., Williams, E.S., Smits, M. and Caughey, B.(2000). Evidence of a molecular 30 barrier limiting susceptibility of humans, cattle and sheep to chronic wasting disease. *EMBO J.* 19: 4425-4430.

Ryan and Womack, *Animal Genet.*, (24):23-26, 1993.

Sauer, "Functional expression of the cre-lox site-specific recombination system in the yeast *Saccharomyces cerevisiae*," *Mol. and Cell. Biol.*, 7: 2087-2096, 1987.

Shibuya, S., Higuchi, J., Shin, R. -W., Tateishi, J., Kitamoto, T. (1998). Protective prion protein polymorphisms against sporadic Creutzfeldt-Jakob disease. *The Lancet* 352: 419.

5 Tobler, I., Gaus, S.E., DeBoer, T., Achermann, P., Fischer, M., Rulicke, T., Moser, M., Oesch, B., McBride, P.A. and J.C. Manson. (1996) Altered circadian activity rhythms and sleep in mice devoid of prion protein. *Nature* 380:639-642.

Vasquez, J.C., Nogues, C., Rucker, E.B., Piedrahita, J.A (1998). Factors affecting the efficiency of introducing precise genetic changes in ES cells by homologous recombination: tag-and-exchange versus the cre-loxP system. *Transgenic Research* 7: 181-193.

10 Vita *et al.*, (1998), "Novel miniproteins engineered by the transfer of active sites to small natural scaffolds. 47(1):93-100.

Weisshoff *et al.*, (1999), "Mimicry of beta II'-turns of proteins in cyclic pentapeptides with one and without D-amino acids. *Eur J Biochem.* 259(3):776-88

15 Westaway, D., Zuliani, V., Cooper, C.M., Da Costa, M., Neuman, S., Jenny, A.L., Detwiler, L., Prusiner, S.B. (1994). Homozygosity for prion protein alleles encoding glutamine 171 renders sheep susceptible to natural scrapie. *Genes Devel.* 8: 959-969.

Westhusin M, Burghardt RC, Ruglia JN, Willingham LA, Liu L, Shin T, Howe LM, Kraemer DC. Potential for cloning dogs. *J. Reprod. Fert* 2000; In press.

20 Zulianello, L., Kanecko, K., Scott, M., Erpel, S., Han, D., Cohen, F.E., Prusiner, S.B. (2000). Dominant-negative inhibition of prion formation diminished by deletion mutagenesis of the prion protein. *J. Virol.* 74: 4351-4360.

CLAIMS

1. A transgenic bovine comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence that renders said bovine resistant to bovine spongiform encephalopathy disease.
5
2. The transgenic bovine of claim 1, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of
10 154 and 222.
3. The transgenic bovine of claim 2, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
15
4. The transgenic bovine of claim 1, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
20
5. The transgenic bovine of claim 4, wherein the glutamine residue at said position 171 has been substituted with arginine.
25
6. The transgenic bovine of claim 1, further defined as produced by a method comprising introducing a transgene encoding said mutant PrP polypeptide into the genome of a bovine embryo and allowing the embryo to develop into a bovine whose somatic and germ cells comprise said transgene.
7. A progeny of any generation of the transgenic bovine of claim 6, wherein said progeny comprises said transgene.
- 30 8. A fertilized embryo of the transgenic bovine of claim 1, wherein said embryo comprises said transgene.

9. The transgenic bovine of claim 1, further defined as lacking a functional wild type PrP gene.
10. The transgenic bovine of claim 9, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.
11. A method of producing a transgenic bovine resistant to BSE comprising:
 - a) introducing into a bovine embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence; and
 - b) allowing the embryo to develop into a bovine the somatic and germ cells of which express said transgene, thereby rendering the transgenic bovine resistant to BSE.
12. The method of claim 11, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.
13. The transgenic bovine of claim 12, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.
14. The method of claim 11, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.
15. The method of claim 14, wherein the glutamine residue at said position 171 has been substituted with arginine.
16. The method of claim 11, wherein the transgenic bovine is further defined as lacking a functional wild type PrP gene.

17. The method of claim 16, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.

5 18. A transgenic cervid comprising a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence that renders said cervid resistant to transmissible spongiform encephalopathy disease.

10 19. The transgenic cervid of claim 18, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.

15 20. The transgenic cervid of claim 19, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.

21. The transgenic cervid of claim 18, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.

20 22. The transgenic cervid of claim 21, wherein the glutamine residue at said position 171 has been substituted with arginine.

25 23. The transgenic cervid of claim 18, further defined as produced by a method comprising introducing a transgene encoding said mutant PrP polypeptide into the genome of a cervid embryo and allowing the embryo to develop into a cervid whose somatic and germ cells comprise said transgene.

30 24. A progeny of any generation of the transgenic cervid of claim 23, wherein said progeny comprises said transgene.

25. A fertilized embryo of the transgenic cervid of claim 18, wherein said embryo comprises said transgene.

26. The transgenic cervid of claim 18, further defined as lacking a functional wild type PrP gene.

5 27. The transgenic cervid of claim 26, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.

28. A method of producing a transgenic cervid resistant to transmissible spongiform encephalopathy comprising:

10 a) introducing into a cervid embryo a transgene encoding a mutant PrP polypeptide comprising the polypeptide sequence of SEQ ID NO:2 in which an amino acid substitution has been made at position 171 of said sequence; and

b) allowing the embryo to develop into a cervid the somatic and germ cells of which express said transgene, thereby rendering the transgenic cervid resistant to

15 transmissible spongiform encephalopathy.

29. The transgenic cervid of claim 28, wherein the mutant PrP polypeptide further comprises an amino acid substitution at a position of said sequence selected from the group consisting of 154 and 222.

20 30. The transgenic cervid of claim 29, wherein the amino acid substitution comprises substitution with an amino acid selected from the group consisting of histidine, lysine or arginine.

25 31. The transgenic cervid of claim 28, wherein the glutamine residue at said position 171 has been substituted with histidine, lysine or arginine.

32. The transgenic cervid of claim 31, wherein the glutamine residue at said position 171 has been substituted with arginine.

30

33. The method of claim 28, wherein the transgenic cervid is further defined as lacking a functional wild type PrP gene.
34. The method of claim 33, wherein said wild type PrP gene has been replaced with a null allele by homologous recombination.

5

133

ACC AAC ATG AAG CAC GTG GCA GGA GCT GCT GCA GCT GGA GCA GTG GTA
 TGG TTG TAC TTC GCA CAC CGT CCT CGA CGA CGT CGA CCT CGT CAC CAT
 Thr Asn Met Lys His Val Ala Gly Ala Ala Ala Ala Gly Ala Val Val

149

GGG GGC CTT GGT GGC TAC ATG CTG GGA AGT GCC ATG AGC AGG CCT CTT
 CCC CCG GAA CCA CCC ATG TAC GAC CCT TCA CGG TAC TCG TCC GGA GAA
 Gly Gly Leu Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu

165

ATA CAT TTT GGC ACT GAC TAT GAG GAC CGT TAC TAT CGT GAA AAC ATG
 TAT GCA AAA CCG TCA CTC ATA CTC CGA ATG ATA GCA CTT TTG TAC
 Ile His Phe Gly Ser Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met

181

CAC CGT TAC CCC AAG CAA GTG TAC TAC AGG CCA GTG GAT CAG TAT AGT
 GTG GCA ATG GGG TAC GTT CAC ATG ATG TCC GGT CAC CTA GTC ATA TCA
 His Arg Tyr Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser
 v
 CGG
 GCC

197

AAC CAG AAC AAC TTT GTC CAT GAC TGT GTC AAT ATC ACA GTC AAG GAA
 TTG GTC TTG TTG AAA CAC GTC CTG ACA CAG TTA TAG TGT CAG TTC CTT
 Asn Gln Asn Asn Phe Val His Asp Cys Val Asn Ile Thr Val Lys Glu

213

CAC ACA GTC ACC ACC ACC ACC AAG GGG GAG AAC TTC ACC GAA ACT GAC
 GTG TGT CAG TGG TGG TGG TTC CCC CTC TTG ARG TGG CTT TGA CTG
 His Thr Val Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp

FIG. 1





FIG. 2

PrP Dominant-Negative Transgene**FIG. 3**

PrP Knockout Vector-Promoter Trap





FIG. 4

**FIG. 5**

wtd: MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPGQ
 md MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPGQ
 e MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPGQ
 sh MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPGQ
 bov MVKSHIGSWILVLFVAMWSDVGLCKKRPKPGGGWNTGGSRYPGQ

wtd: GSPGGNRYPQGGGWGQPHGGGWGQPHGGGWGQPHGGGW
 md GSPGGNRYPQGGGWGQPHGGGWGQPHGGGWGQPHGGGW
 e GSPGGNRYPQGGGWGQPHGGGWGQPHGGGWGQPHGGGW
 sh GSPGGNRYPQGGGWGQPHGGGWGQPHGGGWGQPHGGGW
 bov GSPGGNRYPQGGGWGQPHGGGWGQPHGGGWGQPHGGGW

wtd: GQPHGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAGAWG
 md GQPHGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAGAWG
 e GQPHGGGWGQGGTHSQWNKPSKPKTNMKHVAGAAAAGAWG
 sh GQPHGGGWGQGGSHSQWNKPSKPKTNMKHVAGAAAAGAWG
 bov GQPHGGGWGQGGTHGQWNKPSKPKTNMKHVAGAAAAGAWG

136 154 171
 wtd: GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPVDQ
 md GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPVDQ
 e GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPVDQ
 sh GLGGYMLGSAMSRPLIHFGNDYEDRYYRENMYRYPNQVYYRPVDQ
 bov GLGGYMLGSAMSRPLIHFGSDYEDRYYRENMHRYPNQVYYRPVDQ

wtd: YNNQNTFVHDCVNITVKQHTVTTTKGENFTETDIKMMERVVEQMCI
 md YNNQNTFVHDCVNITVKQHTVTTTKGENFTETDIKMMERVVEQMCI
 e YNNQNTFVHDCVNITVKQHTVTTTKGENFTETDIKMMERVVEQMCI
 sh YSNQNNFVHDCVNITVKQHTVTTTKGENFTETDII MERVVEQMCI
 bov YSNQNNFVHDCVNITVKEHTVTTTKGENFTETDIKMMERVVEQMCI

222
 wtd: TQYQRESQAYYQRGASVILFSSPPVILLISFLIFLIVG
 md TQYQRESQAYYQRGASVILFSSPPVILLISFLIFLIVG
 e TQYQRESEAYYQRGASVILFSSPPVILLISFLIFLIVG
 sh TQYQRESQAYYQRGASVILFSSPPVILLISFLIFLIVG
 bov TQYQRESQAYYQRGASVILFSSPPVILLISFLIFLIVG

FIG. 6

10	20	30	40	50	60	70
wtd	ATG GTG AAA AGC CAC ATA	GGC AGC TGG ATC CTA	GTT CTC TTT GTG	GCC ATG TGG AGT	GAC GTG GGC CTC TGC	TGC
elk	ATG GTG AAA AGC CAC ATA	GGC AGC TGG ATC CTA	GTT CTC TTT GTG	GCC ATG TGG AGT	GAC GTG GGC CTC TGC	TGC
md	ATG GTG AAA AGC CAC ATA	GGC AGC TGG ATC CTA	GTT CTC TTT GTG	GCC ATG TGG AGT	GAC GTG GGC CTC TGC	TGC
80	90	100	110	120	130	140
AAG AAG	CGA CCA AAA CCT	GGG GGA GGA	TGG AAC ACT	GGG GGG AGC	CAG GGA AGT	CCT GGA
AAG AAG	CGA CCA AAA CCT	GGG GGA GGA	TGG AAC ACT	GGG GGG AGC	CAG GGA AGT	CCT GGA
AAG AAG	CGA CCA AAA CCT	GGG GGA GGA	TGG AAC ACT	GGG GGG AGC	CAG GGA AGT	CCT GGA
150	160	170	180	190	200	210
GGC AAC CGC TAT CCA CCT	CAG GGG GGT	GGC TGG GGT	CAG CCC CAT	GGA GGT	GGC TGG GGC	CAA CCT CAT
GGC AAC CGC TAT CCA CCT	CAG GGG GGT	GGC TGG GGT	CAG CCC CAT	GGA GGT	GGC TGG GGC	CAA CCT CAT
GGC AAC CGC TAT CCA CCT	CAG GGG GGT	GGC TGG GGT	CAG CCC CAT	GGA GGT	GGC TGG GGC	CAA CCT CAT
220	230	240	250	260	270	280
GGA GGT GGC TGG GGT	CAG CCC CAT	GGT GGT	GGG CAG CCA CAT	GGT GGT	GGG CAG TGG	CAA GGT
GGA GGT GGC TGG GGT	CAG CCC CAT	GGT GGT	GGG CAG CCA CAT	GGT GGT	GGG CAG TGG	CAA GGT
GGA GGT GGC TGG GGT	CAG CCC CAT	GGT GGT	GGG CAG CCA CAT	GGT GGT	GGG CAG TGG	CAA GGT
290	300	310	320	330	340	350
GGT ACC CAC AGT CAG TGG AAC AAG CCC AGT AAA CCA AAA	ACC AAC ATG AAG CAT	GTG GCA GGA	GCT GCT GCC			
GGT ACC CAC AGT CAG TGG AAC AAG CCC AGT AAA CCA AAA	ACC AAC ATG AAG CAT	GTG GCA GGA	GCT GCT GCA			
GGT ACC CAC AGT CAG TGG AAC AAG CCC AGT AAA CCA AAA	ACC AAC ATG AAG CAT	GTG GCA GGA	GCT GCT GCA			

FIG. 7

370 380 390 400 410 420 430
 GCT GGA GCA GTG GTA GGG GGC CTT GGT GGC TAC ATG CTG GGA AGT GCC ATG AGC AGA CCT CTT ATA CAT TTT
 GCT GGA GCA GTG GTA GGG GGC CTC GGT GGC TAC TTG CTG GGA AGT GCC ATG AGC AGG CCT CTT ATA CAT TTT
 GCT GGA GCA GTG GTA GGG GGC CTC GGT GGC TAC ATG CTG GGA AGT GCC ATG AGC AGG CCT CTT ATA CAT TTT

 440 450 460 470 480 490 500
 GGC AAT GAC TAT GAG GAC CGT TAC TGT GAA AAC ATG TAC CGT TAC CCC AAC CAA GTG TAC TAC TAC AGG CCA
 GGC AAT GAC TAT GAG GAC CGT TAC TAT CGT GAA AAC ATG TAC CGT TAC CCC AAC CAA GTG TAC TAC TAC AGG CCA
 GGC AAT GAC TAT GAG GAC CGT TAC TAT CGT GAA AAC ATG TAC CGT TAC CCC AAC CAA GTG TAC TAC TAC AGG CCA

CAT (Arg154His)

510 520 530 540 550 560 570
 GTG GAT CAG TAT AAT AAC CAG AAC ACC TTT GTG CAT GAC TGT GTC AAC ATC ACA GTC AAG CAA CAC ACA GTC
 GTG GAT CAG TAT AAT AAC CAG AAC ACC TTT GTG CAT GAC TGT GTC AAC ATC ACA GTC AAG CAA CAC ACA GTC
 GTG GAT CAG TAT AAT AAC CAG AAC ACC TTT GTG CAT GAC TGT GTC AAC ATC ACA GTC AAG CAA CAC ACA GTC

CGG (Gln171Arg)

580 590 600 610 620 630 640
 ACC ACC ACC AAG GGG GAG AAC TTC ACC GAA ACT GAC ATT AAG ATG ATG GAG CGA GTT GTG GAG CAA ATG
 ACC ACC ACC AAG GGG GAG AAC TTC ACC GAA ACT GAC ATC AAG ATG ATG GAG CGA GTT GTG GAG CAA ATG
 ACC ACC ACC AAG GGG GAG AAC TTC ACC GAA ACT GAC ATC AAG ATG ATG GAG CGA GTT GTG GAG CAA ATG

650 660 670 680 690 700 710 720
 TGC ATC ACC CAG TAC CAG AGA GAA TCC CAG GCT TAT TAC CAA AGA GGG GCA AGT GTG ATC CTC TTC TCC TCC
 TGC ATC ACC CAG TAC CAG AGA GAA TCC GAG GCT TAT TAC CAA AGA GGG GCA AGT GTG ATC CTC TTC TCC TCC
 TGC ATC ACC CAG TAC CAG AGA GAA TCC CAG GCT TAT TAC CAA AGA GGG GCA AGT GTG ATC CTC TTC TCC TCC

AAG (Gln222Lys)

730 740 750 760 770
 CCT CCT GTG ATC CTC CTC ATC TCT TTC ATT TTT CTC ATA GTA GGA TAG
 CCT CCT GTG ATC CTC CTC ATC TCT TTC ATT TTT CTC ATA GTA GGA TAG
 CCT CCT GTG ATC CTC CTC ATC TCT TTC ATT TTT CTC ATA GTA GGA TAG

FIG. 7A

SEQUENCE LISTING

<110> DUNNE, PATRICK W.
PIEDRAHITA, JORGE

<120> TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE
SPONGIFORM ENCEPHALOPATHIES

<130> TAMK:207-WO

<140> UNKNOWN

<141> 2002-03-28

<150> 60/280,549

<151> 2001-03-30

<160> 10

<170> PatentIn Ver. 2.1

<210> 1

<211> 78056

<212> DNA

<213> Bos taurus

<400> 1

taggataat	caatattgt	aatgaccat	ataccaaatg	caacctacag	attcaatgag	60
atctccatct	aacttccaat	agcattttc	acagaagtag	aacaaaaaat	ttcacaattc	120
atatggaaac	acaaaaggcc	ctgaatagcc	aatgcagtcc	tgagaaagaa	gaatggagtt	180
ggaggattca	accatcctga	cttagatta	tactacaaag	ctacagtcat	caagacagta	240
tggatttggc	ataaaaacag	aaatataagac	aatggaaaca	agacagaaag	cccagaaata	300
agcccatgaa	cctatgggt	ccttattcct	gacaaaggaa	gcaagaatat	acaatgggc	360
agacagcctc	ttcaataaaat	ggtgcgtgg	aaactggaca	gctacatgta	aaagaatgaa	420
attagaacac	ttcctaaccac	caacagtca	gttcagttca	gctggtcagt	cgtatcgact	480
ctttgcacc	ccatggactg	cagcatgcca	ggcttccctt	gtccatcacc	aactctaga	540
gcttactcaa	actcatgtcc	attgagttgg	tgatgccatc	caaccatctc	atcctctgtc	600
gtcccccttct	cctcccacct	tcaatcattc	tcagcatcag	ggtttttcc	aatgaggcag	660
ttctttgcat	caggtggcca	aagtattgga	ctttcagctt	cagcattagt	ccttccgatg	720
aatattcagg	actgattttc	tttaggatgg	actggtttga	tcttgcagtc	caaatgactc	780
tcaagagtgt	tctccaaacac	cacagttcaa	aagcatcaat	tcttcagcac	tcagcttct	840
ttatagtcca	actctcacaa	ccatacatga	ctactggaaa	aaccatagct	ttgactagat	900
ggagcttgt	tggcaaagta	atgtctctgc	tttttaatat	gctgtctagg	ttggtcataa	960
cttttcttcc	aaggagcaag	catctttaat	ttcatggctg	cagtcaccat	atgcagtgt	1020
tttggagccc	ccaaaataaa	gtctgtca	gtttccactg	tttccccatc	tatggccat	1080
gaagtgtatgg	gaacagatgc	catgatctt	gtttcctgaa	tgttgagitt	taagtcact	1140
ttttcactct	cctcttccac	tttcatcaaa	aggctcttta	ggtcttcttc	tcttaaccat	1200
aaggatggtg	tcatctgcat	atctgagggt	attgatattt	ctcctggcaa	acttaattcc	1260
agcttgtgct	ttatccagtc	cagcatttct	cgtgatgtac	tctgcatata	aattaaataa	1320
gcagggtgac	aatatacagc	ctcaatgtac	tcctttctg	atttggaaacc	agtatgttgt	1380
tccatgtcta	gttctaaactg	ttgcttccct	acttgcatac	agatttctca	ggaggcaggt	1440
caggcgttct	ggtattccca	tctctttaag	aatttcccac	agtttggtgt	gatccacaca	1500
gtcaaaggct	ttggcacagt	caataaagca	aaaatggatg	tttttctgga	acgctttac	1560
tttttcgatg	atccaatgga	tgttggcaat	ttgatctctg	attcctgtgc	cttttctaaa	1620
tccagcttga	acatctggaa	gttcatggtt	catgtactt	tgaagtctgg	cttggagaat	1680
ttgagcatta	cttgcttagt	gtgtgagatg	agtgtaatca	tgcagtagtt	tgagcattct	1740
ttggcattgc	ctttcttgg	gatttggatg	aaaactgacc	tttccagtc	ctgtggccac	1800
tgctgagttt	tctaaatttg	ctgccatatt	gagtgcac	ctttcacagc	atcatctttt	1860
aggatgtgaa	atagctcaac	tggaattcca	tcacccccc	tagcttgg	cataatgatg	1920

cttcctaagg	cccaacttgcac	ttcacattct	aggatgtctg	gttcttaggtg	agtgatcaca	1980
ccatcatgg	tatctgggtc	atgaagttct	ttctttaga	gttcttctgt	gtattcttc	2040
caccccttct	taatatcttc	tgctttgtt	aggccat	catttctgtc	ctttattgt	2100
cccatcttg	catgaaatgt	tcccttggta	tctgtat	tctgaagag	atctctagtt	2160
cttcccattc	tattgtctcc	agggtgacca	ccccagacc	ctgtacctgg	ggtcatataa	2220
ccacagttc	cacagtgaca	tcccttccaa	accctgaact	tggggttgca	cgtccatgtt	2280
ctccagcg	acacaccctc	ttggaccatg	cactgggtc	acatgtccag	gttccaggct	2340
aacacccccc	cccatactct	atacctggca	tcaacgtcct	catacagcag	ggtgaccgaa	2400
ccctcaacat	catgtacctg	gtgttgaac	tccacagtt	ctgcacctca	tcagaccttg	2460
tacctggagt	cacatgtcca	cagtctctag	ggtgacagca	ttcaccaga	cctttgacca	2520
gtgttacac	atccagtctc	cagggtgatg	cccacttcca	gaccctgtac	ctggggtaca	2580
tgttacac	ctccagggtg	acagccccc	agactctgt	gctgggttaa	cagaccacc	2640
tttccagggt	gactacacca	ctccatattg	tgcacctgg	gtcacacatc	cacaatctct	2700
ggggtgac	ctcccaagacc	ctgtacgtgg	gtcacacatc	cacagtccca	gggtgacccc	2760
acttccaga	ctgttggact	gggttcacat	gtccacagtt	tccaggtgaa	tcccccctccc	2820
caaagcctgt	acctgggtc	acacatccac	agtctccaga	gtgaccctag	cctccagacc	2880
ctctccctgg	ggtcacatgt	ccatggtcta	cagggagata	cccctccag	aacctgcacc	2940
tggggtcaca	tggccacagt	ctccagggtg	aacccttacc	agaccctgt	cctggggtca	3000
catgttca	gtctccaggg	ttacctgcct	cccagaccct	gcaccttggt	tcacatgtct	3060
gcagtctcca	gtgtgacccc	actcctgtac	ctgtggtac	atgtgcagat	tccaggggtga	3120
cacccctccc	agaccctgca	cctgggtca	cacgtatgc	atotccaggg	tgaccccgcc	3180
tcaccagacc	tttacctgg	ggtcacac	tcacagtctc	caggtaacc	cccccacca	3240
gactctgcac	ttggggtaca	aatccacagt	ttccagggtg	acacccctc	agaccttcta	3300
cctgaattca	gagtttgata	gcctcctgg	agaccccacc	acaccagcga	gtgcacctgg	3360
cttcacacgt	ccacagcg	caggatgaca	tgccccaga	ccctgtac	agggtcacat	3420
atctctagtt	coctggtgc	cccttccaaga	ccctgaac	gggtcata	gtctgcagtc	3480
tccagggtga	ccaaaccacag	acactctacc	tgggtaata	tattcacagt	ctacagggtg	3540
acaacccact	cagaccctga	acctgggac	acatgtccac	ggtctccagg	gtgatcacac	3600
actccagacc	ctgtacctgg	ggtcacat	ccacagtctc	caggaaacc	caactgccc	3660
tactgtgcac	ctgggggtca	cacatccagt	ctccagggtg	accccccgc	ccatatcc	3720
taccttggc	cacatgac	cagctccag	ggtgacccca	ccctcaacat	catttac	3780
ggccaaatc	tcacactct	ccagggtgac	ctcctccag	accctgcac	tggggtcaca	3840
tgtccac	ctccagggtg	acccatgtc	acagatctg	cac	atgtcaac	3900
cgtctccat	gtgacccctc	ccagactgca	cctgggtca	cata	ttccatgg	3960
tgtatccacc	ctggccctgt	acctgtgg	acatgtccac	agtttca	tgagttcc	4020
cccacgttct	gtacctgagg	tcacatgtcc	atagtctca	gggtgacccc	atcttctaga	4080
cattgtacca	gggttac	atccacagt	tccagggtg	tctccctc	cataccctgt	4140
acctgggtc	aacatcctca	gcttccagga	tgaccca	ctcaacatc	tgtaccgt	4200
gtcaaacgtc	cacagtctcc	agggtcactg	cac	cttca	gac	4260
atgtgcacag	tctctagggt	gacattac	caacata	ttt	ttcacacgt	4320
cacagtctcc	cagggtgact	cccctctc	cctcctgc	ctgagata	cattcac	4380
ctccagggtg	acatccccc	cagacactgt	ac	ctc	ctc	4440
gtgacctcac	cacaccagac	cacgcac	tgatcac	tccac	ccagggtgac	4500
accctccc	atcctgtacc	taaggtcaca	tat	cc	cc	4560
accctgtacc	tgggtcac	atccac	ccagggtgac	ccacttccc	agactgtgaa	4620
accgggttca	cata	gttccag	gaattcc	ccccaaacc	tgtac	4680
gtcacacgtc	cacagtccca	gggtgaccc	agccttacc	tggggtcaca	tgtccac	4740
ctacagggtg	acccccc	caggcc	tc	tcc	cc	4800
aaacccttcc	cagacc	acctgg	at	cc	cc	4860
tcccaaactc	ttcac	atcac	ccat	cc	cc	4920
tctgaac	gggt	ccacat	cc	cc	cc	4980
ggggt	ccac	gttcc	ccagg	cc	cc	5040
acatgtccac	agtctaca	ggtga	cc	cc	cc	5100
acatatccac	agtctcc	gtaa	cc	cc	cc	5160
cacagtctc	atgg	cc	cc	cc	cc	5220
ccagggtgac	ccct	cc	cc	cc	cc	5280
acccccc	caga	at	cc	cc	cc	5340
ctccccca	cc	cc	cc	cc	cc	5400

tgcacctagg	gtcacaagcc	cacatctcca	atgtgacccc	tctcctgctc	caggggtcac	5460
atgtccacaa	attccaagg	gacacctctc	ccagacactg	cacctgggtt	cacatgtccc	5520
actgtctcca	gggtgacaac	ccccatactc	tgtacctggg	ttcacaggtc	cacagtctct	5580
agggtgactc	tgccacatca	gactcacag	ctgtggcac	atgtccacag	tttccagggt	5640
ggcacccctcc	cagatcctgt	acccagggtc	acatattac	agtcccctgg	gttaacactc	5700
ccagaccctg	tacctgaggt	cattgtcca	cgttgtccag	ggtcaaccct	tcccagaccc	5760
tacaccctgg	ctcacatgtc	cacagtctcc	agggtgaccc	cctcccaacc	ctgaacttgg	5820
agtacacatgt	ccagtcata	gggtgatcac	ccccataccc	tgtacctggg	atcacaaaac	5880
tacagtcctcc	agggtgaccc	tgtgcccaga	cactgaatct	ggggtcacac	atccacagtc	5940
tccagtgta	tgcccactcc	cagaccatgc	accagggtc	acacatccac	agtctccagg	6000
gtgacagcc	ctgagaccct	gaacctgggg	tcacatggcc	acagtctaca	gggtgacgac	6060
ccctccaga	ccacatacat	gggtcacag	gttcacagtc	tccaggataa	caccctccc	6120
gaccctgtac	ctatggacac	ctatctacaa	tccccttgg	gtcccctccc	agacactata	6180
cctgggttca	catgtccaca	gtcttcaggg	tgacaccctc	cagaccctgt	acctagggac	6240
acctatctac	agtcccctt	gtgtcccctc	ccagacacta	tatctggatt	caaatgtcca	6300
cagtctccag	gttgacccca	ccctcaagaa	cctctacctg	tagtcatatg	accacagtct	6360
ccagtgaaa	cccacctccc	atatcctgca	cctggagtag	atgtccagtc	tccagggtga	6420
ccccacagtc	cagaccctgt	acatagggtc	acagacctca	gcctcaagag	tgataactctc	6480
ccagagttt	tacctggggc	cacatgtca	tagtctccag	ggtgatccctc	tctcaactct	6540
gcacctgggg	tcacacatac	aaagtctcca	ggtaacaccc	cccaataaccc	tgtgcctgg	6600
gttgcacatc	cacagatttc	acagtgaccc	caccccccgg	accctgcata	tgaagtcaaa	6660
tgcccacagt	ctccagtgta	aactcacatc	ccatgctgtt	cctggggtaa	atgtccacat	6720
tatccaggat	gaccccacct	cccagaccct	gttccttggg	tctcaactac	acagtcctca	6780
gagtgtcccc	acctctcaga	ccctccatct	gggatcgaac	attgccagta	tccagggtga	6840
ccccctccca	gactctacac	ttgggtcac	atgtccagag	tttccagggt	gactgctcc	6900
cgaacctgta	gtctgggtca	caggccaca	gtttcaggg	tgacacccct	ctccagacaa	6960
tgtatctgga	gtcacacatt	cacagtctgc	taggcgaacc	cagcccccac	accctgcaca	7020
tgggacccca	tgttcagtt	ggagtgtga	ctaccagct	acaacaacca	gctggctgtt	7080
gctgtcagca	gcctaattgg	gtgaaaaatg	gactgggtga	tgacttccca	ataagaagt	7140
gcaagtagca	tgttccttc	agaaaaactca	aataatgaac	caaagttgtt	gtcataatgt	7200
acagacaaat	gacctgggt	gtttcttcat	ggttgggtga	gtctgcaact	atccacctt	7260
cccaggatga	tcatatacat	tttgcacat	tactttgatt	ccagcctcaa	cataacatgt	7320
ttccctgtac	atttagagct	ggttaaagac	actcctggag	aaggcaatgg	cacccactc	7380
cagtactctt	gcctggaaaa	tcccattggat	ggaggagcct	ggtaggctgt	agtccatggg	7440
gtcacgaaga	gtcagacaca	attgagtgac	tttactttca	cttttcaactt	tcatgcattg	7500
gagaaggaaa	tggcaaccca	ctccagtt	cttgcctgga	gagtcccagg	gacggggag	7560
cctgggtgagc	tgccatctat	ggggtcgcag	agtccgacac	gactgaagca	acttagcagc	7620
agccgcagca	aagacactcc	tagtgtacaa	acactgtaca	gtttgaggag	tatagacagc	7680
agtggagagt	gctctatgaa	tgtgatggc	caggtctgtt	tttaccctga	gtaggtgaaa	7740
cgtactgtca	ggtgacctca	cagcaagaag	tggcaagctg	cctgtcatga	gaagtgaagt	7800
tgcccaactca	tatgcgactc	tttgcacatcc	catggactgt	agcctatgg	ggtctctgt	7860
ccatggaatt	ttccagtcac	gagttactaaa	gtgggttgcc	aattctttt	ccagggaaatc	7920
ttcgcgaccc	gagttatcaaa	cctgggtctc	ccacatcgca	ggcagacact	accctcttag	7980
ctaccacgg	agcccaccag	attcattgaa	aactcaactg	tttaccctgaa	gttgtctgg	8040
gattgaagag	tagaatgagc	ctgctgtgtt	tttctccag	gtgggatgct	gtaactacac	8100
aggtttcaca	gggggaaatg	actgcttgg	aacgtccgat	cccaatttcca	ggttcacaaa	8160
aagttgtctc	cctgcagttt	taaagctgt	taaatgcctt	cctaggacac	aatgggctct	8220
ctgtgaatgt	tgacttctgt	atgtgttctt	accctattca	gcaaaaacag	tactgtcaga	8280
ggacttccca	tcaagaagtg	gcaagcagag	tgtttctctc	aggtaacaga	agtacttgat	8340
gagacttgca	gtcctaaaga	agggaaaaac	gaccctgtgt	cttttccgtc	aggctggaga	8400
ttgcaagtt	tccagttt	ctaggtgaaa	atactgcctt	ctcttcaggc	cccgagttct	8460
acgttcaag	aaacatttcc	acacagggtc	agagctgtgc	caagattcca	agaacacact	8520
gtacaatttc	tcaaaaaga	cttcagtgaa	aatgtctgt	caagtggttc	tgccataatt	8580
gttaccctga	gtgggtggaa	ttacactgtc	agatgacttt	ttagcattaa	aaagcaagt	8640
cctatgttt	cagaaaaggc	agataactaaa	gctgcgcctg	taagaaacag	gcaaatgaac	8700
ccgtgtgcac	ttctttcagg	cttaagactg	caaccaccc	gcagttacac	aaaaaagtgc	8760
tgcttcgtcc	attaggctcc	aaatcccatt	tgaacagaaa	taaatcccc	tgtcattttaga	8820
aagctgtgt	agtgagccca	ggccagaatg	caccatacca	ttagtaaaga	ggtcagttggg	8880

gagtgttctg agagttcaat agtgagtgtt ctggaagtgt tgactgccat acctgttagc	8940
agcagcctaa tttggtaaa ctggactggg tgatgacttt ccagtaagaa ggagcaagct	9000
gcaattacct ttcagaagac tcataatggc ccaaagctgt tgtaataatg cccagacaaa	9060
tgagtcactg cgtttcttcc tagctggttg gtggctgaa ctatccaggt ttaaggggag	9120
gaatatactg actttgccat attaccttattt tgccagcttc aggtAACATA tttccctgca	9180
cattttagagc tggtaaaaga cactcctaga gaacaaactg taccatttgg ggagcaaaga	9240
tagcgggtgga gagtgctctg tgaatgtgga tggtcaggcc tggttttagc ctgatgaggt	9300
gagatgtaat atcaggtgac ctcacagcca gagtgccaaag ccacactgatt catgagaagt	9360
gaagttgctc agttgtatgt gactcttgc actcccatgc aatgttagctt accaggctcc	9420
tttttcgatg gaattttcca ggcaagaagt actggatgg cttgccactt cctttccag	9480
gagatattcc tgacccaggg atcacacccg ggtcttcaat gttcaggca gatgctttac	9540
cctctgggtc accagaatcc ggctggattc attgaaaatt cactgattt acaaaagctg	9600
tccttggatg gaagagtata atgagctgt tgatattctc tggcagggtgg tatgctgtaa	9660
ctacaaggct tcacaaggac gaatgttttggacatcagt ccccaattcc acgtgcacaa	9720
aatgacatct acctatagtt tcaaagctgt gtaaatccat tcctaggaca caatgggcta	9780
tccgtgaagg ttgacttttgc catctgttt tacactgatc agctaaaact gtactgtcag	9840
tggacttccc atcaggaagt ggtaagcaga atgtttctt cagaaaacac aagtccttga	9900
tgagacttgc ggcctaaag aaggaaaat gccccgtgt gtttctgtc agtctggaga	9960
ctgcaattat tccaggttcc ttaggcacag atttgctt catttcaggc cctgagttct	10020
aggttcagag aaacatttcc ccacagcttc agagctgtgc aaaacactcc tagaacacac	10080
tgtatcattt ccttagacaa gagaccaggg aagagcattc tggagcgct tctgcgat	10140
cagttgttac cctgagtgaa aagaattaca ctgtcagggtg acttggtagc attaataagc	10200
tagagtctgt gctttcagaa aaagcagaca cttttagcaa agtgccttc gtaaggaagt	10260
ggaaaatgaa cccgtgtgccc ttctttcag gcttaagact gcaatcaccc tgggtcaaa	10320
aaagaaatac tgcttctgac attaggctaa aaagccacaa tgaaccaaacc aatgcccct	10380
gtcgttagaa agctgtgtaa gagaccaag gacagactgc accagtcatt gagtaaagag	10440
ttctgggggg agtgttctct ggggtgtgac tgccataacct gtagtcagca gcctaattcg	10500
gtgaaactgg actgggtgat gacttccag taagaagtgg caagctacat gttccttttg	10560
gaagactcaa agaatggcca aaagctgttg tcataatgcc cagacaaacg agccagtgca	10620
tttcttgcgt gttgaaggct gcaactatcc agcttcagc agaggaatat tctgattttg	10680
ccatattacc tgattttgca gcttcaagat aacacatttcc cctgcacaag tagagggtgt	10740
taaagacact cctagtgtac aaactctgtt ccacctgggg aacaaagata gcgtggacag	10800
tgctctgtga atgtggatgg ccaggcctgt tttcacccctg aagaggtgaa aagtactgtc	10860
gggtgacccctt gcagccagaa gcggcaagac gcctgttca tgagaagtaa agttgttcag	10920
tcattgcac tctttacaat cccgtggact gtagcttacc aggtcctcc atccatggaa	10980
ttttccaaac aagactactg gagtggctt ccatttaattt ctcaatggat cttccctgatc	11040
caaggatcaa acccaggctca cccatgttgc aggcatgc tttaccctt gagccaccag	11100
ggaagcctgc cagattcatt gaaaattcaa ctacttaact aaagctgttc tggaaatggaa	11160
cagcagaatg agcctgttgc gttttctgg caggtgagct gctgcaacca cacatttcc	11220
caagggaaaa tgactgtttt gggatgtcag accccatttc caggtgcaca acaggacgtc	11280
tccctgaaga ttcaaagctg tgtaaacgca ttcccttagat acaatgtgct ctctgtgaat	11340
gttgactttt gtagctgttt ttctactgat tagctaaaac tgactgcca agggacttcg	11400
catcaaaaag tgcaagcag acccatggtc ctaaagaaga gaaaatgac cccatgaact	11460
tttccatcag gctggagatt gtaagtattt caagttcatt agtaacaaat gctgcttca	11520
tttcaggcca ccatttcttag gttcagagaa acatttcccc gcagatttag agctgtgca	11580
agacactt agaacaacact gtagcttcc ctaagaaaag agttcaggaa agagtgttct	11640
gtgagtaactt ctgccataacc tggatgttacc ctgagtgccc tgaattacag tgtcaagtga	11700
ctacgttagca taaaaaaaagca agggcgtgtt cttttggaaa acacagatac gtaagtaaaa	11760
ctaccatcat aaggaagagg caaatgaatg caagtgcattc tctttcaggc ttaggactga	11820
aaccacgctg cagtcacacc aagtgcgtt tctgccattt gtctctgaat cctacgtgag	11880
cataaaaaaa aaaaaaaaaa aatccctgtt gtgagaaagc tggtaagag accccaaggaa	11940
cagattgcat cattccatgg gtaaagagtt cagtgaggag tggatgtggaa ctgttgactg	12000
ccataccctgt tggagcagc ctaattttgg tgaaactggc ccagttgatg acttccctgt	12060
aagaagcggc aagctgcaca ttccctttgg aagactcaa gaatggccga aagctgttgc	12120
cataatgccc agacaaatga gccattgtgt ttcttcttgg ctgtttggag gctgcaacta	12180
tacatcttc acaggaggaa tataactgact ttgccatattt acccagattt gcagcttcaa	12240
gataacacat ttccctgcac atttattgtc gtgtaagac acttctagtg tacaatttct	12300
gtgcccttg tggagcaaag atagcagtgg agagtgcctt gtgaatgtgg atggccaggc	12360

ctgtttcac	cctgatgagg	tgaaaaatac	tgtcagatga	ccttgaacca	agaagtggca	12420
agcccccgc	ttcatgagaa	gtgaagttc	tcagtcatgt	ttgactctt	gcaatccat	12480
ggactgtacc	ttaacaggct	cctcagtc	cgaaatttc	caggtacac	tactagagt	12540
gcttgcatt	tccttctcca	ggcatcttc	ctgaccagg	tttgaatgc	gggtgttcca	12600
cttgcaggc	agccgttta	ccctctgagc	caccaggaaa	gcctgctgg	gtttacagaa	12660
aattcaactt	cttaacccaaa	gcttgcagg	aatgaaaaag	tagaatgagc	ctgctgtgtt	12720
tttctggcag	gtgggatgt	gaaaccacac	agtttaccca	aggggaaatg	actgctttgg	12780
gacatcagac	accaattcca	ggtgcacaaa	aagatgtctc	cttgcagagt	caaagctatg	12840
taaatgcatt	cctaggacac	aacgtgttct	ccgtgaatgt	tgactttgc	atccctttt	12900
gcactgatcc	tctaaaactg	tactgtcaga	ggaattccca	tcaagaagtg	gcaagcagac	12960
ttgttagtgct	aaagaagggg	aaaatgcccc	cgagagctt	ctgtcaggct	ggagattaca	13020
agtattccaa	gttcattagt	aacatatgtct	gcttcatctt	cagggcctga	gttctaaggt	13080
tcagagaaac	atttcccat	agtttcagag	ctgtgcaaag	cgactcctat	cacacactgt	13140
atcattgcct	tagaaaaagag	ttagggaaaga	atgctatgt	agtgcctctg	gcatacctgc	13200
tgtcaccctc	atgggctgaa	ttacactgtc	aactgactat	gtagcattaa	tcagcaagt	13260
cctgttctt	caccaaacgc	agatataataa	gctaagctgc	ggtcatgagg	aaaaggcaaa	13320
tgaacccatg	agtgttctt	tcagggttaa	aagtgcacgc	accctgcagt	cacacgaaga	13380
aatgctgtgt	ctgcctttag	gcaaaaaatc	acaggtgaac	ataaaacaaaat	atccctgtcc	13440
tttagaaagca	gtgtaagaca	gcccaggggac	atattgcacc	atcccatgag	taaagagttc	13500
agtgaggagt	gttctgggat	acctgttgc	atgtgcctag	tccgtgaaac	tggactgggt	13560
gacgacttcc	cagtaagaag	tggcaagccg	caggttccctt	ttggaagact	caaagaattt	13620
cccaaagctg	ttttcataat	gcccaggcaaa	atgagccagt	gcgttcttc	atggctgatt	13680
gcaggctgca	actatccagc	tttcacagta	gaaatataact	gattttgcca	tataacccag	13740
atttccagct	tcaagagaac	acatttccct	gctcatttag	tgctatgtaa	agacacccct	13800
agtgtataaa	ttctgtacca	tttgcagagg	aaagagcagt	ggagaatgct	ctgtggatgg	13860
ccaggcctgt	ttttaccctg	aagaggtgaa	aagtactgtc	aggtgaccc	aatcaagaa	13920
gtggcaagcc	tcccgttca	tgagaagtga	aggtgcctag	tcgtgttggc	tttatgcaat	13980
cccatggact	gtagctgacc	aggctcctct	gtccatggaa	tcttctaagc	aagaagactg	14040
gagtgacttg	tcatttctt	ctccaggggaa	tcttcccgac	acaggatcga	tccctggct	14100
ccctcattgc	aggcagacgc	tttaccctct	gagccaccag	aggaacccgc	cagattcact	14160
gaaaagtcaa	ccacttactg	aaagctgctc	tagaatggaa	gagcagaatg	agcctgctgt	14220
gtatttctgg	taggtgggat	gctgcaacta	caaaggttta	ccaggggaaa	tgactgctt	14280
gggacattag	tctccatttc	caggtggaca	ggacgatgtc	tctgcacttt	tcaaagctgc	14340
gtaaatgcat	tccttaggaca	caatgtgctc	tccaaagatg	ttgacttttgc	catctgttt	14400
tgcactgatc	agctaaatct	gtaccgtc	aggacttccc	atcaagaagt	gacaagcaga	14460
cttttgtctt	aaagttagggaa	aaaatgcccc	tgtgacttt	tccggcagga	tggagattgc	14520
aagtattcca	gtttctttag	gtgcaaatgc	tgctttcatt	tcaggccccaa	agttctaggt	14580
tcagagaaac	gttttgcaca	gcttcagagc	tgtgaaaga	cactcctaga	acacactgt	14640
tcatttcactt	agaaaaagagt	ataaggaata	gtgttctgt	attcatctgc	cataccatt	14700
gttaccctga	gtggggccaaa	atacactatc	aggtgacttt	gtaacattaa	caggcaagca	14760
cctgtgttt	cagaaaaatgc	acatacttaa	gcaaagctgt	ggtcgtaaag	aagaggcaat	14820
gaaccatgg	atgtttctt	caggttaag	gttgcacca	ccctgcagt	acacaaaagaa	14880
gtgctgcttc	tgccattagg	ctaaaaatcc	ctggtaacc	aaacaaaatg	ccccctgtca	14940
ttagacagct	atgcgactga	gtccaaggac	agattgcacc	attccatgt	taaagagttc	15000
agtggggagt	gttctgggac	tgttgactgc	catacatgtt	gtcagcagcc	taattctagtg	15060
aaactggact	gatgtatgac	ttcccaatag	gaagtggcaa	gctgcatttt	cctttcagaa	15120
gactcaaata	atggtacaaa	gctgttgtca	taatgctcaa	atgagacagt	gcatttctt	15180
cttgctgggt	agaggctaca	atccagggtt	cacaggaggt	atatactgt	tttggcatat	15240
tacccggatg	tgcagcttca	agataataca	tttcccagca	tttagagctg	tgtaagacac	15300
cctagtatac	aaactctgt	ccatttgtgg	agcaaagacg	gtatgtggaga	gtgctctgt	15360
catgtggatg	gccaggcctg	tttttaccct	gatgaggtgg	aaagtactgt	tgggtgacct	15420
tgcagccaga	agtggcaagc	tgcctgttcc	atgagaagtg	aaattactca	gtcgtgtggc	15480
tttctgcaat	cccatggact	gcacccttacc	agactcctcc	atccatggaa	ttctccatgc	15540
aagagtactg	gaatggctt	ccatttccctt	ctccagaggg	tcttcctgtac	ccagggatag	15600
aacccaagtc	ccccatgtgg	caggcagaca	ctttaccctc	tgagccacta	gggaagtgt	15660
ccagattcag	tgaaaactca	actacttaac	caaagatgtt	ctgaaatgga	agagcagaat	15720
gagcctgttg	tgttttctg	gcaggtggaa	tgctgcaacc	acacaggttt	ccccaaagggg	15780
aatgactac	tttggactt	gagaccccaa	ttccagttgc	accagaagac	atctccctgc	15840

tcgaacacaa	cttagcagct	tcatatctca	tgaatcaggc	tgcttgccac	ttcttgctgt	19380	
gagctcatct	gacagtacat	ttcacctaata	cagagtaaaa	cagccttgcc	catccacatt	19440	
cacagagccc	tctccattta	tatctttgct	cagcacatgg	tacagtgtat	gtacactagg	19500	
agtgttaaca	tgggatttgg	agcctaata	cagaaggcagc	atttcttgc	gtgactgcag	19560	
gtggcttgca	actccttgca	tcaaggtcct	ttccatttgg	atgtcaactc	atcttaggtaa	19620	
caacactatg	gcactcagca	ctctcaaata	ctctccaca	gattttcctc	atgggcagtc	19680	
ccagttatgc	caaggaatct	gttcaactgt	ctcagaaagt	ggagggaaac	atactggctg	19740	
tgactctcaa	aatttagggcc	tgtgtgcaaa	tgtgtgttgc	tcacatcata	aatcttagac	19800	
agctgctgag	agagagatgc	ctgaaaatca	ctcttttgc	gcctttcatg	catcaaagca	19860	
ctgtacgttt	cccagcgttc	tgtttgcgt	gagtaaccca	ctacttgcgt	atccttgctt	19920	
ggaggttaaca	atttcccctc	acctgtttca	cagtagcaga	gaaaaagcata	atcgctgctg	19980	
cggccgctaa	gtcgcttcag	tcatgtctga	ctgtgcaacc	ccatagacgg	cagcccacca	20040	
ggctccctcg	tccctggat	tctccaggca	agaatattgg	agtgggttgc	cacttcttct	20100	
ccaaagcata	atcacaggga	gaaacaagac	aaaaacccca	agttccaaca	actttctct	20160	
gttaggaagga	tccagtgatc	ctaggtctgt	cttggaaaatt	cttggatact	gcagggatac	20220	
ctactgagtg	tgaacctgga	tattgcaccc	tgtgacaaa	attagcatttgc	tctcttgggt	20280	
gactctagaa	ggctggggtt	tagcaactgc	ctgaaaatct	atccaatgtt	gttttgcgtac	20340	
tttgacagca	atagctttgg	ttaaaaacat	tgggatttct	gaagcaagta	ggcagcttat	20400	
aagttcttgc	gtcaagggtcc	tttccaccag	aatgtcaatg	aatcttaggtt	acaacagtt	20460	
ggcactcagc	actctcagtc	actctcgcc	agactgtttc	ttcatggca	gtcccaggat	20520	
gaccttagaa	tgtatttcc	aggctcagaa	agtgcagaga	aacataccag	ctgtgactgt	20580	
ccaaattaca	gccttgc	aaacgtggc	ttctcatatc	atagaatcta	gacagttgt	20640	
aacaggtagg	tgcctgaaaa	acactccc	tttttgcctt	tcattcatca	aagaaacata	20700	
ggtttccaa	cattctgttt	gctgagaata	acaacactac	ttgcaaatct	gtgcttggag	20760	
gtcattttaa	ctaacaatta	cccctcacgt	gtgtcacagt	agggaggac	tgcctacgta	20820	
cagggaaaaaa	caaacaagcc	aaaaaaactca	agttccctac	attgcctctg	tagaaaagat	20880	
ccagtgtatcc	taggtctgtc	agggacacac	actgcgtgt	aacctggata	ctgaaccccttgc	20940	
ctggcaaaat	tagcattttc	tctcttatgg	ccctgaaatg	gtgcagccata	gcaactgcct	21000	
aaaaatccat	acaattttt	cccctacttt	tgacaccaat	agctttggc	aaaaatttggg	21060	
atttctgaag	caagcagggg	gcttgcact	ccttgcgtca	aggtccttgc	ctttgggata	21120	
tcagctaata	tagtaacag	tggtatggca	ctcagcaactc	tcaagatactc	tcgcacagac	21180	
tgtttcctca	gggatgtc	aatatgacct	aggcatgtgt	tcacaaggct	cagaaaggc	21240	
agggaaataa	actggctgt	actctcgaaa	ttacatcagg	agggatgttgc	caactgcaca	21300	
gggttccag	ggggaaacga	ctgctctgg	gcatcagatc	ccattccag	gtgcacaaga	21360	
agacgtctcc	ctgcagttt	aaggctgtgt	aatgcatttgc	ctaggacaca	gtgtgtctt	21420	
cgtgaatgg	gactttata	cgttttgc	ctgatcagct	aaaactgtac	tatcagagga	21480	
cttcccatca	agaagtagca	agcagtgtgt	ttctctcaga	aaacacaagg	acttgatgag	21540	
acttgcggc	ctacagcagg	gaaaatttgc	cctgtgttgc	tttccatcag	gctggagatt	21600	
gcaagtattc	caggttcatt	aggcgaaaaa	tgctgttttgc	atttcagacc	ccgagttcta	21660	
ggttcaaaga	aacatttccc	cacagttca	gagctggca	aagatacccc	tagaacacac	21720	
tgtatcattc	tcttaggaaa	gagaccagg	aagagtgttgc	tgtgagtttgc	tctccatc	21780	
ctgttgc	cctgagtgg	cagaattaca	ctgtcgggt	atttggggca	ttaataagca	21840	
agtgcctgt	ttttcagaaaa	acgcagacac	tttagcaaag	ttgcatttgc	aaggaaaagg	21900	
caaatgaacc	catgtggtt	tccttcaggc	ttaagactgc	accacccttgc	cagtgcacg	21960	
agtgtactt	ctgcccattag	gctccaaacc	ccatgtgaac	ataaaacaaat	gtccctgtca	22020	
ttataaaagct	gtgtaaagaga	actcaaggac	agactgcattc	atttcatgag	taaagagttc	22080	
agaagggaaat	gttctggag	tgttgactgc	cataccgtt	gtcagcagcc	taatttggtg	22140	
aaactggact	gggtgtatggc	ttcccaggtaa	gaagtggca	gttgcatttttgc	ccttttggaa	22200	
gaattaaagta	atgaaccaat	gctgtgttt	taatgc	ccag	acaaatgagc	22260	
cttcctgtct	gggttggaa	tgcaattatc	cagtttgc	aggaggaata	tactgat	22320	
gccgtattat	ctggatttgc	ggcttcaaga	taacacattt	ccctgcacat	ttacagctgt	22380	
gtaaagacac	tccttagtgc	cacactctac	cattttgg	gcaaaagacag	cagtggagag	22440	
tgctctgt	atgtggatgg	ttaggcctgt	ctttaccat	atgaggtgaa	aagtccgtc	22500	
aggtgacttc	acagccagaa	gtagcaagca	gcctgc	tgagaattaa	cggtgc	22560	
tcgtgtgc	aa	tccatggac	tgtagcttac	cggc	cctcc	22620	
ttttccctggc	aagagtactg	aagtggctt	ccat	tttcccttca	ctccagg	22680	
ttggggatca	aacctggc	tccaggttgc	caggc	agat	tttccctc	tgagg	22740
ggaaagccag	ccagattcat	tgaaaattca	actacttgc	caaagatttgc	tggaatggaa	22800	

gatagactga	gcctgttgc	cttttggc	aggtggatg	ctggaaactac	gcaggttcc	22860
catggggaaa	ttacttctt	gggacatcag	accccaactc	caggtgcaca	aaaagatgtc	22920
tccctgcagt	ttcaaaatgtt	tgtaaatgca	tcctaggaca	caatgtgcta	tccttgaatg	22980
ttgacttca	tatctgttt	tgcactgatc	agctaaaact	gtactgtcag	aggactccc	23040
atcaaaaagt	ggtaaggcgc	atgttcttc	agaaaaacaca	agtacttgag	gagcctgtg	23100
gtcctgtatga	agcaaaaaaa	tgtccccgtg	tgcctttcta	tcaggctgga	gattgcaagt	23160
atttcaggtt	cgcctagggtc	aaatgtgct	ttcatttcag	cccccaagtt	ctaggttcag	23220
agaattgttt	ccccacagct	tcagagctgt	gcaaagacac	tcctaggaca	gacacactgt	23280
atcatttcct	tagaagagt	caggaaagt	tgttctgtaa	gtgcttctgc	cataaccctt	23340
ttttaccctg	agtggggcaga	attacactgt	ctggtgactt	gttaacattt	gtaagcaagc	23400
accttgcctt	cagaaaacac	agataactaa	gcagaactgt	ggtcataagg	aagaggcaaa	23460
tgaacccatg	tgcatattctt	tcaggcttaa	gattgcaacc	accctgcagt	gacacgaagt	23520
gctgcttctg	ccattaggct	cagaacccta	agtaaacata	aacaatgtc	cctgtcctta	23580
gaaagctaatt	gttggtccag	tggttgtgt	aagctttgtt	taggtgaga	cttatgtga	23640
gtttttgttt	gttttcctc	tgatggcaaa	ggctgagtga	ttgggtttgt	acttttgttt	23700
tgtttgggtt	ttagatgagg	agtcctgcac	agggtgctac	tggggcttg	gtgatgccag	23760
ggcttggatt	caagtggttt	cctttgtgt	agttcacact	atttgatact	ctctaggatt	23820
agttctctgg	ttgtcttaggg	tcttggagtt	agtgccttca	ctccaaacgc	ttagggattt	23880
atctctctcc	aaagaccagc	ttaggtccaa	actaccaaga	ggaatttcac	ttgaaatgaa	23940
agggccttta	cttaccaag	aggaatttca	cttgaatgaa	aaggccctt	actttaccaa	24000
gaggaattca	ctcgaaatga	aagggactt	ctgaatttca	aaagccagag	cacaagaaca	24060
catggagatc	tctacccaga	ggaaaactcta	ccatgcctt	gttgcagcag	atgttggtcc	24120
tcttctgctt	tgatctgtcc	ccgcttctg	tggcagctgc	ccagcagagg	ccatctgcac	24180
tcattttgc	cattacctgg	atgaagggtt	gtctccttct	cagaggagcc	tgagacaaac	24240
aaagggacag	tgcagagcca	tccccgcacg	gaagccccct	tccattttaga	aatgtttctc	24300
ttaagctatg	ttaatgaact	atgtattttag	cctagactct	gtttttcttc	acttaggttc	24360
tgcctaagac	tcagaactga	taatggctca	acaaaccagt	atgtttttct	catacaattt	24420
tttccttaat	ctatgttaat	gagactatgt	atttgcttgg	aaacctgcct	tcttcaaaat	24480
tcatgtcaat	cattttatgg	cctggatga	ctcacctt	tccaatgtt	cctcaaaatg	24540
catgttgg	gtgagggggcc	ctgggtccac	tctctgagtt	ttgagacatt	tcctttcttt	24600
aatttagtacc	cttctgtatag	gtgtataagt	taccattaaa	gtctagcagg	gggggactc	24660
tttctgcccc	ttcttaatgtc	tatgttagaa	gcttaatctc	tttatactt	taataaaaact	24720
ttatcacaca	aaagcttgg	gtgatcaagt	ctcataactg	gccccagatt	gaattttct	24780
cctccaaagg	ccaataatcc	catcatctt	catggctcag	caacaacctt	tcacgggggg	24840
agctcatctg	ggattcttca	ggacaaggta	aggacactt	gagctctag	tctttgttct	24900
cctggcaaaac	acattttctg	ctgtacttta	ctaactctat	ggtgtgctt	tgtgtgtat	24960
tgaaagatgc	acacatgtgt	gaagcaagat	ctgggtccaa	atctttgtt	ctgtgggtac	25020
ctcataaccac	ttatggcagg	aaccctgtt	ggggattata	ctgacctgct	aatgtcaaga	25080
ggcaccaat	gtctcctcca	gggaaacaga	ccaagggtt	taaaacgtgt	ggatgaaact	25140
ctcctttttt	ggccaaactt	tctgtctct	ttgaccattt	cataacttcc	tgggaattag	25200
aactactaac	ctaatcagtg	ggatcataga	ctttcaaggg	acttggttatc	tatgtgtt	25260
ctgtgtattt	tcacttaggt	tccaaacttt	gttttggttt	tttttggatt	cacaatttgc	25320
ctagccctcac	taggatcaa	tagttggaa	gctagatgga	gttctaattt	caagaacatc	25380
tctcaggttt	aagattactc	aggaaataca	gcagtctt	tcctttggta	acactagctc	25440
ttagtggacc	agaggaggat	ctccagttgc	ttctgtctca	acaccttata	tattttctt	25500
gtggaatctg	tgggaaatgaa	ctggaggac	tggccataat	aacttgagga	aaaaatcac	25560
tttttcctca	gtggccagcc	cctcaccgtc	tctttgtct	tgcattat	tgggtgggt	25620
agactcagaa	ggaacatctt	gttttatgt	ttgtccttta	tgatttactg	gtcttactgt	25680
ggtcaggaat	gtactcaggg	ttgtgcata	gcactcagga	gacaaatatt	tcccttagt	25740
gtcttagctt	gggaggcatt	ctggaaagg	actctgact	cacctcggtt	ggcatcagag	25800
gcaagcaaaa	gttttaatgg	tgaggaact	ggtttagtgc	tggatgcca	tcaggtctac	25860
ccctgatgca	tctccacccc	accgcagtgg	tagaatgggg	agggcagta	gtggatattt	25920
tgtggtaaga	gacagggtt	ctccagccag	ggaaggaagc	ttaggtggaa	gacctgtctc	25980
caccccccattc	tagaacaggg	agggacagta	gaaggacagt	gctggtagct	ttttttctt	26040
cttaaaagggt	ggagcttaacc	attccagctt	cactcctt	aaaaactggg	atagatttga	26100
tccccagagc	ctaatgaaga	catgcctgat	cttcctatgt	gatactacat	ggccacagta	26160
tccattggag	gatagcgaat	ggtggctgt	tggagggtct	cttaattaca	atattgttt	26220
acaattaaac	tggttctgt	gataacaagg	aatgggtag	aagtagcata	tgtgtggccc	26280

tttttctctc	tgtgagacat	atcagattt	tgtcctaagg	gtatataatta	gggtatgaaa	26340
ttttcagctc	cctattctgc	tatatgtacct	tatttgggag	gatgtgatgt	atatcctggg	26400
acaggcgcta	actcctgcat	caacaacttg	agtttggaaa	gctgttcct	atggagatga	26460
atggcttggc	aaggaatcat	taggaaagag	ggaggatgag	atagctccc	cccccaactgg	26520
ggatcaggca	gtcccaacta	tagaaccaga	ttgggactaa	aaggctaaag	gatgtatggg	26580
taagagtcat	ttgtcagatg	tgttcttcaa	ggactcagac	aagctcatgc	taagacttta	26640
aatgtatgcta	atttggcaaa	catagaacag	gaagagaacg	aagcttctgg	taaattccta	26700
gatagactga	gggaagccct	ttgcagattc	actgagattg	atccttagtca	gctccagata	26760
tccactaaaa	cacatgtatg	gaccaaata	gtcttagat	aatctgttgc	aattggctca	26820
gtcagcttat	tatggcaggg	agtatgaggg	aagaaagaaa	ggcagagaaa	gaccaaggta	26880
ctggctgaag	cccttgcata	ggctgtcagg	actgttctt	tgctatttct	tgggaaagga	26940
aggagagacc	caggtgaaag	gggatgggct	tgctatttct	tgggaaagga	ggagcgcctc	27000
aagcgggatt	gccctcaggg	atctaagggg	tcccccagctc	catgtttgccc	tgtaaggggc	27060
cacactggag	gagagactgc	ccccagacgc	gtaggtccca	gtgggtggat	tctcaagaca	27120
accaggactg	aatgtgccc	ggggccccca	cacaaactcc	caccctaatt	acagctgagg	27180
aaccccagg	attagtaact	gtgggtggcc	aatctgtcaa	tttccttgc	gacaccagg	27240
caagttactc	tgtgcttaact	gaagccccctg	gtccacttcc	tccccaatcc	gcttctataa	27300
tgggactgtc	tggacaagcc	aaacattaat	atttggtca	tcctctaagc	tgtcaactgg	27360
gactctgttt	ttacagagtg	ccagattgtg	ccagagtc	cctcaccctt	tttagggagg	27420
gatatactga	gcaagggtcca	tgcctctgtt	tcatgaatat	ggagcccttc	ctttctctcc	27480
ctttaattga	acaaaatgta	aatcctaaag	tgtgagctga	tgaaaaatct	gtgggtcgaa	27540
cacaaaatgc	tattcctgt	gttgtgaagc	tcaaaaaacc	actcataactt	ccccatcaaa	27600
agcagtatcc	actgaaaaccc	gaggttaaag	aagggttaaa	acccatcattc	gagattttaa	27660
aggagcaggg	gctattaatt	ccctataaca	gtccatgcaa	cactcctatt	ttgggtataa	27720
agaagtc当地	ttataagtgg	agactagttc	aagatttaca	aataataaaat	gaggctgtac	27780
atccttaca	ccccatggg	cctaattcctt	atactctatt	gtataaaaatt	actgaacaag	27840
agaaatattt	ttcagcatgc	tttcttagt	taaacctata	ctatgtcattc	ccctacctat	27900
gactttcaga	caatttgagag	gatttggggg	aatcataggc	tactgcctca	tttggattct	27960
gggttatggg	gaacttgctc	ggcctatata	tgaacttaca	actgaaaactc	aacaagccca	28020
aactgacaaa	ctggttcagt	ctctagatac	tcaaaaaggct	ttttaagctc	ttcagattgc	28080
tctcctgcca	gctcctgctt	taagcttgc	cacagggtca	gaatttaatt	tgtttgcac	28140
tgaaagaaaa	ggtatggct	tgggagttt	gacacaaccc	cgagggcctc	atcagctata	28200
tataggatac	ctgaaaaact	taaatcctgc	cacttccctt	cctgacaagg	aaaatgaaac	28260
acctgatagc	aattgttccc	aatttctaa	ttttaactat	tcagctcggg	aagacctgat	28320
ggataccca	ttagacaatc	ctgatatgga	attatttaca	gatggcagtt	cttttgc	28380
ggatggaaa	cttaaagcag	gttacactat	aatgcgactg	gacagattt	aaaagcaaaag	28440
tctctcccc	gggaatgagc	gctcaggtag	tggagcttgc	ggctctgacc	cgagctctag	28500
agttaatcaa	agggcagcaa	gtcaatatct	acagtgattc	taagtatgct	tatggactt	28560
tacatgttca	tgctgtgata	cgaaaaagaaa	gacagtttac	aacggcaaca	ggagaaccta	28620
ttaagcattt	caaaagactg	agggactttt	aactgctata	aattgtccta	cagaagtagc	28680
tgttgcac	tgcaaaggac	acagtaggg	tgggataaag	tagctgaggg	taatcagctg	28740
gctgactgtc	aagccagaaa	accagcagtt	taagaaaaccc	cttcactgca	gatgcctttg	28800
aactagacag	gtcctgtgga	atagaaaaaa	catcacaatg	aggaagaatt	agaaagatat	28860
gagaaagtag	gagcaaacat	tatcgataaa	ggatgcttat	agtccaagga	tggatgatga	28920
ataattactg	aaaattctca	atggaaaatt	tttaagagtt	tacaccagag	ttttcattta	28980
ggtgttgaga	gcacttacca	gatggcttct	catttcttgc	aaggaaaaat	gtaatggaaa	29040
cttttagagaa	cattatcaa	aactgtgaga	tttgcagaa	aaataaccc	aagactgaaa	29100
agttagcaaa	atctgggtt	caatgaagtg	gaaaatatcc	tggagaggac	tggaaatttgc	29160
attttactca	tatgccaaag	gcaaatggat	attcttgatt	acaagtttgg	gtggatataat	29220
ttactggaca	gattgaggct	tttccctgtc	atagtgaaca	gcctaagcag	gttataagaa	29280
ttttaatcca	tgaaattact	cccaggcttgc	ggctgctgt	gagccttcag	agtgacaatg	29340
gctttgcctt	taaagccact	gtactcagg	ggatgtcaaa	agctctagga	atagacgatc	29400
acttacacgg	ctcctggaga	ccccgatcct	cagaaaaagg	tgaaaaagct	aatgacattt	29460
ttaagagaca	tctgtgcaaa	ttaactcaag	agaggcatga	cagttgggt	aaagttctac	29520
acatagctt	aatgagggct	cgaatttgc	ccccaaatga	gggactgtcc	ccctttgagt	29580
gcatttatgg	aagacccttc	ttaccacag	acattgttat	agaccttgaa	gccttggaaat	29640
tatctaactg	tgtaactcag	cactcagtt	ttcaacaggc	attaaaggaa	ctctgatgt	29700
actcatgacc	cagactctaa	gtcaagaaag	acactgtctg	agccaggaac	tgaggtccctg	29760

ataaaaatat	tggatctcg	ggggcaatcc	ctggagcccc	tctgggaagg	ccttaccag	29820
gttattctat	ctttccat	agctgtcaaa	gtgccagata	ttgatcattt	tacaccacac	29880
ttaagagttg	gcatcctgac	cagaactaaa	tgatgtcaact	ttatgtctt	attctctaca	29940
ctcttacttt	gtactttca	gatcagcctg	ataatctatg	tgagcttgct	tctgctgact	30000
ccaaaaatcc	agtgtctgoc	gtttgaccct	caagacaatg	ccctcctgtc	ctggatcac	30060
tcctatgtg	catttcacat	tcaagtctaat	tactgggtct	gtggagca	cccttcttca	30120
tcagtggaa	gcttccgtgg	tggcatctc	cacttgaagg	aaaggagttt	cttcaagtct	30180
gcaaatctt	ctacaaagac	aataatatgt	gatgccttctt	cttaatatga	taacatctaa	30240
caatcctaag	atggactgg	gcaacacttt	gtaccttaac	tatgggact	atgagacttt	30300
taacttgct	gattgttctg	ttttgctgt	ttgctccctg	catctgtaa	agtgtggctg	30360
gatttggttc	tagctgc	aaggatttt	agtgacaaat	ggttgctcaa	actcctgcca	30420
ctgtggcagc	ttcctccaa	tacctacttg	ggggccctgg	atcagagacc	ctcaatatga	30480
gggttaggag	agtagtgtgc	ctcaccaatt	tagggacat	gcccttatac	agcttggaa	30540
cagttacaga	atgaaaacaa	tgccccttcc	ccttaggaaac	ataattctcc	taaaagaaaa	30600
gggagaaaata	agacggtaac	aggcaggaag	gctcagttca	gttcagttca	gtcactcagt	30660
cgtgtctgac	tctttgcgac	cccatgaatt	gcagcatgcc	aggcctccct	gtccaccacc	30720
aactccaga	gttcactcaa	actcatgtt	ttcgagtcgg	tgatgccatc	cagccatctc	30780
atcctctgtc	gtcccccttc	cctctgtccc	ccaatccctt	ccagcatcag	agtctttcc	30840
aatgagtc	cccttcacgt	gaggtggcca	aactatttgg	gtttcaactt	cagcatcagt	30900
ccttccaa	aaacccagg	accaatctcc	tttagaaatgg	actgggttgg	tctccttgc	30960
gtccacagga	ctctcaagag	tcatagttt	caaatagtc	acattttca	tctctctctc	31020
aagtggcagg	aggaaaacaa	ctgcaagtgt	cagatttctt	ttcccttctc	tataaaaaat	31080
taaaagatgc	tttcttttaa	aattctgtgt	tgccatgaca	cctgggttcc	cctgaactta	31140
actttctca	aatcttgagc	caaccaatgc	atttttctta	tgaaaaatgtt	tttcttaagc	31200
tatgttaatg	actatgtatt	taacccctag	actccgttt	tcttcaagtc	ggtttcacct	31260
aagactcaga	accgataatg	actcaacaaa	ccagtagttt	ttactcatac	agttgttctc	31320
ttaatctatg	ttaatgagac	tgtgtattt	attggaaacc	tgcccttctt	catgccaatc	31380
gtcttatggc	ccaggaagat	tcaccctgt	ccaatgttat	ctcaaaaatgc	atgttggc	31440
tgagtggct	gcagccactc	tctgaatttt	gatacatttc	cttctctaa	tttagtagcct	31500
gctgataatgt	atataactta	ctgctgaaga	ctagcagggg	ggcactcttc	ctgccccctt	31560
ctctttcct	ctggaggcca	agaactctgg	tgtctttcat	tgctcagcaa	caacccctca	31620
ataggaggat	actgatattt	ctccaagaaa	agctatagtt	ttgactatac	agacccctgt	31680
tggcaaagt	atgtctctgc	tttttaatat	gctgtctagg	tttgcata	cttcttccc	31740
aaggaacatc	ttttttttta	atthaatgac	tgcattttta	atgttggat	gtttggtcc	31800
agctgttgca	ttctttctga	agctatttagt	aattaccctc	tgctctttat	cagtagctt	31860
ttcgacactt	tctgacactga	ggggctcatc	ttccagtg	atctattttt	gcctttcat	31920
aacattatg	gggttgggc	agcaagaata	ctggagggaa	ttccatttc	ctccttcagt	31980
ggaccatgtt	ttcccagaat	acttcaatg	acctgtccat	tttgggtggc	cctgcattggc	32040
atggctaata	gcttaattga	gttatgcgag	acccattg	gcgacagtgc	tgtgatccat	32100
gaagagacag	gaagctctt	gaattactt	cttttaatg	cattctattt	attccctca	32160
gctagattct	aagtgtattt	tgtctgttta	ttcattgata	catttaacag	atgtagaaga	32220
gttcctttt	tttctaaaat	attcaaaata	tttctttata	tataaaggat	attcatgatt	32280
ttgtataat	tttcacaaac	tgacataata	atttactgt	tcagttc	tcagttcagt	32340
cgctcagt	tgtccgactc	tttgcgaccc	catgaatc	agcacgccc	gcctccctgt	32400
ccatcaccaa	ctgcccgg	tcacccagac	tcacatccat	tgagtca	atgtcatcca	32460
gccatctcat	cctctatcat	ccccctctcc	tcctgccc	aatccccc	agcatcagag	32520
tctttacaa	tcaagtcaact	tttctcatga	ggtggccaaa	gtattggagt	ttcagttta	32580
gcatcattcc	ttccaaagaa	atcccagg	tgtctcc	cagaatggac	tggttggatc	32640
tcctttagt	ccaaggggact	ctcaagatc	tttccaaaca	ccacagttc	aaagcatcaa	32700
ttcttcggag	ttcagtttcc	ttcacagtc	aactctcaca	tccatacat	accactggaa	32760
aaaccatagc	tttgactaga	cgatcttt	ttggcaaagt	aatgtctct	ttttcaata	32820
tgttatctag	tttggtcata	actttttact	tgtagactact	ttttttttt	tgagatggca	32880
agaatacaca	gaagaactgt	acaaaaaaga	tcttcacgac	ccagataatc	atgtatgggt	32940
gatcactcac	ctagagccag	acatccctg	atgtgaatc	aagtggcc	tagaaagcat	33000
caactacaac	aaagcttagt	gaggtatgg	aattccagtt	gagctattcc	aaatcctgaa	33060
agatgatgct	gtgaaagtgc	tgcactcaat	atgccagca	attggaaaa	ctcagcagtc	33120
ccacaggact	ggaaaatgtc	agtttcatt	ccaatctca	agaaaggca	tgccaaagaa	33180
tgctcaaact	accgcacaat	tgcactcatc	tcacacgct	gtaagtaatg	ctcaaaattc	33240

tccaagccag	gcttcagcaa	tatgtgaact	gtgaacttcc	tgatgttcaa	ggtggttttta	33300
gaaaaggcag	aggaaccaga	gatcaaattg	ccaacatctg	ctggatcatg	aaaaaagcaa	33360
aagagttcca	gaaaagcatc	tatttctact	ttattgacta	tgccaaggcc	tttgactgtg	33420
tggatcaca	taaactgtgg	aaaattctga	aagagatggg	aataccagac	cacctgatct	33480
gcctcttgag	aaatttat	gcaggtcagg	aagcaacagt	tagaactgga	catggaacaa	33540
cagactgggt	ccaaatagga	aaaggagtat	gtcaaggctg	tatattgtca	ccctgcttat	33600
ttaactata	tgcagagtac	atcatgagaa	acgctggact	ggaagaaaaca	caagctggaa	33660
tcaagattgc	caggagaaat	atcaataacc	tcagatattc	agatgacacc	acccttatgg	33720
cagaaagtga	agaggaacta	aaaagcctct	tgagggaaagt	gaaagtggag	agtaaacaag	33780
ttggcttaaa	gctcaacatt	cagaaaacga	agatcatggc	atctggtccc	accacttcat	33840
gggaaataga	tggggaaaca	gtggaaacag	tgtcagactt	tattttctg	ggctccaaaa	33900
tcactacaga	tggtgactgc	agccatgaag	ttaaaagacg	cttgctcctt	ggatggaaag	33960
ttatgaccaa	cctagatagc	atattcaaaa	cagagacggt	actttgccaa	caaaagttcg	34020
tctagtcag	gctatggtt	tcctgtggc	atgtatggat	gtgagagttt	gactgtgaag	34080
aaggctgagc	gctgaagaat	tgatgcttt	gaactgtgg	gttggagaag	actcttgaga	34140
gtcccttgg	ctacaaggag	atccaaccag	tccatcctga	aggacatcg	ccctgggatt	34200
tctttggaa	aatgtatgt	aaagctgaaa	ctccagttact	ttggccaccc	catgtgaaga	34260
gttgactcat	tggaaaagac	tctgtatgctg	ggagggattt	ggggcaggag	gagaagggga	34320
cgacagagga	tgagatggct	ggatggcattc	actgacttga	tggatgtgag	tctgagtgaa	34380
ctccggag	tggtgatgga	cagggaggcc	ttgcgtgctg	tgattcatgg	ggtcgcaaaag	34440
agtccggacgt	gactgagaga	ctgatcttt	ttttgtttaga	ctacttttaa	ttcaaaagaaaa	34500
tgtccgtcaa	ttattttctt	atgtatcacct	caactttgtt	tctatggtaa	gcacagaaaa	34560
gttcaaaact	ttacctcagc	atttcctatt	atatttcttc	cttggatata	agtcaataat	34620
atgtgattct	agccaaatgc	acaaactgtt	cagtcatcaa	agcacttact	aggtgcctga	34680
tactgcagta	ggcatgtatgg	gaagcaacat	acatgcattca	cagagggaca	tgctaaatat	34740
tgttgatata	cattaaagga	atagtttaggg	aaaatatcg	tataaaggaa	atggtaaattc	34800
tgatggagtt	tatagaggat	tgtgtattgt	caaatacaga	tgtcaatttc	tataagttta	34860
acatataaaa	atggagaaca	aaggctaca	atgagaagat	ataaacat	aaatcatcta	34920
gcaaatgtt	tctcacaatt	aaaaaatacc	ttctgtgcac	taaagcacta	aacttatttt	34980
tcttaaagcc	cttggaaat	aaggctataa	accagttctt	tcaaaggta	aacaaaattt	35040
ataaaacttta	agccagactc	atcaagaaaa	aaaaagagat	ggaaaagaac	ccaatgaata	35100
aaatcagaat	tgaaaaaagga	gaaggtacaa	cagatataac	agaaaccagt	ggactatacc	35160
ccaatcaat	gaaaacccta	gaagaaatgg	acaaattctt	agaaatatac	aatctccaaa	35220
gactaaacca	gtcagaaaata	gaaaatatga	acagaccaat	taccagtaat	gaaattaatc	35280
agtaatttta	acactcccc	aaaaataaaa	gtccaggaca	agacggcttc	acaggtgaat	35340
tctatcaatt	taacaaacag	ttagcaccta	tatttctgaa	accatttcaa	aaaattacag	35400
tgagagaaac	acttccaaac	acaatctaa	tgccaccatc	accttgat	taaaatcaga	35460
aatatgccac	aaaaacaaat	aaaattacag	tccagtaaca	ctgatgacag	agaaggcaat	35520
ggcaccccac	tccagttactc	ttgcctggaa	aatcccgtgg	atggaggagc	ctggtaggct	35580
gtagtcatg	gggtcgctaa	gagtccgaca	cgactgagcg	acccatctt	cattttcac	35640
tttccitgcat	tggagaagga	aacggcaacc	cactccagt	ttcttgccctg	gagaatccca	35700
gggacgggggg	accctgggtgg	gctgctgtct	atggggtcgc	acaagtcgga	cacgactgaa	35760
gtgacttagc	agcagcaaca	ctgatgaaca	tatacacaga	aaccaccaca	aaatacttgc	35820
aaaccaaatac	caacaataca	ttaaaaacac	cagacaccat	ggtgaagtgg	gatttatatt	35880
agggatgcaa	ggatttttta	atatctacaa	atcaatcatt	agaaaattt	aaaaatgaaa	35940
gcaacctgat	tatctcaata	ggtgagataa	aaaaaaaaagg	ttttaaaaaaa	ttcaatcccc	36000
actttagatt	aaaaaaaaaa	ccaaataaaag	gacatgtggg	gaacctac	aaatatgata	36060
aggatcatat	acaacaaact	cacagcaaaa	atcattctca	atgctgaaaa	ttaaaaaggca	36120
tttcctctga	gatcaggaaa	aagacaatga	tgttcattct	caccat	ttttatcgata	36180
gtttggaaa	ttcttagtcat	gggaatcaga	aaaaaaaatt	acaaaaaaa	atgcaatatt	36240
aaaaagagta	agtatggact	ctgttgcaga	gggagagggt	ggaagattt	gggagaatgg	36300
cattgaaaca	tgtataat	catgtatgaa	acgagttg	ccat	cgatgcattga	36360
tactggatgc	ttggggctag	tgcactggg	cgacc	ggatggat	gggagggagg	36420
agggaggagg	gttcaggat	gggaacacat	gtatactgt	ggcagattca	ttttgatatt	36480
tggcaaaact	aatacaattt	gtaaagttt	aagataaaaa	aattaaaaaa	agagtaagta	36540
aaacaatcac	tgtttgtaga	tgacatgata	ctatacatgt	gtgtgtacta	ggtcaacttca	36600
gttatgtttt	actctttttt	atcctatgg	ctgtatccc	acagtctccc	ctgttcatgg	36660
gattctccaa	gcaagaacac	tggagtggc	tgctgaaacc	ttctgcaagg	gatggtcatg	36720

atcttagggac tgaactcgcc tctcttacat ctcctgcatt ggcaggcagg ttctttacca	36780
ctagcgcac ctgggaagac aaatactata cataaaaaat actaaagaca attccagaaa	36840
actaaaacag ctaatcaatg aattcagtga ggtttcagga tatggaatta atacacagat	36900
ttcccttgta ttctgataca tgaaaagtaa aagatccata aaaaattaag gtaacaattc	36960
cacttaccat catatcaaaa agaataaaac accttaggaat aaacttacat aatgaggcaa	37020
aagacctata ctcagaaaac gataagatac tgataaaaga aatcaaagat gatacagatg	37080
gagaatata acaagtttt gagtttgaag aatcaatgct gttaaaatga ctgtactacc	37140
caaagcaatc tacagattca atgccatccc tgtcaaattca ccagtgcacat ttatcccaca	37200
attagaacaa aatattttt acacttgcata ttgaaacaca aaagaaccca aagagccaca	37260
ccaatcttgt gagagaaaaa aaggagctga aggaatcaag cttcctgacg tcaaattatg	37320
ctacaaaaga agagtcatca aaactatatg atactggcac aaaaacagac atatagatca	37380
atgacacagg atgagacccc ataaataaac ccacatttt acgccaatt aacctatgac	37440
aaagaaggca agaatataca atgaagaaaa gacactatgg cacaataagggt gtgctggAAC	37500
aaattgacaa ctatatgcaa aagaaaaat tagaatattc tctaacatca tgtataaaaa	37560
taaagtcaaa atgggtcaaa tacctaagta taaggctaga tacttggaaaa atcttaggt	37620
aaaacacagg tagaacatcaa attgcagcaa tatctatatt tagatatgta tcctggagaa	37680
atgaaaataa gaaaaacagg caaacgggac caaatgaaac taaaatcat ttgcaaaagca	37740
aaggaagcca taaacaaagt gaaaagacaa accagagaat gttagaaaaat atttgtaaat	37800
caaatgattg ataagagat aatttccaaac atatacaaaag ggcacatgta gctcaacaga	37860
aaacaaaaca acacaatcaa aaacagacta ttcagttcag ttcagttcag tgcgtcagtc	37920
atgtctgact ctgcaacccc atgaaccaca gcacaccaga cttccctgtc catcaccac	37980
tcccgagtt tacccaaact catgtccatt gagtcagtgat tgccatccaa ccatctcatc	38040
ctctgtgtc cccttcctc cctgcctca atctttccca gcatcagggt ctttcaat	38100
gagtcagccc ttccgcataa agtagccaaa gtattggagt ttcaagttca acatcagtcc	38160
ttccaatgaa caccagaaac tgatttcctt caggtggac tggggatc tgcttgtagt	38220
ccaaaggact ctcaagagtc ttctccaaca ccacagtgc aagcatcaa ttctttggtg	38280
ctcagcttc ttatagttcc aactctcaca tccatacatg actactggaa aaaccatagc	38340
cttgactaga tgacccctt ttgacatagt aatacctctg cttttataa tgctgcctag	38400
gttggtcata actttccctt caagaagttaa gagtttttta atttcatggc tgcagtcaca	38460
tctgcagtga ttttggagcc caaagaaata aagtctctca ctgttttcat tgtttccca	38520
tctatttgcc atgaagtgtat aggaccggat gccatgatct tagtttctg aatgttgaac	38580
ttttagccaa cttttcaact ttcccttttca actttcatca agaggcttt tagtttctt	38640
tcattttctg cccataagggt ggtatcatct gcatatatga ggtactgtat ttttccca	38700
gcaatcttga ttccagtttgc tgcttcttcc agcccaatgta agaatagcaa ggagcgataa	38760
agccttcctc agtgcataat gcaaaagaaac acaggaaaaac aatggatgg gaaagactag	38820
agatcttcc aagaaaaattt gagataccaa gggacattt cagacaaaga tgggcctcaat	38880
aaaggacaga aatggatgg gccttacacaga agcagaagat attaagaaaa ggtggtaaga	38940
atacatagaa gaactgtaca aaaaagatct tcatgaccca gataatcagc gtgggtgtat	39000
cacccaccta gagccagaca tcctggatg tgaagtcaag tgggccttag gaagcatcac	39060
taccaacaaa gctgtggag gtgaagggat tccagtttgc ctatttcaaa ttctaaaaga	39120
tgtatgtgtg aaagtgcgtc actcaatatg ccagcaattt gggaaaaactc agcagtggcc	39180
acaggactgg aaaaaggctcg tttgcattcc aatcccaaaag aaaggaaatg cccaaagaatg	39240
ctcaaactac cacacgattt cactcatctc acacgcttagt aaagtaatgc tccaaattct	39300
ccaaaggccagg cttcagcaat atgttgcactg tgaacttccct gatgtcaag ctgggttttag	39360
aaaaggcaga ggaaccagag atcaaaattac caacatccgc tggatcatgg aaaaagcaag	39420
agagttccag aaaaacatcc attttctgggtt tattgactat gccaaagcct ttgactgtgt	39480
ggatcacaat aaactgtggaa aaattctgaa agacatggga ataccagacc acctgatctg	39540
cctttgaga aacctgtatg caggtcagga agcaacagtt agaactggac atggacaaac	39600
agactgttc caaataggaa aaggagttacg tcaaggctgt atattgtcac cctgcttatt	39660
taacttatat gcagagtaca tcatgagaaa tgctggctg gaggaaagcac aagctggat	39720
caagattgcc gggagaaata tcacccctcaga tatgcagatg acaccactct tatggcagaa	39780
agtgaagagg aactaaagag cctcttgcgtt aaagtggaaag aggatatggc atcaccgact	39840
caacagacat gaggttgc aagctccgag agttggttat ggacagggaa gcctggcttgc	39900
ctgctgtcca tgggggttgc aagagttgac catgacttagt cgcactgaact gaactgatta	39960
attagtgtata ttcaatcatct ttacatatct ttagtggcca tctgtgtatc ttcttttgag	40020
gaatgtttat ttagatcatc agtccatttt tggcattgccc ttctttggg attggatga	40080
aactgaccc ttccagttc gttggccactg ctgagttta caaatttgc ggcattattga	40140
gtgcagcact ttccacagcat catcttcag gatttggaaat agtcaactg gaattccatc	40200

acctccacta	gctttgttcg	tagtgatgct	ttctaaaggcc	cataaccaaa	gctaaaaacaa	40260
cactcaggtg	ttgatgtgac	tggtgatgga	agtaaagtcc	gatgctgtaa	agaacaatgt	40320
tgccttagaa	cctggaattt	tagtccatg	aatcaaagta	aattggaaat	ggtcaaaaag	40380
aagatggcaa	gaatgaacat	caattatttt	aggggtcagt	gaactaaaat	ggactgtaat	40440
gggtgaattt	aactcagttg	accattgtat	ctacttactg	tgggcaagaa	tcccttagaa	40500
gaaatggagt	agccctaata	gtcaacaaaa	gagtccaaaa	tgcaagtttt	gggtacaatc	40560
tcaaaaaacaa	cagaatgacc	tctcttggtt	tccaaaggtaa	acattatcac	agtaatccaa	40620
gtctatgccc	caaccagtaa	tgctgaagaa	gctgatgttgc	aacggttcta	tgaagaccat	40680
tatggagaac	tgcggcaggaa	gccctgactc	tccacgctt	gtgggtgctc	ctatcgagaa	40740
cagggcaagt	tgagacatag	ctagagaaag	acctgaggca	gagacaagag	atgcaggcct	40800
tgaggtggga	aggtgtca	gttcttggaa	cctgcaacag	gtgaactcaa	gtgggccaag	40860
aaaatgcaag	acgaggcttc	aacagcatct	gttccaagtc	tattgagagg	tacacaaaaac	40920
aatctgagta	agctgattca	tgttattttc	ctggatacgc	aaacaatgtc	ttagctcagg	40980
ctgctatgac	aaagtaccac	agactgagtg	gcttaaaagaa	cacaaacatt	tctcagttt	41040
tatcatgctt	tgaattctat	ttgtgcaatg	tttgaggggaa	atgcagtgt	tatcttttta	41100
ataggtacat	taactgtgtc	ttcggttggaa	tgtaccaaag	gatgagacaa	tgggagatgt	41160
gagttgggtgg	atcgatgcct	cagttcccc	ttcttgcagc	tggatgtct	gaggtgtatt	41220
cccattattt	cacagatggt	ccctgtggca	tcaagctcca	ctcacctacc	atggtaatcg	41280
gcccaccc	cctgacttgc	ctcccttcct	tgtctcatgt	tttctacttc	ctcacccccc	41340
ttttctggag	gctgggaaaaa	ataagatctt	ggtattgtc	aatccagtt	ctgggtgagga	41400
ctctcttcct	ggtttgcaga	cagctgcctt	cttgctatgt	tcttattttgg	ctgagacagc	41460
aatcatctct	catgtctctt	ctcataatga	cactgataca	ggagatagat	gggctccagt	41520
ttagacattt	ataactggcc	tcctgtttgc	attttatggg	gcagaaaaaaa	gtgggcttca	41580
ggctggacac	ttacaactag	ccttctctt	ggatttcctg	gacaaggata	ggtggctct	41640
gggttaaggca	tttacaacca	gcctctgtt	tgctctccaa	aatggaaagta	acaatagaaaa	41700
cagagtaaat	agccagattt	tgtctttgt	caatatctt	aaacaatagt	cgtggcaaga	41760
acaaagaggg	gtaaaaatcct	atttgagtaa	aggattaaag	gctctctgc	ccccctccctc	41820
ttgggacaag	ggagacacta	cacatgcaca	gaaaggctac	ttgggagaca	aaagtcagag	41880
gaaatgccag	gccataatga	gtttccctc	ccaaatgctt	tcaagtcagt	tcattttggc	41940
tgaggggtgc	atgaacacgt	aaggggaggg	tcctgagaca	aattagctgg	ggggacaaaaa	42000
caagatgatt	agcctgaggg	aagaaaaaga	cctggaaaac	tccccctta	taaaggattt	42060
aaacttccca	aaggcatgac	tcttctctga	gttccctgt	gcatctttc	acatgtattt	42120
ttccaataaaa	attttactt	ttctcattac	cttctgcctc	ctcacctgaa	ttcttcttg	42180
acgagacagg	catggactat	cgaccaggc	tctagccaa	tggccttgc	ggtctaatgg	42240
tttagactcc	tgatctggga	actaagatct	tgctccctgc	tactgctctc	tgctgcttgc	42300
tgcaaggggt	tgcttactga	tgctagcatc	tgaaatcaac	actaagctca	tccatgaggg	42360
ttctaccctc	acgatctaatt	cattccaaa	ggtcccatot	tcataactggg	gataagggtt	42420
caatgagtaa	atttgggagg	gacacaaaca	ttcagtccac	agtacataaa	gatgtcaatc	42480
ttgcacatat	ttatttctaa	atacaatgcc	attccaataa	aaattccaac	tacaggtttc	42540
ttggaaattca	acagaatttat	ataattaacc	tggacagaaa	aactaagaat	attagagaga	42600
ttctaaagca	aagagaggat	agtgggtat	attagtccca	ttaagtactg	aggcatatga	42660
taaagctttt	acccacttca	tgtatttagta	tttatgtggg	tttccttagag	catgaggaaa	42720
caaacccttt	cccatgttagc	accccttcct	ccagttgtaa	caacttgaat	tactctgatt	42780
aattgtggag	ctatgtaaaa	agaaagcagg	tatatccacc	aagtagggta	gcagcttact	42840
gttcaccaat	gtgacactgt	gttttacaac	agtcatccag	aagatcacaa	tacatttctc	42900
atatatattt	agtcatctac	tgctcttgc	tcacagctcc	caaaatctgc	gggatttccct	42960
gagcaataag	agcaagaaca	atgtgagtt	ctttgttat	aataactgggt	ctttccctc	43020
agttcctaaa	atcacttcag	agccataaaag	gtgtcttgc	attaatgca	gtccctttcc	43080
acaactactg	attttatgtt	agtgtaatca	cttttcagct	tccctggta	ctcagttggc	43140
aaacaatctg	tttgcaatgc	aggagaccac	ctgtaatgca	ggagtccctgg	gttggccccc	43200
caggtcatat	ccctctggaga	aggaaatgg	aacccactcc	agtatttcttgc	cctgggaaat	43260
cccatagaca	gagaaggcctg	gcaggctaca	gtccataggg	gtcacaaaaga	ggggacact	43320
atttagcgac	tgaaccacaa	tcaccacaa	gacttcttgc	aagcacctaa	ggatgggtgg	43380
ctaattgcca	gttgccagg	gggacaacct	ggcagaatttgc	acagatggaa	cttaagttct	43440
agcccatttgc	tttgggcttgc	gggtgagata	ctagaagttgc	aatcaatttac	caaccaccaa	43500
taatttataatc	aatcaacttt	atgtatgaa	tcctccat	aacccccc	ggatggctt	43560
ggagcatccc	agttgtgagc	atagagactc	agtcacatgg	acgactccac	acggccctc	43620
aatcccttgc	tccatgcata	tcttcatttgc	actgttttgc	aattacaact	ttttataataa	43680

aaacaggatt gagctataga actcacaaaa atgtttttt atgagttcta taggcagcat	43740
attaaaaagc agagacatca ctttgcacaa aaaggtccgt ctagtcaagg ctatggttt	43800
tccagtggtc atgtatggat gtgagagtt gactataaaag aaagctgagc accaaaaaat	43860
tgatgcttt gaactgtggt gttggagaag actcttggaga gtccttggc ctgcaggag	43920
atccaaccag tccatcctaa aggagatcag tcctgggtgt tcgttggaga gactgtatgtt	43980
aaagctgaaa ctccaaatact ttggccaccc gatgtggaga gctgactcat tggaaaagac	44040
cctgtatgtc gggaaagactg tggcaagag gaaaaggggg cgacagagga tgagatagtt	44100
ggatggatcc accgactcaa tggacatagg tttgggtggc ctccaggagt tggatgtgg	44160
cagggaggcc tggcatgtc cggttcatgg ggttgc当地 agtcagacat gactgagcga	44220
ctgaactgaa ctgaactgtat gagccactct agcaagttaa tcacaggaaa ggaaggagtc	44280
attggAACCT ccagtctata gcagatcgt cagaagcaca gatgacagcc tgaacttaca	44340
actggcatct gagtccaggaa gaggggctat cttatgagac taaatcctt acctgttagga	44400
tctgatacta tctctgggtt gatagtgtca gaattgagtt gaattgttagg acttgcata	44460
atgttggaaa attgtctgtc gcaggaaac caccacact cctagacaca cacacacaca	44520
cacacacaca ttgggtttga gtgttagaat catttttaacc agtgcataaga aagattacca	44580
atgggtgcagg aactgcccagg gggaaacacaa agtctcctga cccaaacaga gcaaattcaga	44640
agccaaaccc ggggttgagaa acaaagaaat gatgacaaaa atcagacagt ttgtttcgaa	44700
aatctggac caggaagaaa ttaagtgaag agcccaagtg tggcaaaaggt tcagggtgac	44760
actaaacttt gttttgcata cctggaaact tcacacatgg ctagacagaa agagaaaagg	44820
acaaattctg tgggaaccaa gggggaaata ggcacacaa gacggggaca tgggataggt	44880
aaccacactc gggacattgt ttaactgtatt cttctggtag actctcattt gcaaggcct	44940
gaggctctcc tcccaagcaa tttataaccc agttaatac ggacagaaaca gcttaaaatg	45000
gtgctggatg ataccagcca gttgtctgtc gagcaggagg aagacagttt agtttgg	45060
ggggaaatatg gacagcttca cagaagagag ggggtgtgaag gaattcgaaa tgaggaaact	45120
gcttggcagc agtttcagcc aaggcaatta aagaaggagc aactggcctc gcaggactga	45180
agccacggg ggattcaggg agaaaagggtt tcagaaacat ggtctggct tttcacaca	45240
atctgaaccc cagactctgg agtctagcca ctaaggaatc attttatgtt tttaaagaat	45300
ggagagatat agccgcctgt aatacatctg caccatgtt gttctcttt aaattcaca	45360
tcattcatcc tttagaaaaaa tgtaattttt gatgcaatag cttaaatttgc tgaactgaga	45420
aaatcgagg ggagaaaggg ggagaatga ggtctttgag gacatgaata ccctcaatga	45480
atggggccat cctaaagagg acccttattt ttagagaaaat tttaaaatac tctccattac	45540
accataactc tcctccagct aatacctatt tctctgttcc tcccaggaca aaactctca	45600
gaagaattgt ctctactccc tcacccctca ttttttccatc aatttactt gttctttt	45660
atcactctct taaaactaat cccatcaagg ccccaatgttccacg tcacccaaatc	45720
cagtggatcc tttccctccat ccattctatt ttgtctctt atagctgact cctgccttct	45780
tgaaaggcac ctccctcttc acactcttca tattccctca ctccactggc tgcactttt	45840
cagtctgtct tgctatcttc ttttttctca attccaaatgt tgactcagca gatcagcaac	45900
atcttaggaac ccaggagaaa tgcagattct tggacttcat ctcagaatca ctaaatcaga	45960
atctctaagg tggggccaaac cagtccttcc taaaggagat cagtcctggg ttttcattgg	46020
aaggactgtat gttgaagctg aaactccaaat actttggcca cctgacgtga agagctgact	46080
cattggaaaa gaccctgtat tggggaaaga ttgagggcag gaggagaagg ggacgactga	46140
ggataagatg gttggatggc atcaccgact caatgggtaa actccaggag tgggtgtgg	46200
acagggggc ctgggggtgt gcagtccttcc gggtcgcaga gtcggacacg actgagcgcac	46260
tgaactgaat tgaactgagg tggggccat gatatctgtt tttatccaga ccccaatgt	46320
tgcacactga aagctaagca ccatgatcta aaactgtctg ttttttccatca ttcagtcc	46380
attcctcttc tttccctcttcc ttaacttttcc ttttttctt gatcatcttca agccacaaac	46440
tttgaaaatc atctaaatac tgggtgtgt ttagtccactt cagtccttccat ctttgcacc	46500
ccagaccctt ctgtccatgg gatttcccag gcaagaatac tgggtgttccat ttcctttcc	46560
aggggatctt cccgaccaag ggatcaaacc cgggtctact gtaatgcagg cagattctt	46620
ctgacaattt ctaaatgcac atcttcagca ccaaccctcc caatctggag attacattaa	46680
aattcaacat accccaaatg gaagaaactt ctctaaaaat gtttgcgttct aaaacttgg	46740
cttcctccat ttctcaccat ttccgaaatac atcccttacc accaagcccc atcagtgc	46800
ctcaggcccc acacaacaat cagaatggtc ttgaaatca ggtcaggatca ccaccctgt	46860
taaatcttca agggcttctt atcacattt attaaaatct aaagacactgg tcattggctg	46920
ttaggcccta catgacctgg tcactttcttca tgggtgttcc ttttttccat ttttttctt	46980
atgtcagaaa ctataactat ctatgttccat tgggtgttcc tataaattat ttttttccat	47040
aaatatttttct ttttttccat ttttttccat ttttttccat ttttttccat ttttttccat	47100
tttgctgagg aggtatctatg tggatgttgc aggtatcttccat ttttttccat ttttttccat	47160

gatgcgaagg gagactttca aagaatgtct tcattgggccataaaccttag cacagccagg	47220
ttccagagga caaaccggca aacatgttg tcattcgtt cagaatgttag ctttccttat	47280
atataatggg atatagtgt tgggtgtat gtagagacta agatgaggaa tgatgttaggg	47340
ccatttgcaa aagggttctc ctgtggctg accaacgtga tgggttcat gaggccagtg	47400
aaagccctta agaatctaca accccataat ggcagtttc aaaaatggcc agaaattctt	47460
tgatactctt cccattgaga gatggggtcc atgattcctg cccttgaatc tgcatggca	47520
tatggctact ttggtaata gcatatagtaaagtatgt tatgtgatataatgtgactt	47580
ttgagactat gtgagaagcg gcaatgcagc ttccatgtt tttactgaca gtctcacact	47640
tgggtctct tggacttct taagccaggt aagaagctca tcaaacttga gactactatg	47700
ctgggaggaa gccaggccac gtggggaaagt cacgtgaagg cactcaatc agtacacctg	47760
attttcaagt cttcccagcc caggtgccag ccatgttaatg gactgaacta attccaactc	47820
ctagctatca cgtcaagcct cagacgtcat gggcagagt caagtccttca ttgtgcctgt	47880
ccaaactctt ggcctacaca attcatggc ataataaaat ggtgtttct ttaaaccatt	47940
aagtttggaa gttagttgcta catggcaaca atagccagaa taggacaaaa ggtatgtca	48000
tttcgttccc tcaaaccctc acgaactata ttgccttttgc agcattttct tgggtgggg	48060
agggaaaggaa atcattcagc cagttgacat tggattctt tgaggaaaa aggctgagtt	48120
ttggcatctt ctaaaggagc tgcatttgc ccctccttagc agggaaagt cagtccttg	48180
cccagctgatcgtact cttgtatcact cactcccagc tccacccagc tcaagactca aagagatgt	48240
tcactgcccc caatgtgcct cacaataaac aatctctgag gaaagaaggt aaggctctaa	48300
aagtagtgta aacttaatca ttatgttaaga ctgactggat agaaaacagc cttggcatttgc	48360
ctgcctaata ctcatttcta gctggccaca atccatttct gctactgaat catcatcatc	48420
ccatcgcat gtttataga cctctcattt ctccttccca gcagaactt caggccccca	48480
tccacattca tatattcattc acctcatttca acacaatttct cctggcctct cccctccctc	48540
acttgccttcc atccttatttgc agagatccac cctgagatat ttaccctaat ggggtctca	48600
atatttttaa acctctttcc ttgcaagctt agtggagcct cttgcccata acaaggggac	48660
tagatatttc atttttccca gtttatacc cattggccctg gcataattaa tattttgtact	48720
ctcaaaaatgtc cacaatatttgc gtaatgtata tatatgtatcc ctctaaaccctt aaaaacatgtc	48780
ttctatcact tgccatcctt cacatgagac aaacacccatc ataaaatttt ggcagtaata	48840
atgatcaagt acacaccatg ttttatacaa gaaacctcag gtaatgtgca gaatggactt	48900
gttaaatggaa gtgcatttcc ttcaattatg aatatcataa tctaaatcat ttatatttgc	48960
gataatgagc aggaacttag taaatgacgg caggtgtatgg ctaatataact ttcttaggc	49020
caaattttaa tctgaaaattt cacaacattt gggctcaatc cagggcaata gaattttgt	49080
cccttttaga aatttctgtt taccaaatgtt ccagaaatttgc ctttctcattt ccctaatactt	49140
tcattttctc cattacgtaa cgagaagctg gggctttggc cgattttccc tttaaagatg	49200
atttttatcg tcaacaagca atttcaggaa gtgatgagcc ggggaagcgg tattagctga	49260
tgctagctgtt taagctatgc tcaactcgat tttccctggg acttagatc ctgggtctgc	49320
cagtaaacc cggggcggcgg cagctggcgc gcctgagcgt ggcgcgcgc gccgtcgcct	49380
ccccggccctt gccccccctt ctcggccgg cgactcaccgc gcccattttgc ccagtcgtcg	49440
acagccgcag agctgagagc gtctcttc tccgcaagc aggtttatag ccgcgtatgc	49500
ctttaaactc ccagcggagg acgccccacc ctgggtcttgc cggccgaggc cccagggcac	49560
ccagccgaat cggattggc ggaggcagac ctggaccgtg agtagggctg ggggttgc	49620
gcggggcgg ggaacgtcgg gcctgttgc cgtgctcgat ggtttttgc agccggcgct	49680
cggttttacc ctcctggta ggagagctcc atttactcg aatgtgggtt ggctgtccc	49740
cctcccgagg tatgtgggtt gtgtgttagga atctagcccc ctcctccacgt cgtccactgc	49800
gggagtgaaa tgggcgaatc gcaccggtag aggagccca ggtccgagga accgcgtgggg	49860
agctcagaag aacaaggccg agggccccc atttggggcc tcccgaaagcc cagaggagtc	49920
gcggaaattgg ggggtgggggt ggtggggaaag aaacggccgc ccaacggggc ccgacactcg	49980
cggtgaggag tgccggagcg tccgtggcc gaggtacctg gtagccgcgc ggggtgggt	50040
aggccggccct gcctggccatc acggccgtgg cggccgtcgat tggcctggc ttcagccctcg	50100
ctctggcaac ccccccggga tcggctctgg cggccgtcgat tggcctggc ttcagccctcg	50160
gcggggggaa tcatggggca cctggcgctc tctccggggcc agagaaatcc agtaccggg	50220
aacagtgttt cctggggagct ctgtatgttttggt ggacccaaaa gcaaagcgaa atttccctg	50280
tctcgactga tcctccggaa ggagggagct cggccgtcgat gagactgagg ggaggggatc	50340
aggccctct cggagaacca ccctcatctg ccagtgggg tggcaccttc acgcttgatt	50400
tttttttttc ccccttcaaca cgttggat taaaacaacg aagatccgt tttttgtctgt	50460
cctttttccg tttttttttt ttttttttcc cttttggtagt catatgttagc aaatagattt	50520
ttttaaaatc ataagccac caccctcacc atctttttt cagttccctc gtctccagat	50580
tcttaacaac aaagcagttt caccctccctg atcatggtta tccttatctc atggccgggt	50640

tat	tttcttg tacttaagag caatcacgtt ttat	taagca gttccccgaa tgctgaacct	50700
tt	gaagtgtt acctttcctt acaaaaagata ccacatagaa taggat	aaa aattttcaca	50760
tt	gttcaga gaaaaatagg aacagaaaaat tggat	aaaaaaa tgtagac	50820
tt	tttgcacatc tcagat	tttgcacatc	50880
tt	tttgcacatc aat	tttgcacatc	50940
tt	tttgcacatc aat	tttgcacatc	51000
tt	tttgcacatc aat	tttgcacatc	51060
tt	tttgcacatc aat	tttgcacatc	51120
tt	tttgcacatc aat	tttgcacatc	51180
tt	tttgcacatc aat	tttgcacatc	51240
tt	tttgcacatc aat	tttgcacatc	51300
tt	tttgcacatc aat	tttgcacatc	51360
tt	tttgcacatc aat	tttgcacatc	51420
tt	tttgcacatc aat	tttgcacatc	51480
tt	tttgcacatc aat	tttgcacatc	51540
tt	tttgcacatc aat	tttgcacatc	51600
tt	tttgcacatc aat	tttgcacatc	51660
tt	tttgcacatc aat	tttgcacatc	51720
tt	tttgcacatc aat	tttgcacatc	51780
tt	tttgcacatc aat	tttgcacatc	51840
tt	tttgcacatc aat	tttgcacatc	51900
tt	tttgcacatc aat	tttgcacatc	51960
tt	tttgcacatc aat	tttgcacatc	52020
tt	tttgcacatc aat	tttgcacatc	52080
tt	tttgcacatc aat	tttgcacatc	52140
tt	tttgcacatc aat	tttgcacatc	52200
tt	tttgcacatc aat	tttgcacatc	52260
tt	tttgcacatc aat	tttgcacatc	52320
tt	tttgcacatc aat	tttgcacatc	52380
tt	tttgcacatc aat	tttgcacatc	52440
tt	tttgcacatc aat	tttgcacatc	52500
tt	tttgcacatc aat	tttgcacatc	52560
tt	tttgcacatc aat	tttgcacatc	52620
tt	tttgcacatc aat	tttgcacatc	52680
tt	tttgcacatc aat	tttgcacatc	52740
tt	tttgcacatc aat	tttgcacatc	52800
tt	tttgcacatc aat	tttgcacatc	52860
tt	tttgcacatc aat	tttgcacatc	52920
tt	tttgcacatc aat	tttgcacatc	52980
tt	tttgcacatc aat	tttgcacatc	53040
tt	tttgcacatc aat	tttgcacatc	53100
tt	tttgcacatc aat	tttgcacatc	53160
tt	tttgcacatc aat	tttgcacatc	53220
tt	tttgcacatc aat	tttgcacatc	53280
tt	tttgcacatc aat	tttgcacatc	53340
tt	tttgcacatc aat	tttgcacatc	53400
tt	tttgcacatc aat	tttgcacatc	53460
tt	tttgcacatc aat	tttgcacatc	53520
tt	tttgcacatc aat	tttgcacatc	53580
tt	tttgcacatc aat	tttgcacatc	53640
tt	tttgcacatc aat	tttgcacatc	53700
tt	tttgcacatc aat	tttgcacatc	53760
tt	tttgcacatc aat	tttgcacatc	53820
tt	tttgcacatc aat	tttgcacatc	53880
tt	tttgcacatc aat	tttgcacatc	53940
tt	tttgcacatc aat	tttgcacatc	54000
tt	tttgcacatc aat	tttgcacatc	54060
tt	tttgcacatc aat	tttgcacatc	54120

tctttcacta	aaatatcaaa	atcaacttgg	tggtatttc	tttggattt	tgccacccat	54180
attgctaaag	gttgggtagc	taagagtgt	agcccttcac	tccctgtggc	tcttaatact	54240
acatctcagg	tgaactgccc	aatgtttat	ctctactgag	taagagttcg	agattctt	54300
aacaattgcc	taaattgata	ctctacttg	aatggctcat	agatatacgca	aagttataat	54360
atccaaacta	tagcttatt	tttctcaca	agcctgccc	tccattagtt	ttcttgggg	54420
cattaggtgg	catcaccacc	atctacctag	ttccaaaaggc	cacaacccctg	ctcaactctc	54480
actctccat	ccactctatc	agcgtatcg	ttttttcta	aaaataactt	cccattttc	54540
acagctccgt	gtcgctttgt	cacagttcca	ggttacacca	ccatcttcct	ttaatcattt	54600
tctaagtgg	ctcaccattt	ccttcttat	ccctcaaaatt	tttctcttta	acacagcagt	54660
aagggtgaac	tttaaaaaaa	aaaaatctgt	gatgtgattc	tcctaagcca	ctttaatggc	54720
tttgcaactgt	ttcaggctcc	agacacgtat	ctccctgttag	tcctcaaacc	cacaactaa	54780
atatcttacc	actgtgtcct	cagccacaga	acagtaatat	tagaggacat	gtaataaata	54840
tttgttaagt	aatcaatagt	tattgtacat	tgtacattgt	acatactagc	tgttccataa	54900
atatttattt	aattttaaaata	tttatttaat	tgaatgaatt	caatatcagt	ttttataatt	54960
gaatagaaaa	gtaatccctc	ccacacagat	ttttctttct	tttttttttt	ttttttttat	55020
gaagcaagga	atatgactac	ttagaaagct	ggctgccaga	gaaaatggca	gactaatgtc	55080
ttaaaacaaa	tatcagtgtc	tagatgccag	gttctttat	agaacagaga	tggcaggaag	55140
atgaggaaat	aaaggcagaa	tagagaggga	gaagtgggg	ggaagtaaaag	taaaaaaggc	55200
cacgtcctgc	aagacatctc	cagaaaggcc	agcctgtgg	aggatgtgt	taatctctc	55260
ttgcctgcaa	ccattcacag	gtggaaagtg	tcaattatc	tccctgtgag	ctgaacaaag	55320
gcacttcagt	ccaacagttt	gagagaggga	ctgggtttt	tgaggcaggc	tattatata	55380
gattgttaaca	acaacagcaa	aaaaagcaa	gtcaaaagaaa	cagttccat	atggagtcag	55440
aattggttct	tctcagcaac	agttccccac	tgtcaagg	catttgacaa	tctttagga	55500
aaaggggaca	gtgatcttc	tgtttgtcag	atgaatctt	ctgggagtgt	ctgcctttga	55560
tgccagtgtt	ccaaatagtg	agatttgtt	tctttttgtt	cctccttgga	aagtgtctac	55620
tttatacttg	tcaacttaga	aatattggac	ttcaaaacca	ggagggttt	tcaagttaa	55680
aaatttttgc	cttttctgt	tatgggaaaga	tgcaaggtc	agggttcatt	aaaatttattt	55740
ccttcatgt	taattcagct	gtctggggcc	tgtgatcctg	tattctcaag	agtttctca	55800
aggttcacca	tagggagtg	gtgcaatctg	atgactgt	gatggcatgt	attctcttc	55860
ctgagttt	tccttcctga	gttgacttgg	gttccaccag	ctcacattag	agggcttcaa	55920
ttgttaattt	catttctcag	gtctccctt	gtcaggaat	ttgaccaata	tttgggagac	55980
atttcatgtt	caaactttgc	ttcacgggtc	tgtgagg	atcccaaattc	aggcaaaact	56040
tcttcatgt	caactctagg	tgctaaattt	tggattagac	ccccatgaat	aattaaagat	56100
tctctggatt	ctaattgtca	tccaggagac	atttccatt	gtgcttctt	cccatcaccta	56160
gaatcacact	attataattt	ttttatgtt	taaatgtgat	ctatttctc	aagatgttta	56220
tccgtagaag	ttttgttgg	ggcctgatta	cacattgg	actgcaagag	acaactatct	56280
tataaattt	tcaggatata	agtaatgcag	ctagtaacac	tgataatgac	atagtcaac	56340
aggggtgtgc	aaagcacaat	ctaaaaacaa	agaataaagt	aaagcaatga	ttagtataac	56400
tagttgtgt	ccagttgca	taatcttagt	accaaaggag	ccataactga	tttaatgatc	56460
tatcttcagt	ttcattgtac	cagccatgcc	atagcttaat	cttgagaca	agcatatgt	56520
actggcagga	tcaaccagat	agaagaagat	ttaagttt	ctttgtctt	caaaggat	56580
aatttacca	gttactgtaa	gtcagagg	aaggaagt	tccttacacc	tgaaaaacag	56640
atttaaacca	gttattttt	gatagaaacc	ataaaaattt	taacaagttc	agttcactca	56700
gtcctatgt	actaattcctt	tttggtaaca	gtttatgaa	gccatcagg	ttccctttag	56760
aatttctcaa	tgtgttacta	gttcagcatt	atggtctaa	agtcagaaac	ttggatttt	56820
ctgaaagtcc	tttttataaa	tcttctt	gaggagacat	tttacagag	gcaacagagt	56880
gagaccataa	ctgtccataa	tgaccaaaga	cttaagaagg	cactttaat	ctgattatga	56940
tgcaatttgc	aaagtaac	gttactgt	gtgacatata	acagttcag	gttagtagaa	57000
tagaatcatg	actgataata	ttctaccagg	acatatcaca	tttttaggaa	ctccatataa	57060
tctcttagt	atcagatata	tttacat	aatttaagat	atattattca	ttggacaaca	57120
cttgcctatgt	agtttaacat	accaagtgaa	tctaattt	ttaatatctc	cctttgggt	57180
gtctcagg	ccctttgaag	cacccaaag	ttagctaa	atcaaaggaa	ctttatttga	57240
acttgattt	ggaagtctt	tcaaaagagc	attaagaaaa	aatgtttttaa	aacacaacag	57300
gatcataggt	cactgtgaaa	caatagttat	ttacttagcc	aaaatgacaa	taaaagattt	57360
caaaagcaaa	tatagaacag	attattttaa	aggtagaaat	aatctgtat	caaaggagag	57420
gaaagcaaa	tttgggtt	accaggttac	tttcaagatt	cattttagtca	attaaaattt	57480
tttaaactt	gtcctgatca	tgtacaaaac	acttttcag	ggtccatgtt	tcacgaattt	57540
tccatca	ttttttttt	agcacaattt	taacttcaa	gttgttgaat	atctggagat	57600

atcctaaaat ataatttattt ctgaaaagttc actctaagct cttatcttca tttgcatttt 57660
 ctttgcttaa cagtttattt acatcaagtc ctttccttg ctgacaaaatt gtatcaacaa 57720
 acaaccataa ataccaaata taatttaata taaaatattt cccagttcac gtgaacctgg 57780
 agctcattha gcttaattgt atttagaatt gtttggttg taagcactta cttttattta 57840
 aaccaattaa atagagctct tttacaaatc aactgcagca atattatcca aagacaaaaga 57900
 tacatacaaa cacacaaaca gagaggcctc agttcttatt tcaagatttc agtcctgagt 57960
 caggcaatgt aaaacccatc agttacata cgaggttcaa taaaattgg atttctcata 58020
 gatggaataa gtcaagctca cttggctaga tagctaaata tttgcagaaa aagcacttag 58080
 gaattctaat tatcttgcc aacccaaactt ctaaattact ttaccttctc taaaatttgc 58140
 attttaaaaa gacagcataa tgaggttcc tgagaggaca tttgcatttc aaagacattt 58200
 gcatctcaga gttacaggca agttttcca aaaatgactt tgtttctct ttaataactta 58260
 caggcctctt aagataacca gggaaaggct ggggagtagt aaaaggattt atgggatttg 58320
 gattattttt ggaaccacac ttctgtgt gtaaagacta cattttaaaa acacagttt 58380
 gttttcttt tttgagtgtat actgaaggat tgacataccc atttacctat gttggaaagt 58440
 tttatcttc ctcatttgc ttagcttgc ggaagacaca gaggcaacaa tttaggctcc 58500
 tgtaaatcag tctggactga gggggaaacg aggtgaagat aagaaagaca ggctgaggaa 58560
 tccgcctcat agtcctacca ggaagatagt ggccaggggcg aatgggtcag tgtttgcct 58620
 gaaccaatgt gtgcttcaca gtgcacagaa gctgtttgc tggagttgtt gtggccacaa 58680
 gttccggcaa acaaactcac tcagaaggac aatgcagata gtggagtgca gtttattaca 58740
 cctgcgggca caaggcagag tctccttca gccaaggacc ccgaccaggat tttgtgaaaa 58800
 ccttatatat cctaagtgtat tttttttttt cccacccccc cgaattccct gaaacttagtc 58860
 tgaacaaagg aaaagaaaaga tacaatcaaa gttttttttt gattcatatg ccttaagcct 58920
 aggttagttaa cagtggacag ttatcaatag gcctgtggtc ataccccaat aagcataata 58980
 gaattttatga ttcttatttgc ttacacagat aattagggtt ttcttttagg ctactgagag 59040
 tctaggtatg agccctgggg ctcttgcggg gggggggggg ggtctgggtt tccagttatg 59100
 atgtcatttc catagatact gggcatatag ctcaaaatgtt acagtccagc ccaacatgg 59160
 gtcctgcctt caagatggag cctgttctgt ctgtttctt gttcagagtc agatgtctt 59220
 atagccttgtt ccattctgtt acccacttag cctgtcacaat gagacttcaa gcgcacaggca 59280
 ccttaatggc ttttaatgtt ctgacccatg ccctcaaaaat attaattggc ctggactca 59340
 gcctaaggga gaaggaggtt aggagagccc tgacctttt ggaggcagct accggggcac 59400
 agagggctat taggccttta gaacacccca gagaataacc ctagctagat ttccatagct 59460
 attagtcgtt ttgcagaggg tttaaggaga aagggtatgtt ggagtgttag gagagtggag 59520
 accttaaagg aagtacttct ctttttagt caagcaatggt gttcagatg tctatatgtt 59580
 accaaagtat ccgaaataaa ccaaaatcta gccagctaga gagtcacatt aacatgactt 59640
 cccagttca tttagacctgt gacctttgtc caaaatgtt tataaatggc gttttccctt 59700
 acaggggtgc ttcccaagct gaagctgaag ctctccactg tcaaaatgtt ccaggcctcc 59760
 cgtagggaaa tttagaatcag atgcctcaag tccaaggag tccccaggcc tcttcactta 59820
 tattcagatgt ttcttcctt ttccttgc ttccttgc ttccttgc ttccttgc ttccttgc 59880
 ccatttaggc ccattgtct tctgtatctt acatatctt tataatgttcc ccaaagcttt 59940
 tcttcaggat agatgtatgtt ttccatctt ttataatgtt catagcacca aaacacacac 60000
 aaaaataggc aaattccaaat ataaatgaca caaattccag taccaatata tagatgtacc 60060
 agtttccagc tcaggttaat aaatttaccc tacaatccaa atgaactaat cccaaatgtt 60120
 tgcttgcctt gtccttcctt ttccttgc ttccttgc ttccttgc ttccttgc ttccttgc 60180
 ctctttgc ttccttgc ttccttgc ttccttgc ttccttgc ttccttgc ttccttgc ttccttgc 60240
 caagaataact gccatgcctt tggatagact ccagttatct tttactccat tataactcatt 60300
 attcttcctt ggagaatccc atggtcagag gagactgaca ggctacagtt catgagggtca 60360
 cgaagagtag gacacgactg aaatgacata gcacaaaaca agcacacaag aacttagttcc 60420
 ccaataaact gtttccaact caggtagaat ccaacacaa ttccatctc caacagggtt 60480
 ccccaaccaa attgactgt cctgtttttt tttttttttt tttttttttt tttttttttt 60540
 tcagtgtca caccagagca acttaccctt caaaatcaag tttttttttt tttttttttt 60600
 aagggtttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60660
 gaaattttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60720
 agggccactg ataccacttc agggaaatctt gaaggagaga tcctcagcac aaatgttccc 60780
 agcagctgtt ggagccttgc cctaaatattt cctaaatccaa ctggctaaac acaaacacca 60840
 agtcaaattt gtttccatctt tttttttttt tttttttttt tttttttttt tttttttttt 60900
 agagatgaga tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60960
 atggcagact aacatcttca aataaccatc ttcttgc ttccttgc ttccttgc ttccttgc 61020
 tagaacacaa atgagggaaa gtgagggaaa aaaggaaaaa ggcagaatag agagggagag 61080

catgcaggat	actttgttcc	caaactgtgc	ttgcccttac	atgtaagata	tgtgtcttt	64620
gtacaaaaaa	ttaagagaaa	ataagtca	tatgaaccat	taaatgctga	actaagactc	64680
attcagtgag	ttagtaactg	caaatactat	gaacacagcc	tttcttaccc	ctttttgaat	64740
agccccattg	tctgtctata	gaaagaaaaa	ttactttata	ggtgtgtttg	caaaatcttg	64800
cctgtttctt	gttccaaaaa	gttattgtat	tgagaattcc	tttgagaaaaa	ttcttgg	64860
gatttatgtg	ttcagaagat	gataattcc	tcatttaaca	gatactatt	gtgtaccc	64920
tctgtgcag	gctctgcct	ggcccgctaa	gaagatagca	gcaaaacaaaaa	gaggctcatt	64980
ccctgctac	attcctacat	gaggaaagag	gacatgaacc	agctattcag	aaaagtattt	65040
aatgatctca	gcacctacct	tggggcttc	ccaaactggac	attagaatca	cttccatagg	65100
gccccatgcca	gggttcagaa	ggttcagga	actaatatcc	cttataacaa	ccaaataggc	65160
agagtttcta	gggtccccac	aagaacaagc	ccagttgcaa	gaatca	ttttaagaag	65220
ttcaaaagcta	tggtaaacct	accagatgtt	tatagtttct	tccaaattat	gatacagtgt	65280
accagtca	ggttattttt	atcataagca	atgttgctgg	cattctacat	ttatcaagtt	65340
actaggaaac	agagccagga	attatttaa	ggtcaactt	gtccttagag	aaggaagagt	65400
tgtgttaaca	ctttacctat	aattacttc	tgagatgt	tggaaatgt	agaatattt	65460
tgacctagac	tgtttatagc	tgatgccact	gctatgcagt	cattatgcta	cagactttaa	65520
gtgattttta	catgggcata	tgatgctgac	acccttttta	tttgcagat	aagtcatcat	65580
ggtgaaaagc	cacataggca	gttggatcct	ggttctctt	gtggccatgt	ggagtgacgt	65640
gggcctctgc	aagaagcgac	caaaacctgg	aggaggatgg	aacactgggg	ggagccogata	65700
cccaggacag	ggcagtcctg	gaggcaaccc	ttatccacct	caggaggggg	gtggctgggg	65760
tcagccccat	ggaggtggct	ggggccagcc	tcatggaggt	ggctggggcc	agcctcatgg	65820
aggtggctgg	ggtcagcccc	atgggggtgg	ctggggacag	ccacatggtg	gtggaggctg	65880
gggtcaaggt	ggtacccacg	gtcaatggaa	caaaccacgt	aagccaaaaaa	ccaaacatgaa	65940
gcatgtggca	ggagctgctg	cagctggagc	agtggtaggg	ggccttggtg	gctacatgct	66000
gggaagtgcc	atgagcaggc	ctcttataca	tttggcagt	gactatgagg	accgttacta	66060
tcgtgaaaac	atgcaccgtt	accccaacca	agtgtactac	agggcagtgg	atcagtatag	66120
taaccagaac	aactttgtgc	atgactgtgt	caacatcaca	gtcaaggaac	acacagtca	66180
caccaccacc	aagggggaga	acttcaccga	aactgacatc	aagatgtgg	agcgagtgg	66240
ggagcaaatg	tgcattaccc	agtaccagag	agaatccac	gcttattacc	aacgaggggc	66300
aagtgtgatc	ctcttctctt	cccttcctgt	gatcctcctc	atctctttcc	tcattttct	66360
catagtagga	tagggcaac	cttcctgtt	tcattatctt	cttaatctt	accagggtgg	66420
gggagggagt	atctacctgc	agccccgtag	ttgggtgtc	tcatttctt	cttctctt	66480
tgttacctgt	atgctaatac	ccttggcgct	tatagcactg	gaaatgaag	agcagacatg	66540
agatgctgtt	tattcaagtc	ccgttagctc	agtatgctaa	tgccccatct	tagcagtgt	66600
ttttagcaaa	ttttctcatt	tgttcaaga	acacgtgact	acatttccct	tttggaaatag	66660
catttctgcc	aagtctggaa	ggagggcaca	taatattcat	tcaaaaaaac	aaaccggaaa	66720
tccttagttc	atagacccag	ggtccacctg	tttgagagct	tgtgtctgt	gtctgcagag	66780
aactataaag	gatattctgc	attttgcagg	ttacatttc	aggttaacaca	gccagctatt	66840
gcatcaagaa	tggatattca	tgcaacctt	gacttacggg	tagaggacat	tttcacaagg	66900
aatgaacata	atacgaaaagg	cttctgagac	taaaaaattt	caacatatgg	gagaggtgcc	66960
cttggggca	gccttccatt	ttgtatgtt	aaagcacctt	caagtggtat	tccttctt	67020
agtaacaaag	tatagataat	taagttacct	taatttaatt	aaactaccct	ctagacactg	67080
agagcaaatc	tgttgtttat	ctggaaaccc	ggatgattt	gacattgttt	agagatgtga	67140
gagttgaact	gtaaaagaaag	ctgagtgctg	aagaatttgat	gctttgaac	tctagtgtt	67200
gagaaaactt	gagagtcct	tggactgcaa	ggagatcaaa	ttagtccatc	ctaaaggaga	67260
tcagtctgta	atatttcattt	gaagactga	tgctgaagct	gaaactccaa	tactttggcc	67320
acctgatggg	aagaactgaa	ggcaggagga	gaaggggatg	acagaggatg	agatggctgg	67380
atggcatcat	ggattcaatg	gacatgagct	tgtagtaact	ccaggagttt	gcaatcgacg	67440
gagtcctggc	atcctgcagt	ccatgggtc	gcagagttt	acacgactga	gtgactgaac	67500
tgaggtgaac	ccagattttt	acatagagaa	tgcagatata	aaaactccat	attcatttga	67560
ttgaatctt	tccttaacca	gtgctagtgt	tggactggta	agattataac	aacaaatata	67620
ggttatgt	tgaagagaat	agtgtacaaa	gaaaagaaat	atgtgcattt	ctttattgt	67680
atcataattt	tcaaaaaaca	aaatttagtc	tttgcatttct	gtaaaattaa	cttttgaatc	67740
aacagggagg	catttaaaga	aatatcttaa	attagagaca	gtagaaatct	gatacattca	67800
gagtggaaaa	agaaattcta	ttacgattat	ttaagaaggt	aaaatttattt	cctgggtt	67860
tcagtattgt	cacctagcag	atagacacta	ttgttctgca	ctgttattac	tggcttgac	67920
tttgggtat	cctatgtaaa	aatacatata	ttgcatatga	cagacttaag	aatttctgtt	67980
agagcaatta	acatctgaac	tatctaattgc	attacctgtt	tttgcattt	actttttgt	68040

aggtaactaag gagacgtggg tttaatccct aggtcatgt aatcccctgg aggagggaaat	68100
agcaacccac tccagtattc ttgccaggag aatcccatttgcagaggagc ctggcagggt	68160
gcagtcatg catagggttg caaagagtca gacaagactt gagctactaa acaataacaa	68220
caataaatgc tgggttgct aaaaggttca tttagttttt tttctgttaag atggctgtct	68280
ttaacttcat tcgaaacaat tttgttagat tttatgtac agctcttgc tcagcatgca	68340
tttggaaaag aaaacaactt accaaaattt gtaattttt gtatagccat tttactattt	68400
aagatgaaag aaaagaagca aaattttcag catatcatgc ttttattttt caagaaaagat	68460
aacacaacca aaatgcgaaa atgtatttgc gcaatgtatg gagaagggtgc tgcaactgat	68520
caagcttgc aaaaatgtttt gtaatgtttt gttctggaga tttcttactt gacaatgctc	68580
cacagtcggg tataccagtt gaagttgata gttatcaat tgagatattt agaacaatca	68640
atgttataacc acgtgggaga tagttgacat actcaaaata tccaaataga accttgaaaa	68700
ccatttgcac catctcagtt atgttataaa ctttgatgtt tgagttccac ataaattaag	68760
caaaaaaaaaa acaaaaaacaa aaacacacaa ctttgaccat atttgcataat gcaatgtct	68820
actgaaatga atgaaaacac ttttggggaa aaaaacagat ttttgcataat gcaatgtct	68880
atacaataac gtagaaatgggaa aaaaactgtg gggtgagcaaa aatgaaccag caccaccaaa	68940
ggccaggcctt catccaaaga agatgtgtt atgggtggat tggaaaagttaa tcctcttattt	69000
tgggattctt ctggaaaacc aaaaatcaa ttccaaacaag tactgtctt aatttagacca	69060
actgaaagca gcaatgtatg aaaaacatcc agaattatgtc aatagaaaagc atataatctt	69120
ccatcaggat aacacaagac tacatttctt tgatgacccaa gcatggctga gagggtctga	69180
ttcacctgct gtatttcagac atttgcataat tggatttcca ttttatttca gttttttttt	69240
tatcatcatg aaaaatattt ccatttccctg gaagatgtt aagtgcataat gggaaaacttc	69300
tttgcataat aagataaaaaa gttttgtgaa cacagaattt tgaagttgcc tgaaaaacgg	69360
cagaagatag tgactatgtt gtttgcataat gttttttttt gttttttttt gttttttttt	69420
atttaaacac taaaggcactt ttttggccaa ccaatactt aatacttaaa gggaaaactt	69480
ccgtgttgc cttagcctt cagcgtgcac tgaatgtttt tttttttttt gttttttttt	69540
tatggaaaat acgcataatgtt ttatattttt gttttttttt gttttttttt gttttttttt	69600
gtgtttttttt tttttttttt tttttttttt gttttttttt gttttttttt gttttttttt	69660
atcttccacg gagggtctgg ctgttttccac cttttttttt gttttttttt gttttttttt	69720
tgggggggta atatgagaaaa agtggcacat tttttttttt gttttttttt gttttttttt	69780
gggcttctcc tgatcctgcc tcagccttac tttttttttt gttttttttt gttttttttt	69840
ccttttcata tttttccatg aataccgcac tttttttttt gttttttttt gttttttttt	69900
ccttgcattt tggaaagattt tttttttttt gttttttttt gttttttttt gttttttttt	69960
agatgagact taacaaagta tttttttttt gttttttttt gttttttttt gttttttttt	70020
tcataaaactt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70080
aatatggctt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70140
ccaaatgtt ggtttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70200
ttcattaaaca gccggaaagaa ataataatgtt gttttttttt gttttttttt gttttttttt	70260
acttttataat atgcccattttt gttttttttt gttttttttt gttttttttt gttttttttt	70320
tgaaaatcaat tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70380
cataaaatcc tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70440
ttcatgtgtt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70500
caatcataat tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70560
ttacagggtttt gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70620
ctgttactt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70680
tttaaataga ggtttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70740
atcagcatag ggtttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70800
acataagaga tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70860
acccacttca gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70920
gtttttttt gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	70980
gtttttttt gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71040
ttttttttt gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71100
ttttttttt gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71160
tactgtgtt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71220
attccatata tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71280
tgttataatag gttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71340
atggctgactt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71400
tatgggttggaa catcttaggtt gttttttttt gttttttttt gttttttttt gttttttttt	71460
cattgaggtt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt	71520

gactgctggg tcatatggta actttggct tcccttggc ctctgctggg aaagaatcca 71580
cctcaatgc gggagacctg gtttggtcc tggctggga agacccctg gagaaggaa 71640
tggctaccca ccccagtatt ctggcctcta gaattccatg gactgtatag tccatggagt 71700
tgcaaagagt tgacacacgac tgagaacctt tcactcacct atgtaactt tattttagt 71760
cttttaagga aactccatac tggttccat ggtggctgta tcagtttgc ttatgaccaa 71820
cagtgtcaga gagttccctt ttctccacat cctctccagc atttatttt tgtaaactt 71880
ctgatgatgg ccattctgac caatatgaga tgacatctca ttgtagttt gtttcattt 71940
ctctaaaatg agtgatgtt agtatctt catgtatc tttagtcatct gtcatctt 72000
gagaaatgtc tggggatgc ttctgcccattttaaatt tggggatttt ttgttactga 72060
gctgcttagt tattttggag attaattcct ttcagtttgc tcatttgc ttatttctc 72120
ccattctgag agttgtctt tcacccctgat tatggtttcc ttcatgtga aaaaactttt 72180
aagtttaatt agtcccact tattttttt tggggatattt tccattattt taggaaggaa 72240
gtcaaagagg atcttactat tctgcctatg tttccctcta agagtctt agtttctgat 72300
cttacatttgc ggtcttcat ccatttttag tttatctt tggatgggt taggaagtgt 72360
tctaatttca ttctttaca tgtagctgac cagttttccc agtaccagtt attgaagagg 72420
ctgtcttttccatcatttgcctt cttttgtcaa agataaggc ctcatcatc 72480
cagatcagat cagatcagtc actcagtcat gtctgactt ttgcgacccc atgaatcgca 72540
gcatgcagg cctccctgtc caacaccaac tcccggagtt tactgagact cacgtccatc 72600
gagtcactga tgccatccag ccacccatc ctctgtcatc ccctttccct cctgccccca 72660
atccctccca gcatcagat ttttccat gactcaactc tttgcatgag gttggccaaaa 72720
tattggagtt tcaagtttag catcatttcc tccaaagaaa tcccagggt gatgtccctc 72780
agaatggact ggttggatct cttgcagtc ggactctcaa gagttctcca acaccacagt 72840
tcaaaagcat caatttctca gtgctcagcc ttcttcacag tccaaactctc acatccatc 72900
atcaccacag gaaaaaccat agccttgcact agatggaccc tggggccaa tggctctgct 72960
tttgaatatg ctatcttaggt tggtcataac tttcccttcca aggagtaagc atctttat 73020
ttcatggctg cagtcacccat ctgcagtttgc tttggagccc agaaaaataa agtctgacac 73080
tttccactgt tttcccttcatcttccatg aagtaatggg accggatgccc atgatcttgc 73140
ttttctaaat gttgagctt aagccaaactt tttcactctc cactttcact ttcatcaaga 73200
ggctttgggtg catggattt tctccaggct ttcttatttttgc ttccatttggg ctatatttcc 73260
atttctgtga cagtaccata ctgtcttgc gaccatagct ttgtagtttgc tctgttgc 73320
aggaaggtt attccctccag tgcatttttgc ttttctcaag attgttttgc ctattttggg 73380
tcttttgggtt ttccatcacaa atttgcatttttgc ttttgcatttttgc caaatccat 73440
tatttagtttgc ataggaatttgc catttgcatttttgc atagatttgc ttggataaca tagtcat 73500
cactatatttgc attccctccatc tccaaagaaactt tggtataatct ctgagacagg aaaccgcgc 73560
tgtgagtttgc tgatcaagcc caagagaata gtcggcaagc cgggttttgc tggggcc 73620
ttggccctt ggttaactatc ggttaatttgc ttccttagtgc ttttgcatttttgc tggggcc 73680
atggtaatgc ggtttttttc cataatttgc ttttctgatttgc ttttgcatttttgc agttttagg 73740
aatgcaggatttgc atttgcatttttgc attaattttgc ttttctgatttgc ttttgcatttttgc ttttgcatttttgc 73800
agctcttagt attttttatgt ggccttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 73860
ctgcaaaacag agttttacta ctttttttgc aatctggatc ttttgcatttttgc ttttgcatttttgc 73920
ctaaaaatttgc aaaaatatcaa ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 73980
ggagaagtttgc cagggttgcatttttgc acttttgcatttttgc ctttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74040
gaagtttgcatttttgc ctgccttgcatttttgc agaaattttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74100
ccatataatgc ggcaggaaactt gaggcttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74160
agcaactgac ctacatagtttgc catttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74220
gaaactccctg gaggattttgc ttttgcatttttgc attaacttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74280
ccccactctt gttggggcttgc cccctgttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74340
tcagccatgt agtttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74400
ctgttcttttgc ctttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74460
atttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74520
aacagctccc tcaaggattttgc acacttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74580
agtttgcatttttgc ccccaacttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74640
tacatttgcatttttgc acacactccc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74700
ccactgtcttgc acaggaagat ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74760
cagtttaggatcacttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74820
tagggatgaa aagcaaaaggatcacttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74880
gaagcacttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 74940
tagccaggccc acaaatgcatttttgcatttttgc ttttgcatttttgc ttttgcatttttgc ttttgcatttttgc 75000

ccctgtcaaa	atgcagttct	gaggccatat	gtttatgtta	agcttggaga	tgtgtcattt	75060
ctataagctc	ccaggtgatg	tgtggtccca	gtggcccaag	gaccacacca	agaaaacaagg	75120
acctagaagc	ctaagtcatc	tcttctaacc	gtggccaaaga	ctttaaataaa	gcattgaagt	75180
ctcaggagct	ggggggaggt	ggggagtagc	caatagagag	tcttcacctt	ttcttgattt	75240
agccctaagt	tttgccctgtc	gtgctttgag	agcacatcc	tcttacctat	caaccccttg	75300
ctggcagcag	tgaagtcajc	ttgtgttatta	tctctgaaac	aagctgaatt	agttggctgc	75360
ccatggaaa	tatcaaattcc	agagacactc	tgtcagttt	tcaaggtcat	acaaaatagtg	75420
agtgaaaatt	ttagttgctc	agtcatgtct	gattcttgc	aaacttatgg	actatactg	75480
ccaggctcct	ctgtccatgg	aattctccag	gcaagaatac	tggagtgggt	tgccatacc	75540
tcctccaggg	gatcttctgg	acccggggat	cttctggacc	cagggatcaa	accctctctc	75600
tgttgcaggg	agattcttta	ctgtctgagc	caccaggaa	gcccacacaa	atagtatgtt	75660
caccaaagca	cattgtggaa	actctttgcc	ttggtttg	tttatattta	agggtttggc	75720
tcaaaggctcc	gacatctcag	tcactgtgca	caactcatgg	cctctgtcaa	gggtggcccc	75780
tggtgcaggg	ctccagcttg	aggggactca	gttgaatcca	aggggaacct	gaaggaaggg	75840
tcagaaatcc	taaaagcaaa	ttcagccaa	aatgcctct	accctattt	attccctcat	75900
cactcactgt	cccatacaca	cttctctcat	attatttcag	aagtgacctg	tagccagggc	75960
ccatagatta	gtagccctct	ccaatcaaac	catagttccc	taagccctag	aacacataca	76020
tgtcacccctg	tgccagagcc	cctaggctgg	aggccaccag	ggttaatttggg	actgggggct	76080
tcttcctccc	taactgtcct	ggcaatctg	cccccttcct	cctctctaa	aaacaacag	76140
taaacaaca	aaagcaagat	cgttatctta	atctttat	cgagtaaaaa	taaaagtttt	76200
cagtaactct	attctttagc	acccttactc	aacctaatac	ttaagaaaa	ccttacaggc	76260
ccttgcattca	ttgcctttct	tgttgaatat	accatcttga	ttagtttct	ggggttgcca	76320
ttaaaaaaaaaa	aaaaaaagtgc	cacagattga	atggcttaaa	caacagatat	ttacttctc	76380
actcttctgg	agactggaag	tctgagatta	aagtatcatc	agggttgggt	tcttctctga	76440
cttgcataat	gcctccctat	gtctcccac	agtctccct	ttttgtgtct	ctgtgtccta	76500
atctcttttt	ataaggacca	gttcatgtct	tatcatgaga	ccctatggac	tatagccctc	76560
taggctcctc	tgtccatggg	gtttccaga	caagaatact	gtgggttgct	attttctcct	76620
ctaggcaatc	tttctgaccc	aggatcaag	cccacgtgtc	ctgtatctcc	tgcatgtcag	76680
atggattctt	tactgctgag	ccactgggg	agccctttta	taaggactgg	gcttccttgc	76740
tggctcgcc	ggtaaaagaat	acacgtgcaa	tgcaggagac	cagggtttga	tccctgggtc	76800
aggaagatcc	cctggagaag	ggaatggtaa	cccactcctc	aaattgtatt	tgaggtgagg	76860
actgctactg	ctgctgtctaa	gtcgctttag	tctgtccaa	ctctgtgcga	ccccatagac	76920
ggcagcccat	caggctctcc	tgtccctggg	attctccagg	caagaacact	ggagtgggtt	76980
gccatttcct	tctccactgc	atgaaagtga	aaagtgaaag	tgaagtcacc	actccctaaa	77040
ttggatttga	gttaaggaca	ccactcctca	aattgaatta	gggctcacc	taatggcttc	77100
atcttaacct	aactttaact	ctttaaaggc	cctaactcca	aatacagtca	ttttgaggtt	77160
ttaaggacta	tgactccaa	acctatcaag	aatgtcaca	gcagtatgtt	agtgtcagtc	77220
tcaagagcgc	tcaaaggcag	tcccaggact	aagacaacct	taatggcagc	ctcacagtca	77280
cattcttattc	ccttatcagg	atcacactat	tccttcaata	gactgagcca	ctgcccata	77340
atccacttag	aattgccaag	ggtacctatc	tcatactgtcc	cattgcagag	caaacagaaa	77400
tgcttccatt	ctggatacag	accctgaaac	ccagccacca	tgccccatg	gctcacacaa	77460
agagcttcat	aatcaaacaa	atttgcctt	tggtttgtat	ccacacacaa	atacactaca	77520
aacacacctg	gcttagagtt	acactgatta	tgagtttaatt	gacataaaaac	tgagttgttag	77580
ctataattta	aggggtacta	tctctaattt	tcttgaagag	atctctcatc	tttcccattc	77640
tgttgttttc	ctcttatttct	ttgcatttgg	ccctgagaaa	ggctttctta	tctcttcttgc	77700
ctattcttgg	gaactctgca	ttcagatgtct	tatatcttcc	cttttctcc	ttgcttttgc	77760
cttcttcttct	tttcacagct	atttgcattt	cctcccccaga	cagccatttt	gcttttttgc	77820
atttcacgca	aagatgggt	tgataaagga	cagaaatggt	atggacctaa	cagaagcagg	77880
agatattaag	aagaggtggc	aagaatacac	agaagaactg	tacaaaaaaag	atcttcatga	77940
cccagaaaaat	cacgatgtat	tgatctactga	ccttagagcca	gacatcctgg	aatgtgaagt	78000
caagtgggcc	tttaggaagca	tcactaccaa	caaagctagt	ggaggtgatg	gaattc	78056

```
<210> 2
<211> 256
<212> PRT
<213> Bos taurus
```

<400> 2
 Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala
 1 5 10 15
 Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30
 Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45
 Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Trp Gly Gln Pro His
 50 55 60
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Gly
 85 90 95
 Gly Thr His Gly Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met
 100 105 110
 Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Val Gly Gly Leu
 115 120 125
 Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe
 130 135 140
 Gly Ser Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met His Arg Tyr
 145 150 155 160
 Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser Asn Gln Asn
 165 170 175
 Asn Phe Val His Asp Cys Val Asn Ile Thr Val Lys Glu His Thr Val
 180 185 190
 Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 205
 Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu
 210 215 220
 Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser
 225 230 235 240
 Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
 245 250 255

<210> 3
 <211> 31412
 <212> DNA
 <213> Ovis aries

<400> 3

gatccaccca gtccatccta aaggagatca gtcctgggtg ttcattggaa ggactgatgt 60
 tgaagctgaa actccaatac tttggccacc tgatgcgaag agctgactca ttggaaaaga 120
 ccctgatgct gggagggatt gagggcagga ggagaagggg acgacagagg atgagatggt 180
 tggatggcat cactgactca atggacatgg gtttgggtgg actccggag ttggatgg 240
 acaggaaggc ctggcatgct gcagttcatg gggtcacaaa gagttggaca tgactgagct 300
 actgaactga actgaactga tgagccactc tagcaagttt atcacaggaa aggaaggagt 360
 cattggAACcc tccagtctat agcagatcg tcagaagcac agatgacagc ctggacttac 420
 aactggcatc tgagtccagga agagggctt tcttatgaga ctaaacccctt aacctgttagg 480
 atctgatact atctctgggt agatagtgtc agaatttgagt tgaattttag gacatgcagt 540
 aatgttggaa aattgctgtt ggcagggaaa ccaccaccac tcctacaaac acacacacac 600
 acacacacac acattgggtt tgagtgttag aatgattttt accagtgata agaaagatta 660
 ccaacagtgc aggaactgcc agtggaaaca caaagtctcc gtatccaga acagagcaaa 720
 tcagaagcca aacctgggtt gagaacacaaa gaaatgatga caaaaatcag accgtttgtt 780
 tcaaaaatct gggaccagga agaaaattaag tgaagagccc aagtgtcgca aagggtcggg 840
 gtgacactaa acattcttg catactggg aacttcacat atggctagac agaaggagaa 900
 cagggaaaat tctgtgggaa ccaaggggaa aacaagcaca agaacaagat gagaacgtgg 960
 gataggtaac cacactcagg acattgtttt actgattctt ctatgtact ctcatattgca 1020
 aggtctgagg ctctgctgt gctgtaagt cgcttcagtt gtgtctgact ctgagcgacc 1080
 ccatagacgg cagcccacca ggctcccccg tccctggat tctccaggcg agagtactgg 1140
 agtgggttgc catttcctt gaggctctac tcccaagcaa ttataatct agttaaatat 1200
 gggcagagca gcttaaaatg ggcgtggatg atacaagcca gtgtctgtt gggcagggaa 1260
 aagatgggtt agttttgtt gggaaatatg gacaacttca cagaagagag ggtgtgaag 1320
 gaattcgggg ctgagggaaac tgctggagca gggctcagc caaggcaatt aaagaagggg 1380
 caactggcct agcaggactt aagcccgagg ggtactcagg gagagagggtt gtcagaaaca 1440
 cggtctgggc ttttcacac aatctgaacc ccagaccctg gagtcttagcc actaaggaat 1500
 cattttatgt gtttaaagag tggagagata tagccgcctg taatacgtct gcagcatgat 1560
 gtttctctt tgaatttca atcatttcatc cttagaaaaa tgaatttctt gatgcaatac 1620
 cttaaattgc tgaactgaga aagtcagagg ggagaaaggg ggaggaagga ggtctttgag 1680
 gacatgaata ccccaatga atggcccat cctaaagagg accctacta ctagagaaag 1740
 tttaaaatac tttccattac acccataactc tcctccagct aatgcctatt tctctgtcc 1800
 tcccaggaca aaacttctca gaagaattgt ctctactccc tcaccccttca tttcttcatc 1860
 aatttactct gtctgttctt atcactctt tgaacttccat cccatcaagg ccccaagtaat 1920
 gacccatc accaaatcca gtgagttctt tcccacccct actctatgtt gtctctctaa 1980
 agctgacccc tgcctctt gaaaggcacct cctctctcg gctcttgata tcctctctt 2040
 tcactagctg tcactttca gtctctttt gctcagcaga tcagttccat ctaggaaccc 2100
 cagaattact aaatcagaat ctctaaagggtt aggagaaatg caggttctt gacttcatct 2160
 gtcctgggtt ttcattggaa ggactgatgt gggccaaacca gtccatccca aaggagatca 2220
 tgaagctgaa actccaaatat tttggccacc 2280
 tgatacaaag agctgactca ttggaaaaga ccctgatgct gggaaagatt gggcagga 2340
 ggagaagggg acgactgagg atgagatggt tggatggcat caccaagtca atgggtaaac 2400
 tctggaggtt ggtatggac agggaggccct gctgtgtcc agtccatggg gtcgcagagt 2460
 cagacacgac tgagcgactg aactgaattt gactgaaggtt gggccaaacca gggccagga 2520
 tatccagacc ccagggtatg cacactgaaa gcttaggaacc atgatctaa actgtctgtt 2580
 tcttaccatt cagtcctgtat tcctcttctt tcctctggct acactttctc cttgtatgtt 2640
 atcatccaag cccacaactt tgaaaaatcat ctaaaatactg gtggatgttt agtcacccctcc 2700
 gtcatgtcca actcttttca agcccgaggct cctctgtcca tggatgtttc cagggaaagaa 2760
 tactgggtgc catttcctt tccaggggat tttctgtacc aagggtatca acccggtct 2820
 cctgtatgc aggcagattc ttactgacaa tttctaaatg cacatcctca gcaccaaccc 2880
 tcccaatctg gaggttacat taaaattcaa catacccaa atggaagaaa cttctctaaa 2940
 acttgggtgc tctaaaactt ggtttctc cgtttctcac catttcagaa tacctccctt 3000
 accaccaagc cccaccgtt cccctcaggc cccacacaac aatcagaatg gtctttggaa 3060
 tcaggtcatg tcaccaccct gctgaaatct tcaagggtt cctatcgcat ttaattaaaa 3120
 tctaaagacc tggtcattgg ctgttaggca ctgcattgacc tggtacttt ctatgtggct 3180
 tcctgtattc ctttgggtt ctaatgtcag aaactatatc taattcacac taggttctct 3240
 ataaattatt tggatggaa tggatggaaac atagagtttg 3300
 acttcttttag cttctccacg tttgttgcagg aggtatctatg tggatgttgc aggtacttc 3360

ggatgtggga gatgagaagg gagacttca aagaatgtct tcatgggcc 3420
ataacccatg cccagccagg ccccaagagga caaacccctca aacatgcttgcattc 3480
cagaaagtgg cttcccttat atataatggg atatagtagt tgggtgatg gtagagactg 3540
agatgaggaa cgatgttaggg ccatttgc aagcttctc ctgtaggctg accaatgtga 3600
tcctgttctt gaggccaagg acagccccta agaatctaca accccataat ggcagtttc 3660
aaaaattgcc acaaattctt tgatactctt cccattgaga gatgggtcc atgatccctg 3720
cccttgaatc tgaatggca tatactggc tactttgtc aatagcatag agtgaagtg 3780
atgttatgtg acttttgaga ctatgtgaga agtggcaatg tagttccat gttgttact 3840
gacagtctcc cacttgggtc ctcttggac ttcttaagcc aggttagaag ctcataaac 3900
ttgagactgc tatgctggg ggaagccagg ccacatggg aagtcatgtg aaggcacttc 3960
aatcagttaca cctgattttc aagtctccc agcccaggcc ccagccaaagc aagtgaactga 4020
actgattcca attccttagct atcacgtcaa cctcagacac tgagtcttcc caacagcagc 4080
ctcatatgtc atggggcaga gtcaagtccc cattgtgcct gtccaactct ttggccata 4140
caattcatgg gcataataaa atgggtgtt cttagacca ttaagtttg gagtagttgc 4200
tacatggca caatatccag aataggacca aaggcaatgt catttgggtc cctcaaaaccc 4260
tcacaacta tattacctt tgacatttt cttgggtggg ggagggaaagg aaagcattca 4320
gccagttgac attggattct ttgaggaaa aaaggctgag ttccggatc ttctaaacga 4380
gctgtacatt gccccttctg gcagggggaa gtcaatccct tgcccagcct gatctggta 4440
ctcactccca gctccacccca gctcaagact caaagagatg cttaactgccc cccaaatgcac 4500
ctcacaataa acaatctctg agggaaagaag gtaaggatct aaaagtagtg tcaacttaat 4560
cattatgtaa gactgactgg atagaaaaaca gcccggatc tgctgcctaa tactcatttc 4620
taactggca caatccattt ctgctactga atcatcttca tcccatcgatc atgaaaaata 4680
gacctctcat ttctccttcc cagcagaact ttcaggcccc catccacatt atataatacat 4740
cacctcattt tacacaattt ttctggctc tccccctccct cacttgcctt catccatttt 4800
gagagatcca ccctgagatg tttaacctaa tgggtgtctc aatatttta aaccttcc 4860
cttgcagat tagtggagcc tttggccat aacaaggggg ctagatatct cattttccc 4920
aggttatacc cattggccc ggcataatta atattggatc tctcaaaagt gcccaaaat 4980
ggataatgtat gatatgtatc cctctaaccct taacatatgt ctcttaacac ttgcccattc 5040
tcacatggaa caaaccctt cataaaattt tggcagtaat aatgtatcaaa aacacaccat 5100
gttttataca agaaatctca ggtaatgtgc agaatggact tggtaatgg agtgcatttc 5160
cctcacttta gaatatcata atctaaatca ttactttgt aaataatgag caggaactga 5220
gtaaaatgacg gcaggtgatg gctaataatcc ttcttaggccc tcaaattttta atctgaaaat 5280
tcacaacat tggcttaat ccagggtatc agaatttttgc tccctttcag aaatttctgg 5340
ttaccagat tccccaaattt gcttctcat tccctaaatct ttcattttct ccattacgta 5400
acgagaagct ggggctttgg ccgattttcc ctctaaagat gatttttac gtcacacaagc 5460
aatttcaggg agtgatgagc cagggaggcg gtgttagtt atgttagcgt ttatgttagt 5520
ctcaactcgt ttttcccagg gacttagatt cctgggtctc cggtaaaacc cggggcgccc 5580
gcagcggcg cgcctgagcg tgcgcgcgc tgcacggcga ctcaccagcc cttagttgc 5640
ttctctccca gaggcaggta aatagccacg tagtccttta aaccccccagc ggaggccgccc 5760
cccggttgc ggcggaggcc cttagggact cagccgatc ggactggctg ggaggcagac 5820
cttgaccgtg aggaggactg ggggcttcccg cggggcgcgg ggaacgtcgg gcctgtttag 5880
cgtgctcgat ggttttgc agccaccgat cgggtttgcctt ctcctggatc ggagagctcc 5940
atttactcgat aatgtggcg gggggccgcgg ctggctggatc cccctccctga agtatgtgg 6000
tgggtgttag gaatctagcc ccctcccaagc tctgtccact gccccggatgg catggccgga 6060
tcgcaccggc agagggcccg cagttcgagg aaccgctggg gagatcagaa gaacaagcga 6120
gaggccccgg gctctggcc ctccccgaagc ccagcggaga cgccgaattt ggggtggggg 6180
gtggggaaaga agcggggcgc caacggggcc agacctcgcc cgtgaggagt gccggagcga 6240
ccgtgggccc ccagccgctg ctggccaaact cctcccgaga gggggccctg cttggccatca 6300
cgccggctggg aggtacctgg ttagccgcag cgggtgggtc tctggcagcc ccctggggat 6360
cggtcgccgc gggcgtgcgt ggcctggct tcagcctcg cggggggatg catggcgcac 6420
ccggccctct ctccagagaa atccaggtac cggggagcgt gtttctggg agtctgtat 6480
tggtcgaccc aaaagcaag cgatattttc gctgtctcgat ctgaaggagg gaactcggcc 6540
ctcaggagac tgaggggagg ggatcaggcg cctcttggag aaccaccctc atctggca 6600
aagggtggca ctttcacgtt ttttttttgc ttgttgcgtt tttctcacac gtttgcattat 6660
taaacaacga ggagaagtcc gttttttgtt gttcttttc gttttttccc ccctctctt 6720
tcttttggta ccatatgtat caaatagatt ttttaaaatc ataagaccac catcctcacc 6780
atcttgcattt tcagtttcct cgtctccaga ttcttaacaa agcagttca cttccctgtat 6840

gatggttatc ctcatctcat ggccaggtta tttcttgcata cttaaagagca atcaactgttt 6900
 attaaggcagt ttccccaaatc ctgaacctttt gaagtggtac ctttccttgc aaaaagattcc 6960
 gtatagaata ggattaaaaaa ttttcacaag ttgtcagaga aaaataagaa cagaaaaattg 7020
 aataaaatgt cagacctctg gaaaatgaac agctttctca aatttggaaa ttaactataa 7080
 aaaggaacag tttcctacg gagacactga ggccgtctca gtgaaaaaaga acgtgaaaa 7140
 agaaccagaa aaggaaagaa aacggagttt tttatatgtat ttgtatctga tgcaaatttt 7200
 tcatacttgtt gaaagaaaaaa tatcaagattt ataaaaagat aaatgggtt gaaagaatc 7260
 atttatggaa taaaatacaa atcaaaagcaaa gtctggattt tcggtttaca actactagta 7320
 aaaacagtaa cagcaaccac tccttgaagg ttaccttagaa atttgcataat tcggtttatgt 7380
 gaggtggcaa ggctttggag ttagaaatat ggctctgcag ctaattttac aatttgggac 7440
 ctaatccgtt catcgccctt ttgtcattt ataaaaataga ggaatttata cctacttcag 7500
 gagtttgcca agattaactg tgtaaaaactg accttttagca tttatcattt tattttttcc 7560
 ctagtcacac tgcactgggg gacatttgcg aatctatgaa atttggaaa aatggatcct 7620
 ttaagccatg accctgaaac cccactccctg ggaacttacc tgcaatggaa gaaattcgg 7680
 aagaagaaaa gctgcattca cccacaggc tcagaatgtat ctaaaaattt atccagtc 7740
 gagacaaccc taaaaggatttta agaaaaatagc agggcagcag ctaagaaaaat catagcactt 7800
 taactgaaag gaacatttgcg taacccatca cgtggcataa ttttagagcc tctctgtgat 7860
 atataggaaaa aaagtgcacag gtcaaaagtttta gattactcag acatggatgc atatgtggaa 7920
 aatctgaata aaaaatggac ccacagttttt ctgtgtatgg gaggagagtt cagtgcatg 7980
 tttgctgctt ttttttagtc agcgtcatctt cttttaaaaa tactatcata tttttttcc 8040
 tgtagtagatt cattagtggt ttaataattt atatactgtt attctatttttataatccgtt 8100
 ctttagatttta tcaatttataag tttgtttttt ttttttaagga cttctgaata tatttggaaaa 8160
 ctgaacagtt tcaaccaaggc tgaagcatctt gtcttccctg agacacagat ccaacttgag 8220
 ctgaatcaca gcagatgttag gtacccctgcgg aatctctctg gtcttgcgtat gggtgaaagt 8280
 gccaactgtt ttcaagaaga taaggactg aaagtctggg atcacaatc cttgctctgg 8340
 aggccactgg gatctatata tgtaacccac acctattata tcacccctt gtaaaaatcat 8400
 cttgatttttgc cagggaaagg gacatagctt tctctagaat cattctgagt tatgtaaagaa 8460
 gtagccattt aaaaacagt ataataaaag caataaccta acattccctgc accgaatcaa 8520
 cactgaaggtt aactgtcaac agacaaaaagg ttttatgagg taacagttttt tctaagctgt 8580
 agtttttaact tacgtattgc attctccctt ttttagatctt attccctttt ccaaggcaac 8640
 cagtttatca actgtgaact gctacatatg aaacatttca aacctgactg tttctaaagc 8700
 tttgtatggctt acagaaaaat aatcttttagt ttttttttttgcgtat gtttagcgtt ttttacagtt 8760
 gggagaatttttttcttgcgtat ttttttttttgcgtat gtttagcgtt ttttacagtt 8820
 tcctaatatttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 8880
 attgttttttttcttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 8940
 ctttattatatttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9000
 ctcttagtgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9060
 gggacttttttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9120
 ttttttttttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9180
 ttttttttttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9240
 ccaggggcaag gatgggttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9300
 agggtataac atatttttagt ttttttttttgcgtat gtttagcgtat gtttagcgtat 9360
 agttccctacc agctctgttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9420
 aatatatatggat ttttttttttgcgtat gtttagcgtat ttttttttttgcgtat gtttagcgtat 9480
 ttatttactatgttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat 9540
 gcaggggcaag ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9600
 tttagtgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9660
 aatgatatttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9720
 atacaccccttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9780
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9840
 attttacacgttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9900
 atgtggatgttgcgtat ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat 9960
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10020
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10080
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10140
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10200
 ttttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10260
 taggttaatttttttttgcgtat gtttagcgtat gtttagcgtat gtttagcgtat gtttagcgtat 10320

tttcagggtc catgtttcat gaactttcca tcaattaatt tatttttagca caatttttaac 13860
tttcaagttg ttgaatatctt ggagatatacc taaaatataa ttatcttgc aagttcactc 13920
aaagctctaa tcatttcatttt cattttctt ccctaaaaag ttcttcaca tcaagtcgg 13980
ttcgttactg acaaattgtt tcaacaaaaca accatagata ccaaatatta attaatatta 14040
gatatttccc agctcacgtt aacctggagc tcatttagct taattgtatt tagaattgtt 14100
tggtttgtttt gcaacttactt ttatttaaac caattaaata gagctctttt acaaattcgc 14160
tgcagcaaattt gttatccaaa gacaaagata catacagaga ggctcaattt cttatttcaa 14220
gattgcagtc ctgagtcagg caatgtaaaa aaccatcagt ttacatatga ggttgaatta 14280
aaattggatt tctcatagat ggaaaaaaagt caaactcact tggcttagaca gctaaatatt 14340
tgcataaaaaa gcacttagga attctaatta tcttggccaa cccaaacttctt aaattacttt 14400
acatttcctca aaatttgcattt tttaaaaaga cagcataatg aggttccctg agaagacatt 14460
tgcattcttca cacaggcaag tttttcttca aatgactttt tttccctttt gtttaataact 14520
tacaggcctc ttaacataac cagggaggc tggggagtag taaagttttt atgggatttg 14580
gattttttt ggaacgacac ttctgttactt gtaaagacta cttttgtaaa acacagttc 14640
gtgggggttt ttttgaatg atactgaagg attgacatgc ccatttacctt atgttgaaa 14700
gttttatctt tcctcattttt gcttagctct tgggaagaca cagaggcaac aatttaggct 14760
cctgttaatc agtccagact gaggggggaa agaggtgaag ataagaaaaga caggctgagg 14820
aatccgtctc atagtccttac caggaagattt gtagccaggg ggaatgggtc actgttttgc 14880
ttgaaccaat gtgtgtttca cagtcacag aagttgttctt gctggattt tgtagccac 14940
aagttccggg aaacaaactt cactcagaag gacaatgcag atagtggagt acagttttat 15000
tacaccggcg gccccaaaggc agatgtctt cttagccaaag gactctgacc agttttgtg 15060
aaaacccattt atatcctaag tgcgtgtt cttttttttttt ctttgcattttt 15120
agtctgaaca caagaaaaaga aagatacaat cttttttttttt ctttgcattttt 15180
gccttaggtt gttttttttttt ctttgcattttt 15240
ttaacagtttca acaatttatca aatagaattt atgattcttac tcaattttttt 15300
agagtcacaa tttttttttttt ctttgcattttt 15360
tatggggca cttttttttttt ctttgcattttt 15420
ttcctgttag tttttttttttt ctttgcattttt 15480
tgcattttttt ctttgcattttt 15540
cccaacatgg gttttttttttt ctttgcattttt 15600
agatgtgtta atagttttttt ctttgcattttt 15660
gagacaggca cttttttttttt ctttgcattttt 15720
ctggtagtca gttttttttttt ctttgcattttt 15780
tattggggca cttttttttttt ctttgcattttt 15840
gttccatagc tttttttttttt ctttgcattttt 15900
tattttttttttt ctttgcattttt 15960
ggaggggtt gttttttttttt ctttgcattttt 16020
tgcgtgtgtt gttttttttttt ctttgcattttt 16080
tttacaaaatc atccagaata aacaaaatc tttttttttttt ctttgcattttt 16140
ttaacatgac tttttttttttt ctttgcattttt 16200
ttaacatgac tttttttttttt ctttgcattttt 16260
gaattttttttt ctttgcattttt 16320
acccagggtt cttttttttttt ctttgcattttt 16380
cctttttttttt ctttgcattttt 16440
cctttttttttt ctttgcattttt 16500
cctttttttttt ctttgcattttt 16560
cctttttttttt ctttgcattttt 16620
cctttttttttt ctttgcattttt 16680
cctttttttttt ctttgcattttt 16740
cctttttttttt ctttgcattttt 16800
cctttttttttt ctttgcattttt 16860
cctttttttttt ctttgcattttt 16920
cctttttttttt ctttgcattttt 16980
cctttttttttt ctttgcattttt 17040
cctttttttttt ctttgcattttt 17100
cctttttttttt ctttgcattttt 17160
cctttttttttt ctttgcattttt 17220
cctttttttttt ctttgcattttt 17280

aaccatcttc tgggttctg gatgcagg tctttacaga acagaaatga ggggaagtga 17340
ggaagtaaaag taaaaggca gaatagagag ggagaggca taagtcttgg gtcataagtc 17400
ttgcaaaaaca tctcttagaa tccccacaca gtttttaat tcataaaaact tttacttgc 17460
acacttaggt ctctaatcca tttagagect gctttgcat gtgacattaa ggtccgattt 17520
ttatttccct tcagttccc agaagtctct gctaaataaa ctttccttc tcattgattt 17580
gttttggtag ttatcattt atccagttgg tactaaagtc aatgtatgtg gctttatctc 17640
tgaacttgtc attctgcttc ctttgatcta tatgttcatt tctaggttgc taccatattt 17700
attactatga ctttatactt ggatttaatg tttgataaca gtaggtttt gaactgtgg 17760
atggagaag actcttgaga gtcccttggc ctgcaaggag atccaaccgg tccattctaa 17820
aggagatcg ccctggatt tcttggag aaatgatgtc aaagctgaaa ttccagttact 17880
ttggccaccc catgcaaaga gttgactcat tggaaaagac tctgatgtc ggagggattt 17940
ggggcaggag gagaagggga cgacagagga tgagatggct ggtatggcatc accgactcg 18000
tggacgtgag tctgagtggaa ctccgggagt tattgatgg cagggaggcc tggcgtgctg 18060
caattcatgg ggtcacaaag agtccggacac gactgatgtc ctgaactgaa ctgaacagta 18120
ggttctcacc tcatttctt ttaagggtt agttgttat ttgtggacat ttcttcatcc 18180
tttattgaat tcctcaaaaa aaaaatccag ctagaatttt gattgtcatt attattcata 18240
ttataagttc attttaggaa aattgacatc tttataatac tgggtggttc caaccaagac 18300
ctttccatgt ttacagatca tcttctgtt tcttttagtag tggcgttgc cttttcccc 18360
agtcttactt tcttttgagt taagtcaatc ctatcttgc tttttttttt tttttttttt 18420
tgtatctgac tctttgtgac cccatggacc tttttttttt tttttttttt 18480
tactggagcg ggttagcctt ctttccacca gggcatctt ccaacccagg gatcaaacc 18540
aggctccca cattgcaggc aaattttttt ccaggtgagc cacaaggaa gcccacaaat 18600
actggagtgg gtagcttatac ctttctccag tcggtcttcc cgaccaggaa atcaaactgg 18660
ggtttctgc gttgtcggtt atttttttac caactgagct atcaggaaag cccactttac 18720
agtatgggtt gaaatttattt ctatcttgc tttttttttt tttttttttt 18780
gtatagagaa atgctgttgc tttttttttt tttttttttt 18840
agtctctgt tacctctgttgc aagtgtgtttt aattttttttt tttttttttt 18900
caaataatga cagctggagc tttttttttt tttttttttt 18960
atggcattgg aaaagggtttt cccaaatggc tttttttttt tttttttttt 19020
gagatccagg tttgatttcc gggtcaggaa tttttttttt tttttttttt 19080
tccagtttc ttgcctggga aatctaatgg gggtcacaag agtccggacac aacttagcaa 19140
ctccagtcct gtgacaggggg acatcttgc tttttttttt tttttttttt 19200
aaacgttatac tttttttttt tttttttttt 19260
ggtttctcc tttttttttt tttttttttt 19320
gttcagtcgc tttttttttt tttttttttt 19380
ttccctgtcc atcaccacact cccagttttt tttttttttt tttttttttt 19440
tgatgccatc cagtcatctc atcctctgtc gcatgggtt tttttttttt tttttttttt 19500
cttcagcatc agtccctttca atgaacaccc ggtctccct gcagtcacaa ggtttttttt tttttttttt 19560
atcttaggtt gtcataactt tccttccaa gtcaccatct gcaatggattt tttttttttt tttttttttt 19620
atacttaata tttttttttt tttttttttt 19680
tcttataatga agtgcataa cacagccagg tttttttttt tttttttttt 19740
attttactat aatcacatg atgttttttca cttttttttt tttttttttt 19800
cagtggatg tttttttttt tttttttttt 19860
ctccaagggtc tttttttttt tttttttttt 19920
ttctgattct tttttttttt tttttttttt 19980
aatcccaaac tttttttttt tttttttttt 20040
tattctataa tttttttttt tttttttttt 20100
cgtggatg tttttttttt tttttttttt 20160
tttttttttt tttttttttt 20220
ccttaatata tttttttttt tttttttttt 20280
tattctataa tttttttttt tttttttttt 20340
gttgcgttgc tttttttttt tttttttttt 20400
ctcgctggta tttttttttt tttttttttt 20460
tcattttgtct tttttttttt tttttttttt 20520
ccagaaatct ggctggccccc tttttttttt tttttttttt 20580
gccttcgaga aagttctcat gttcagttcc tttttttttt tttttttttt 20640
atggaaagcca agagctgaac cccatgtgc tttttttttt tttttttttt 20700
caaagacca ggtgcagaa tgaggccatt tttttttttt tttttttttt 20760

ccttacccaa aacagactcc agaaaattcta gcagacatat tctgaggcagt ttaaccggcc 20820
ttataacttt caaatgtatt tttatttata cccaggcatt tcagttatga tagaaaaac 20880
ataaagggggta tgtaattca ttgttagtc atccttcctc tgaatattat ccaagttagt 20940
ctttagttct gaaggtcatg aaaaataatt ttataatatt tggtgacact tttatttga 21000
gatgtcccgag tgctgaggat gactaatgtc agcgttacag catatgccat ttttgggg 21060
gtggcaaatg gtatttgga acatgtgggt tgatgtgggg tacagtagaa agtgcttaat 21120
gatcattcta ctgtgcgtct ttaatctctg cccctggAAC caccgggt aagttagata 21180
ttcattctga aagatctgaa tcttcaattc attcatctgt aatctgtatga atgtacattc 21240
acaaccggttc atagggttac atgcagggt aactgtgtc tgcattat 21300
gtaagatatg tgtttttgc accaaaaatt aagagaaaat aagtcaacta tgaaccattt 21360
aatgctgaac taagactcat tcagtgagtg agtgactgca aatattatga acacagcctt 21420
tcttaccccg ttttgaatacg cccgattgtc tgcattat 21480
tatgtttgca aaatcttgc tgttcctgt tgcattat 21540
tgataaaaatt cttgtggca tttatatgtt cagaagatgt taatttccttc atttaacaga 21600
tatctattgt ttaccttccc tgccaggc tctccatt 21660
aaacaaagag actcattccc tgctcacatt cccacatgag gaaagaggac atgaaccagc 21720
tattcagaaa attatttcat gatctcagca cttaccttgg ggtcttccca actggacatt 21780
agaatcactt ccatagggtc catgccaggg ttcagaaggt tccaggaact aatattccctt 21840
ataacaaccc aataggcaga gcttctaggg tcctcacaag aacaagccca gttcaagaa 21900
tcactacttt aaagaagttc aaagcgtgtt aaacctacca gatatttata gtttcttcca 21960
atttatgata tagtgtacca atcagaggtt attttatca taagcaatgt tgctggcatt 22020
ctgtattttt caagttacta gggaaatgagc caggaattat ttaaggtca actttgtcct 22080
tagaggagaa agagttgtgt tactacttta cctataatta ctttcatgag atgtatggaa 22140
tgtgaagaac atttatgacc tagaatgttt atagctgtatg ccactgctat acagtcattc 22200
attatgctgc agactttaag tgatttttac gtgggcattt gatgctgaca ccctctttat 22260
tttgcagaga agtcatcatg gtgaaaagcc acataggcag ttggatcctg gttctctttg 22320
tggccatgtg gagtgcgtg ggcctctgca agaagcgtacc aaaaacctggc ggaggatgga 22380
acactggggg gagccgatac ccgggacagg gcaagtcctgg aggcaaccgc tatccacctc 22440
agggaggggg tggctgggtt cagccccatg gaggtggctg gggccaacct catggaggtg 22500
gctgggtca gccccatggt ggtggctggg gacagccaca tgggtggtga ggctgggtc 22560
aagggtggtag ccacagtca gggacacaaccc ctagtgcatttccca gcaacacaca gtcaccacca 22620
tggcaggagc tgctgcagct ggagcagttgg tagggggcct tgggtggctac atgctggaa 22680
gtgccatgag caggccttcc atacattttg gcaatgacta tgaggaccgt tactatcgtg 22740
aaaacatgtt ccgttacccc aaccaagtgt actacagacc agtggatcag tatagtaacc 22800
agaacaactt tgcatttgc tgcatttgc tgcatttgc acatcaagat aatggagcga gtgggtggc 22860
ccaccaaggg ggagaacttc accgaaactg cccaggcttta ttaccaaagg gggcaagtg 22980
aaatgtgcattt caccctgtac cagagagaat tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23040
tgatccttcc ttcttccctt cctgtgatcc taggataggg gcaaccttcc tgcatttgc tgcatttgc tgcatttgc 23100
ggagtgctca cctgcagccc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23160
ctgtataata ataccctgg cgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23220
tgtttattca agtcccattt gctcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23280
gcaattttct catttgcattt aagaacaccc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23340
tgccaagtct ggaaggaggc cacataatata gactacattt tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23400
agttcataga cccagggtcc accctgttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23460
taaaggatata tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23520
aagaatggat attcatgcaat cctttgactt tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23580
acataatacg aaaggcttct gagactaaaa tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23640
tggcaggcattt ccattttgtt tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23700
ataaaagtata gataatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23760
ctgttgcattt tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23820
tgtaaaagaaa gctgagggtct gaaagggttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23880
cttgagagtc ctttggacttcc aaaggagatc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 23940
ctgaagctga aactccaata ctttggtcac gcttagaaag actgaaggcga ggaggagaag tgcatttgc tgcatttgc 24000
catcatggac tcaatggaca tgagcttgc gggacacag aggatgagat ggcctagatgg 24060
gacctggcgt cctgcagttcc atgggtgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 24120
aggtaacccca agattttaaatc atagagaatg taaaactccatg gaggatggcga tggacaggga 24180
cagataaaaaa aactccatat tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc tgcatttgc 24240

aatcttttc ctgaaccagt gctagtgtt gactggtaag agtataacag catatatagg 24300
ttatgtatg aagagaata ggtacatgaa atatgtgc ttcatttattt ctgtcttata 24360
attgtcaaaa aagaaagtta ggtcccttggg ttctgtaaaa ttgacttgaa tcaaaaggaa 24420
ggcattttaa gaaataaaat agagatgata gaaatctgat ccattcagag tagaaaaaga 24480
aattccatta ctgttattt agaaggtaaa attatttcc gaattttca atattgtcac 24540
ctagcagata gacacttta ttctgtactg ttttactag cttgcaccc ttggtatcct 24600
atgtaaaaac gtatggcat atgacaaact tttctgtt gagaattaa catctgaacc 24660
acctaatttca ttacctgttt ttgttaaggta cttttgtt ggtactaagg agatgtggg 24720
ttaatcccta ggtcaggtaa atccctaga ggaagaatg gcaacccact ccagtattct 24780
tgccaggaaa atccagtggg cagaggagcc tggcagggtt cagtcataac atggggttgc 24840
aaagagtgag acaagactt agctactgaa caataaggac aataaatgct gggtcggcta 24900
aaaggttcat taggtttttt ttctgtt gggctctgt agtacttg tttatcttca 24960
ttcgaaacaa ttttggtaga ttgtatgtt cagcttctgt atcagcatgc atttggaaaa 25020
aacatcaaaa ttggtaaattt ttgtatagc catcttacta ttgaagatgg aagaaaaagaa 25080
gcaaaattt cagcatatca tgctgttta tttcaagaaa gataaccaaa atgcaaaaat 25140
gtatgggtga agtgtatggg gaaggggctg caactgatca agcttgc tttttttgt 25200
gaagttcgt gctggagatt tcttatttgg cagatgctcca cagttggata taccagttga 25260
agttgatagt gatcaaattt agatatttgg aataatcgat gttataccac gctggagata 25320
gctgacatac tcaaaaatatc caaatagaac cttgaaaacc atttgcacca tctcagttat 25380
gttaatcact ttgtatgtt agttccacat aagcaaaaaa acaacaacaa caaaaaaaaaa 25440
cacaacccctt accatatttgc cgcattgc tctctactgaa aatgatttgg aacactttgt 25500
ttttaaaaac agatggat taacagtggg tacgatacaa taacgttagaa tggaaagaaa 25560
ttaggggtga gcaaaatgaa ccaccaccac caaaggccag ttttcctcta aagaagatgt 25620
gtgtatggtggg ggattggaaa gtaatccctt attatgtattt cttctggaaa acactgctcc 25680
taatttagacc aactgaaagc agcactcaac gaaaagcattc cagaatttagt caatggaaaa 25740
cataatcttcc catcaggata acgcaagact acatatttctt ttgtatgacc agcatggctg 25800
gagttcttga ttcatctgtt gtattcagac gttgcatttcc ttgatttttcc cattttttt 25860
cagttctacaa aattatcata atggaaaaaa ttccatttcc ctggaaagatt gtaaagtgc 25920
tctggaaaaat ttcttgc ttttttttgc aaaaagataa aaagtttgc gaaacacagaa ttatgacgtt 25980
gcctgaaaaa tggcagaagg tagtggaaaca aaagagtgc tatgttgc tttttttttt 26040
tttagtggaaa tggaaaaatgt gtcttttattt ttatatttca caccggggc acattttggc 26100
caacccaaata ctgaataactt aaaggaaactt cttctgtt gtccttagcc ttacagtgt 26160
cactgaatag ttgtatatttca gatccagag tgatatttgc aatacgcattt tgcttatattt 26220
ttttatattt gtaactttgc atgtacttgc ttgttgc aatgttataa atatttataa 26280
tctgactaaa attaaacagg agctaaaagg agtatcttcc acggagtgc tggctgtgtt 26340
caccagggtg cacactatgt tggcagtttcc atttgggggg ttaatatgag aaaagtgc 26400
cattcagttcc tcacacttgc aatttgcagca ggagggttcc tctgtatccctt gcttgc 26460
tattcccttgc cacatgccc ctgttttgc ctaccttttcc acatatttcc atgaataacct 26520
gtcaagtgc ttttttttgc gaggaaaaca gtccttgc tctggaaagat ttgttgc 26580
caggatttttgc aaatagagga ttgttgc gatccagag tgatatttgc ttttttttgc 26640
atgcctgtac ccacccttgc aacactgtat ggtcaatatttgc gctactttcc ttgttgc 26700
gctttcaat gggttcttcat atgtttcc ttttttttgc atgaggttcc agctcccgat 26760
tttcccttgc agaggttttgc ttctgttcaact atagtttgc ttttttttgc aatgttataa 26820
aaaatgtatgtt ggggttgc aatatttattt aatacttttgc caaatggccatg ttttttttgc 26880
tatctgaaca gaggatcaac ttgcatttgc aatgttataa ataaaaatc aacatgttgc 26940
tatccataaa ttccacaaaaac taattttaaa atgacataaa atccctaaaaa gcattactca 27000
aagttaaatc tttaacataa gaagtgc ttttttgc gactatttttgc atgttgc ttttttttgc 27060
tgcaagatgttca aatatttgc aatgttataa aactatttgc tatctgttgc ttttttttgc 27120
cccactgaaa agatgttgc ttttttttgc aatgttataa aatgttataa aacatgttgc 27180
cacatgttgc ttttttttgc gtttttttgc aatgttataa aatgttataa aacatgttgc 27240
ttgtgttgc aatgttataa aatgttataa aatgttataa aatgttataa aacatgttgc 27300
acaatatttgc gatgggttttgc gtttttttgc aatgttataa aatgttataa aacatgttgc 27360
gcacttagtgg taaagaactc acctgcaat gtttttttgc aatgttataa aatgttataa aacatgttgc 27420
cctgagtttttgc gaagatgccc tggaggaggg gtttttttgc aatgttataa aatgttataa aacatgttgc 27480
gagaatctcc atggacagag gtttttttgc aatgttataa aatgttataa aatgttataa aacatgttgc 27540
gacacaactg aagtgtactt gtttttttgc aatgttataa aatgttataa aatgttataa aacatgttgc 27600
ctcttaccacc tccctccccca accctcttgc ttttttttgc aatgttataa aatgttataa aacatgttgc 27660
gcatcatacg ttgttgc ttttttttgc aatgttataa aatgttataa aatgttataa aacatgttgc 27720

attctctcat atcatctcg actctcccttc ccttactgtg tccaaaatgt ctgtgtttcc 27780
tttgcgtccc tgcaaggtagg accatcatta ctatcttct agatccata tatatgtgtt 27840
aatgtatgtat atttgtctt ctcttctaa cttatttcac tctataatag gctctagggt 27900
catccacccctc actagaacag actcaaataat gttccctttt gtatgtgagt aatattccat 27960
tgtgtgtatg taccacaact tcattatcca ttcattatctg gttggacatc taggttgg 28020
ccatgtccta ggtattgtaa attgtgctgc aataaacatt gaggtatata tgtcttttc 28080
agttctgggt tcctcagggt ataagccag tagtgagatt gctgggtcat atggtaactt 28140
tgggcttcc ttgtggctc gctggtaaag aatccacccat caatatggga gacctgggtt 28200
tgatccctgg gctggaaaga ccccccggag aagggAACGG ctatccactc cagtttctg 28260
gcctggagaa ttccatgggg tgtatagtcc acggggttac aaagagttgc acacgactga 28320
gcaactttca ctcactcatg gtaactttat ttctagttt ttaaggaagc tccataatgt 28380
tctctatgggt ggctgtatca gtttgcattt tgaccaacag tgcagaggg ttccctttc 28440
tccacatcct ctcacccattt tatttttgc aactttctg atgatggcca ttctgaccag 28500
taataatgag ttagttaag tatctttca tgtgattatt agtcatctgt catcttgg 28560
gaaatgtctg ttggggctc ctgcccattt taaaatttgc gttttttt gttatttgg 28620
tgcataact gcttatataat ttttgcattt aattcccttc agttgtttca tttgcttatt 28680
aatttctccc attcggagag ttgtctttc acctcgctt tggggctt cattgtgaca 28740
aagctttaa gtttagtttgc gttccactt tttattttgc ttttatttgc cattattctt 28800
ggaagtggtt caaagaggat cttgatgtgg cttatgtcag atagtgttct gccctatgtt 28860
ttcctctaag agtcttataat tttctgatct tacattttagg tcttcatcc atttgagttt 28920
atctttgtgt atgggttttag gaagtgttct aatttcatcc ttttacttagt agctgaccag 28980
ttttccctgtt atgaattattt gaagaggctt tcttttctcc attgtatatt tttgccttt 29040
ttgtcaaaga taaggtcctc atagggtcat ggatttatct ccaggcttcc tatattgtt 29100
cattggctca tgcttccatt tctgtgacag tacatctg tcttgatgac cgtagcttt 29160
cagtagatc tgaagtccagg aaggttgcattt cctccatttc catttcttcc tcaagattgc 29220
tttagctatt tagggcttt tttgtttccaa taaaatttgc agagtaacttgc ttctagttt 29280
gtgaaaaata ccattatttgc tttgataggg attgcatttgc atctatagat tgctttgg 29340
aatatactca ttttcaactt attgatttgc ccaatccaaag aacacggat atttctgcat 29400
ctgtttgtgt tttgttttgc ttatttctca agtgcattt atgtttctgc atacagggtt 29460
ttttgtctct tttgtttaat ttatttcttagt gtttttgc tttgttgcattt gtaatggg 29520
ttgtttccgt aatttcttgc tttgttttgc ctttttttttgc ttttttttttgc gcaaggcatt 29580
tctatgtattt aattttatattt cctatgactt tactatatttgc attgatttgc tcttagtaatt 29640
ttcgggtggc ctcttttagt tttttatgtt agaggagcac ataatctgca aacagtgg 29700
gttttactac ttcttttccaa atctggattt ctttgcattt gtttttttttgc gtttttttttgc 29760
aaaataccaaa tttaaataaa ctgacttcaaa ctcttccctt cccctccctt ctcttttgc gggagggtgt 29820
caagtgtcca ggtgtccaaa cctttccctt cccctccctt ctcttttgc aggaagggtgt 29880
ccccctaccc ttggaaaggga aatttggggg cctgatttgc tctacttca gtttttttttgc 29940
taatatggcc agaacctgag ctcccttgc ctttgcattt gtttttttttgc gtttttttttgc 30000
aactgaccta catagttcat ttccacttgc gaaatgggtcat ttcttcttgc ctcttttgc 30060
ctcctggagg atttagcatc tccctgcattt attggaggagttttaaaccat ctttttgc 30120
actccctgtca ggccttccaa ttttttttgc gtttttttttgc gtttttttttgc 30180
ctatgagctt caactctgccc ttgttacaat ttcttgcattt gtttttttttgc gtttttttttgc 30240
ctttccctgg agcagtgttc ctcaaacttgc gtttttttttgc gtttttttttgc 30300
gcattttctca caggttccaa gatgggttgc gtttttttttgc gtttttttttgc 30360
ctccctcagg atttcacact gaaaccttca ttttttttgc gtttttttttgc 30420
agttgttgc tcccacccca gagtttgc gtttttttttgc gtttttttttgc 30480
tacatttctca acacacttcc cggcaatgtat ttcttgcattt gtttttttttgc 30540
ccactgtctt gcaggaagat gtacatgaaa ttttttttgc gtttttttttgc 30600
agcagtttagg agactaaaaa cctgacttgc gtttttttttgc gtttttttttgc 30660
tcttagggatg aaaagcaaaag gagatgttgc gtttttttttgc gtttttttttgc 30720
ttggaaaggact ggtgacttgc gggcccccattt gtttttttttgc gtttttttttgc 30780
agtacccagg ccacaaatgg agcatgttgc gtttttttttgc gtttttttttgc 30840
aacccctgtca aaatgcattt ctgaggccat ttttttttgc gtttttttttgc 30900
ttctataagc tcctgggttgc tttgttgcattt gtttttttttgc gtttttttttgc 30960
ggacccatggaa gccttaagtca tcttgcattt gtttttttttgc gtttttttttgc 31020
gtctcaggag ctgggggggatg ttggggagtttgc gtttttttttgc gtttttttttgc 31080
tttagccctaa gcttttgcattt ttttttttgc gtttttttttgc gtttttttttgc 31140
aaaagaatca acctcctgtcc ggcagcaggat gtttttttttgc gtttttttttgc 31200

gccgaattag ttagctgccc atggaaaata tcaaattccag agacattctg tcagtttcc 31260
 aaggtcatac aaatagttag tgaaaatgtt agttgcttag tcatgtctga ccctttgcaa 31320
 acttatggac tatactgccc aggctcttgc ttctccaggc aagaatactg 31380
 gagtgggttg ccataccctc ctccaggggc tc 31412

<210> 4
 <211> 256
 <212> PRT
 <213> Ovis aries

<400> 4
 Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala
 1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30

Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45

Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Trp Gly Gln Pro His
 50 55 60

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Gly
 85 90 95

Gly Ser His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met
 100 105 110

Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Val Gly Gly Leu
 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe
 130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr
 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Ser Asn Gln Asn
 165 170 175

Asn Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val
 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Ile
 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu
 210 215 220

Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser
 225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly

245

250

255

<210> 5
 <211> 830
 <212> DNA
 <213> *Odocoileus virginianus*

<400> 5
 acaccctctt tattttgcag ataagtcatc atggtaaaaa gcccacatagg cagctggatc 60
 ctatgttctct ttgtggccat gtggagtgcgt gttggccctct gcaagaagcg accaaaacct 120
 ggaggaggat ggaacactgg ggggagccga taccgggac agggaaagtcc tggaggcaac 180
 cgctatccac ctcaggagggg gggtggctgg ggtcagcccc atggaggtgg ctggggccaa 240
 cctcatggag gtggctgggg tcagccccat ggtggtggt gggggcagcc acatggtggt 300
 ggaggctggg gtcaaaatggg taccacagt cagtggaaaca agcccaactaa accaaaaacc 360
 aacatgaagc atgtggcagg agctgctgcc gctggagcag tggtaggggg ctttgggtggc 420
 tacatgctgg gaagtgcctt gaggcagacct ttatacatt ttggcaatga ctatgaggac 480
 cgttactatac gtgaaaacat gtaccgttac cccaaaccaag tttactacag gccagtggat 540
 cagtataata accagaacac ctttgcattt gactgtgtca acattacagt caagcaacac 600
 acagtccacca ccaccaccaa gggggagaac ttcaccgaaa ctgacattaa gatgatggag 660
 cgagttgtgg agcaaatgtg catcaccagg taccagagag aatcccaggg ttattaccaa 720
 agaggggcaa gtgtgatcctt cttcccttcc cttccctgtga ttccctctcat ctctttccctc 780
 atttttctca tagtaggata gggcaacctt ttcccttttc attatcttct 830

<210> 6
 <211> 256
 <212> PRT
 <213> *Odocoileus virginianus*

<400> 6
 Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala
 1 5 10 15
 Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30
 Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45
 Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Trp Gly Gln Pro His
 50 55 60
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Gly
 85 90 95
 Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met
 100 105 110
 Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Val Gly Gly Leu
 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe
130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr
 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn
 165 170 175

Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val
 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 .. 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu
210 215 220

Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser
225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
245 250 255

<210> 7
<211> 771
<212> DNA
<213> *Odocoileus hemionus* *hemionus*

```

<400> 7
atggtaaaaa gccacatagg cagctggatc ctagttctct ttgtggccat gtggagtgac 60
gtgggcctct gcaagaagcg accaaaacct ggaggaggat ggaacactgg ggggagccga 120
tacccgggac agggaaagtcc tggaggcaac cgctatccac ctcagggagg gggtgtgtgg 180
ggtcagcccc atggaggtgg ctggggccaa cctcatggag gtggctgggg tcagccccat 240
ggtgtggct gggggcagcc acatggtggt ggaggctggg gtcaaggtgg taccacagt 300
cagtggaaaca agccccatggaa accaaaaacc aacatgaagc atgtggcagg agctgctgca 360
gctggagcag tggtaggggg cctcggtggc tacatgctgg gaagtgcacat gaggcggct 420
cttatacatt ttggcaatga ctatgaggac cgttactatc gtggaaaacat gtaccgttac 480
cccaaccāag tgtactacag gccagtggat cagtataata accagaacac ctttgtgcat 540
gactgtgtca acatcacatggaa caagcaacac acagtccacca ccaccaccaa gggggagaac 600
ttcacccggaaa ctgacatcaa gatgatggag cgagttgtgg agcaaatgtg catcacccag 660
taccagagag aatcccaggc ttattaccaa agagggggcaaa gtgtgatcct cttctcctcc 720
ccctctgtga tcctcctcat ctcttcctc attttctca tagtaggata g 771

```

<210> 8
<211> 256
<212> PRT
<213> *Odocoileus hemionus* *hemionus*

<400> 8
Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala
1 5 10 15

Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30

Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45

Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Trp Gly Gln Pro His
 50 55 60

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80

Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 85 90 95

Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met
 100 105 110

Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Val Gly Gly Leu
 115 120 125

Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe
 130 135 140

Gly Asn Asp Tyr Glu Asp Arg Tyr Tyr Arg Glu Asn Met Tyr Arg Tyr
 145 150 155 160

Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn
 165 170 175

Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val
 180 185 190

Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu
 210 215 220

Ser Gln Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser
 225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
 245 250 255

<210> 9
 <211> 830
 <212> DNA
 <213> Cervus elaphus

<400> 9
 acaccctctt tattttgcag ataagtcatc atggtaaaaa gccacatagg cagctggatc 60
 ctagttctct ttgtggccat gtggagtgac gttggcctct gcaagaagcg accaaaacct 120
 ggaggaggat ggaacactgg ggggagccga taccgggac agggaaagtcc tggaggcaac 180

cgctatccac ctcagggagg ggggtggctgg ggtcagcccc atggaggtgg ctggggccaa 240
 cctcatggag gtggctgggg tcagccccat ggtgggtggct ggggacagcc acatgggtgt 300
 ggaggctggg gtcaagggtgg taccacagt cagtggaaaca agcccagtaa accaaaaacc 360
 aacatgaagc atgtggcagg agctgctgca gctggagcag tggtaggggg ctcgggtggc 420
 tacttgctgg gaagtgccat gagcaggcct cttatacatt ttggcaatga ctatgaggac 480 :
 cgttactatc gtgaaaacat gtaccgttac cccaaaccaag tgtactacag gccagtggat 540
 cagtataata accagaacac ctttgtcat gactgtgtca acatcacagt caagcaacac 600
 acagtccacca ccaccaccaa gggggagaac ttcaccgaaa ctgacatcaa gatgatggag 660
 cgagttgtgg agcaaatgtg catcacccag taccagagag aatccgaggc ttattaccaa 720
 agaggggcaa gtgtgatcct cttctcctcc ctcctgtga tcctcctcat ctcttcctc 780
 attttctca tagtaggata ggggcaacct tcctgtttc attatcttct 830

<210> 10
 <211> 256
 <212> PRT
 <213> Cervus elaphus

<400> 10
 Met Val Lys Ser His Ile Gly Ser Trp Ile Leu Val Leu Phe Val Ala
 1 5 10 15
 Met Trp Ser Asp Val Gly Leu Cys Lys Lys Arg Pro Lys Pro Gly Gly
 20 25 30
 Gly Trp Asn Thr Gly Gly Ser Arg Tyr Pro Gly Gln Gly Ser Pro Gly
 35 40 45
 Gly Asn Arg Tyr Pro Pro Gln Gly Gly Gly Trp Gly Gln Pro His
 50 55 60
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Pro His
 65 70 75 80
 Gly Gly Gly Trp Gly Gln Pro His Gly Gly Gly Trp Gly Gln Gly
 85 90 95
 Gly Thr His Ser Gln Trp Asn Lys Pro Ser Lys Pro Lys Thr Asn Met
 100 105 110
 Lys His Val Ala Gly Ala Ala Ala Gly Ala Val Val Gly Gly Leu
 115 120 125
 Gly Gly Tyr Met Leu Gly Ser Ala Met Ser Arg Pro Leu Ile His Phe
 130 135 140
 Gly Asn Asp Tyr Glu Asp Arg Tyr Arg Glu Asn Met Tyr Arg Tyr
 145 150 155 160
 Pro Asn Gln Val Tyr Tyr Arg Pro Val Asp Gln Tyr Asn Asn Gln Asn
 165 170 175
 Thr Phe Val His Asp Cys Val Asn Ile Thr Val Lys Gln His Thr Val
 180 185 190
 Thr Thr Thr Lys Gly Glu Asn Phe Thr Glu Thr Asp Ile Lys Met
 195 200 205

Met Glu Arg Val Val Glu Gln Met Cys Ile Thr Gln Tyr Gln Arg Glu
210 215 220

Ser Glu Ala Tyr Tyr Gln Arg Gly Ala Ser Val Ile Leu Phe Ser Ser
225 230 235 240

Pro Pro Val Ile Leu Leu Ile Ser Phe Leu Ile Phe Leu Ile Val Gly
245 250 255

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 October 2002 (10.10.2002)

PCT

(10) International Publication Number
WO 02/079416 A3

(51) International Patent Classification⁷: A01K 67/027, C12N 15/00

(21) International Application Number: PCT/US02/09652

(22) International Filing Date: 28 March 2002 (28.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/280,549 30 March 2001 (30.03.2001) US

(71) Applicant (for all designated States except US): TEXAS A & M UNIVERSITY SYSTEM [US/US]; M/S 3369, College Station, TX 77843-3369 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): DUNNE, Patrick, W. [US/US]; 903 Brandt River Bottom Lane, La Grange, TX 78945-5818 (US). PIEDRAHITA, Jorge [US/US]; 3696 Preakness Circle, College Station, TX 77845 (US).

(74) Agent: HANSON, Robert, E.; Fulbright & Jaworski, L.L.P., 600 Congress Avenue, Suite 2400, Austin, TX 78701 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:
14 August 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 02/079416 A3

(54) Title: TRANSGENIC ANIMALS RESISTANT TO TRANSMISSIBLE SPONGIFORM ENCEPHALOPATHIES

(57) Abstract: The invention provides modified prion-encoding genes for the creation of transgenic bovine and cervid animals resistant to transmissible spongiform encephalopathies including bovine spongiform encephalopathy (BSE). The transgenic animals homozygous for the mutant genes continue to express a functional copy of the prion-encoding gene, thereby not interfering with the normal role of the polypeptide and effectively decreasing tendency for alteration of sleep-wake cycles.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/09652

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : A01K 67/027; C12N 15/00
 US CL : 800/15, 16, 25, 21

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 U.S. : 800/15, 16, 25, 21

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
 MEDLINE, CAPLUS, EAST, BIOSIS, EMBASE, PCTFUL, USPATFUL

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	HUNTER N et al. Sheep and goats: natural and experimental TSEs and factors influencing incidence of disease. Archives of Virology. Supplementum, 2000, Vol. 16, pages 181-188, see the entire document.	1-34
Y	FOSTER JD et al. Clinical signs, histopathology and genetics of experimental transmission of BSE and natural scrapie to sheep and goats. Veterinary Record February 10, 2001, Vol. 148, No. 6, pages 165-171, see the entire document.	1-34
&, P	US 2002/0194635 (DUNNE PW et al.) 19 December 2002 (19.12.2002), see the entire document.	1-34
Y, P	US 6,271,436 (PIEDRAHITA JA et al) 07 August 2001 (07.08.2001), see column 49, lines 25-35.	1-34

 Further documents are listed in the continuation of Box C.

See patent family annex.

Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

26 March 2003 (26.03.2003)

Date of mailing of the international search report

02 MAY 2003

Name and mailing address of the ISA/US

 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Ram R. Shukla

Telephone No. 703/308-0196

Form PCT/ISA/210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/09652

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest



The additional search fees were accompanied by the applicant's protest.



No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

PCT/US02/09652

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group I, claim(s) 1-17, drawn to a transgenic bovine comprising a mutant PrP polypeptide and the method of producing the transgenic bovine.

Group II, claim(s) 18-34, drawn to a transgenic cervid comprising a mutant PrP polypeptide and the method of producing the transgenic cervid.

The inventions listed as Groups I-II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The transgenic bovine of group I belongs to a different animal species than the transgenic cervid of group II. Additionally, the art of making transgenic animals is unpredictable among different animal species, therefore, even though the animals of the two groups comprising same protein, they will have different characteristics. Accordingly, the transgenic animals of the groups I and II lack the same special technical feature.